
Obiekt : Ruch samochodowy na trasie ratajczaka

Nazwa substancji : tlenki azotu NOx

29 – ilość emitorów

E m i t o r y liniowe lub powierzchniowe

Emitor	x1[m]	y1[m]	h1[m]	d[m]	v[m/s]	T[K]	T0[K]	Emisja
symbol	x2[m]	y2[m]	h2[m]					[g/s/m]
=====								
1 K-AN	0	947	0.5	0.10	0.00	293.0	280.2	0.000023
	70	934	0.5					
2 AN-Ko	70	934	0.5	0.10	0.00	293.0	280.2	0.000017
	218	910	0.5					
3 Ko-Gw	218	910	0.5	0.10	0.00	293.0	280.2	0.000013
	402	882	0.5					
4 Gw-R	402	882	0.5	0.10	0.00	293.0	280.2	0.000013
	608	818	0.5					
5 R-Pi	608	818	0.5	0.10	0.00	293.0	280.2	0.000012
	756	780	0.5					
6 Pi-Ma	756	780	0.5	0.10	0.00	293.0	280.2	0.000007
	820	770	0.5					
7 Ma-Po	820	770	0.5	0.10	0.00	293.0	280.2	0.000005
	856	873	0.5					
8 Po+wg	895	846	0.5	0.10	0.00	293.0	280.2	0.000010
	856	873	0.5					
9 Po-PLW	856	873	0.5	0.10	0.00	293.0	280.2	0.000014
	889	952	0.5					
10 R-ŚM	619	985	0.5	0.10	0.00	293.0	280.2	0.000022
	608	818	0.5					
11 R-Gw	609	839	0.5	0.10	0.00	293.0	280.2	0.000020
	322	912	0.5					
12 Gw-Ko	322	912	0.5	0.10	0.00	293.0	280.2	0.000020
	233	935	0.5					
13 Ko-AN	233	935	0.5	0.10	0.00	293.0	280.2	0.000019
	77	962	0.5					
14 AN-K	77	962	0.5	0.10	0.00	293.0	280.2	0.000021
	0	974	0.5					
15 Ko-M	259	1135	0.5	0.10	0.00	293.0	280.2	0.000009
	378	1050	0.5					
16 F-PLR	378	1050	0.5	0.10	0.00	293.0	280.2	0.000009
	507	1160	0.5					
17 PLR-F	504	1168	0.5	0.10	0.00	293.0	280.2	0.000005
	377	1060	0.5					
18 M-Ko	377	1060	0.5	0.10	0.00	293.0	280.2	0.000005
	265	1142	0.5					

19 T-O	566	680	0.5	0.10	0.00	293.0	280.2	0.000003
	530	552	0.5					
20 O-Ko	530	552	0.5	0.10	0.00	293.0	280.2	0.000007
	486	423	0.5					
21 Ko-N	486	423	0.5	0.10	0.00	293.0	280.2	0.000011
	404	371	0.5					
22 N-KJ	404	371	0.5	0.10	0.00	293.0	280.2	0.000011
	356	324	0.5					
23 KJ-W	356	324	0.5	0.10	0.00	293.0	280.2	0.000007
	323	200	0.5					
24 KJ-W	323	200	0.5	0.10	0.00	293.0	280.2	0.000008
	328	116	0.5					
25 KJ-sk	452	268	0.5	0.10	0.00	293.0	280.2	0.000015
	365	322	0.5					
26 sk+PRZ	365	322	0.5	0.10	0.00	293.0	280.2	0.000016
	132	384	0.5					
27 PRZ-sk	132	369	0.5	0.10	0.00	293.0	280.2	0.000024
	360	299	0.5					
28 sk-KJ	360	299	0.5	0.10	0.00	293.0	280.2	0.000026
	433	253	0.5					
29 ALN-Ko	404	357	0.5	0.10	0.00	293.0	280.2	0.000003
	472	405	0.5					

=====

SZORSTKOŚĆ z0[m] 2.00
WYSOKOŚĆ ANEMOMETRU ha[m] 14
WYSOKOŚĆ OBLICZEŃ Z[m] 0.00

Podokresy pracy źródła - Liczba 1

rok długość [godz] 8760 róża : POZNAN.R

1 . . . 5 . . . 10 . . . 15 . . . 20 . . . 25 . . . 30
L L

Stężenia gazowe ug/m3

X[m]	Y[m]	KL	Ua	Kąt	Smax	Sa	S99,8 P(200)
0	100	6	1	52	5.171	0.129	5.121 0.00
25	100	6	1	50	5.333	0.136	5.267 0.00
50	100	6	1	48	5.511	0.143	5.401 0.00
75	100	6	1	48	5.728	0.150	5.515 0.00
100	100	6	1	46	5.975	0.158	5.678 0.00
125	100	6	1	44	6.258	0.166	5.881 0.00
150	100	6	1	42	6.589	0.176	6.142 0.00
175	100	6	1	40	6.980	0.186	6.489 0.00
200	100	6	1	36	7.448	0.197	6.973 0.00
225	100	6	1	34	8.070	0.212	7.374 0.00
250	100	6	1	30	8.894	0.229	8.168 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P(200)
275	100	6	1	26	10.017	0.252	9.085	0.00
300	100	6	1	20	11.710	0.286	10.915	0.00
325	100	6	1	4	14.805	0.325	13.312	0.00
350	100	6	1	344	9.663	0.309	9.309	0.00
375	100	6	1	360	8.554	0.269	8.282	0.00
400	100	6	1	356	8.565	0.246	8.136	0.00
425	100	6	1	350	8.521	0.230	8.151	0.00
450	100	6	1	340	8.549	0.219	8.056	0.00
475	100	6	1	336	8.437	0.207	7.782	0.00
500	100	6	1	330	8.077	0.195	7.650	0.00
525	100	6	1	320	7.839	0.182	7.360	0.00
550	100	6	1	314	7.843	0.169	7.005	0.00
575	100	6	1	312	7.797	0.157	6.676	0.00
600	100	6	1	308	7.669	0.146	6.260	0.00
625	100	6	1	306	7.438	0.136	6.024	0.00
650	100	6	1	304	7.145	0.128	5.546	0.00
675	100	6	1	302	6.835	0.121	5.191	0.00
700	100	6	1	300	6.525	0.114	4.955	0.00
725	100	6	1	298	6.214	0.109	4.640	0.00
750	100	6	1	296	5.887	0.104	4.106	0.00
775	100	6	1	296	5.603	0.099	4.006	0.00
800	100	6	1	294	5.344	0.095	3.816	0.00
825	100	6	1	294	5.065	0.091	3.488	0.00
850	100	6	1	292	4.854	0.087	3.421	0.00
875	100	6	1	292	4.620	0.084	3.177	0.00
900	100	6	1	290	4.422	0.081	3.014	0.00
0	125	6	1	54	5.292	0.140	5.228	0.00
25	125	6	1	54	5.450	0.148	5.401	0.00
50	125	6	1	52	5.638	0.157	5.561	0.00
75	125	6	1	50	5.852	0.166	5.696	0.00
100	125	6	1	48	6.097	0.176	5.855	0.00
125	125	6	1	46	6.384	0.187	6.010	0.00
150	125	6	1	44	6.723	0.199	6.289	0.00
175	125	6	1	42	7.127	0.213	6.589	0.00
200	125	6	1	40	7.612	0.230	7.047	0.00
225	125	6	1	36	8.225	0.250	7.688	0.00
250	125	6	1	32	9.068	0.279	8.455	0.00
275	125	6	1	28	10.333	0.326	9.595	0.00
300	125	6	1	22	12.313	0.444	11.475	0.00
325	125	6	1	8	24.076	2.194	22.769	0.00
350	125	6	1	344	9.489	0.498	9.326	0.00
375	125	6	1	2	9.079	0.346	8.839	0.00
400	125	6	1	358	9.182	0.299	8.816	0.00
425	125	6	1	348	9.211	0.274	8.886	0.00
450	125	6	1	340	9.309	0.257	8.791	0.00
475	125	6	1	332	9.133	0.240	8.585	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
500	125	6	1	324	8.735	0.222	8.352	0.00
525	125	6	1	316	8.790	0.203	8.130	0.00
550	125	6	1	312	8.803	0.186	7.620	0.00
575	125	6	1	308	8.691	0.171	7.346	0.00
600	125	6	1	304	8.399	0.158	6.506	0.00
625	125	6	1	302	8.063	0.147	6.254	0.00
650	125	6	1	300	7.668	0.137	5.884	0.00
675	125	6	1	298	7.256	0.129	5.409	0.00
700	125	6	1	296	6.837	0.122	4.862	0.00
725	125	6	1	296	6.455	0.116	4.636	0.00
750	125	6	1	294	6.128	0.110	4.581	0.00
775	125	6	1	292	5.768	0.105	3.938	0.00
800	125	6	1	292	5.493	0.100	4.002	0.00
825	125	6	1	290	5.189	0.096	3.519	0.00
850	125	6	1	290	4.962	0.092	3.626	0.00
875	125	6	1	290	4.694	0.088	3.375	0.00
900	125	6	1	288	4.505	0.085	3.180	0.00
0	150	6	1	58	5.461	0.153	5.353	0.00
25	150	6	1	56	5.616	0.163	5.544	0.00
50	150	6	1	54	5.793	0.174	5.730	0.00
75	150	6	1	54	6.003	0.185	5.910	0.00
100	150	6	1	52	6.250	0.198	6.047	0.00
125	150	6	1	50	6.541	0.212	6.308	0.00
150	150	6	1	48	6.884	0.228	6.599	0.00
175	150	6	1	44	7.288	0.246	6.825	0.00
200	150	6	1	42	7.796	0.268	7.268	0.00
225	150	6	1	40	8.411	0.297	7.787	0.00
250	150	6	1	36	9.246	0.338	8.556	0.00
275	150	6	1	30	10.534	0.410	9.731	0.00
300	150	6	1	24	12.944	0.608	11.912	0.00
325	150	6	1	8	46.949	3.139	45.220	0.00
350	150	6	1	2	9.850	0.653	9.690	0.00
375	150	6	1	4	9.706	0.433	9.571	0.00
400	150	6	1	358	9.969	0.366	9.559	0.00
425	150	6	1	348	10.111	0.331	9.832	0.00
450	150	6	1	338	10.328	0.306	9.687	0.00
475	150	6	1	328	10.022	0.281	9.621	0.00
500	150	6	1	316	9.977	0.254	9.306	0.00
525	150	6	1	310	10.145	0.228	8.911	0.00
550	150	6	1	306	10.030	0.206	8.319	0.00
575	150	6	1	304	9.715	0.187	8.032	0.00
600	150	6	1	300	9.189	0.172	7.065	0.00
625	150	6	1	298	8.677	0.159	6.445	0.00
650	150	6	1	296	8.131	0.148	5.904	0.00
675	150	6	1	296	7.597	0.139	5.489	0.00
700	150	6	1	294	7.152	0.130	5.317	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
725	150	6	1	292	6.714	0.123	4.915	0.00
750	150	6	1	292	6.276	0.117	4.395	0.00
775	150	6	1	290	5.950	0.111	4.377	0.00
800	150	6	1	290	5.585	0.106	4.013	0.00
825	150	6	1	288	5.316	0.101	3.780	0.00
850	150	6	1	288	5.038	0.097	3.571	0.00
875	150	6	1	286	4.772	0.093	3.424	0.00
900	150	6	1	286	4.573	0.089	3.239	0.00
0	175	6	1	62	5.702	0.168	5.543	0.00
25	175	6	1	60	5.853	0.180	5.739	0.00
50	175	6	1	58	6.022	0.193	5.944	0.00
75	175	6	1	56	6.221	0.208	6.155	0.00
100	175	6	1	54	6.459	0.224	6.316	0.00
125	175	6	1	52	6.746	0.241	6.491	0.00
150	175	6	1	50	7.095	0.262	6.764	0.00
175	175	6	1	48	7.517	0.285	7.130	0.00
200	175	6	1	46	8.025	0.314	7.413	0.00
225	175	6	1	42	8.657	0.352	8.096	0.00
250	175	6	1	40	9.459	0.404	8.818	0.00
275	175	6	1	34	10.684	0.496	10.063	0.00
300	175	6	1	28	13.318	0.738	12.437	0.00
325	175	4	1	202	65.036	8.119	64.863	0.00
350	175	6	1	2	10.621	0.751	10.461	0.00
375	175	6	1	14	10.596	0.532	10.484	0.00
400	175	6	1	358	10.975	0.453	10.674	0.00
425	175	6	1	344	11.387	0.409	11.132	0.00
450	175	6	1	334	11.798	0.374	11.195	0.00
475	175	6	1	320	11.554	0.335	11.185	0.00
500	175	6	1	310	12.012	0.294	10.773	0.00
525	175	6	1	306	11.990	0.258	10.377	0.00
550	175	6	1	302	11.511	0.229	9.425	0.00
575	175	6	1	300	10.784	0.206	8.537	0.00
600	175	6	1	296	9.998	0.188	7.455	0.00
625	175	6	1	294	9.249	0.173	6.765	0.00
650	175	6	1	294	8.544	0.160	6.241	0.00
675	175	6	1	292	7.954	0.149	5.973	0.00
700	175	6	1	290	7.395	0.140	5.465	0.00
725	175	6	1	290	6.866	0.132	4.929	0.00
750	175	6	1	288	6.457	0.124	4.767	0.00
775	175	6	1	288	6.039	0.118	4.321	0.00
800	175	6	1	286	5.702	0.112	4.046	0.00
825	175	6	1	286	5.394	0.107	3.924	0.00
850	175	6	1	286	5.075	0.102	3.655	0.00
875	175	6	1	284	4.846	0.097	3.435	0.00
900	175	6	1	284	4.621	0.093	3.362	0.00
0	200	6	1	66	6.032	0.184	5.798	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
25	200	6	1	64	6.190	0.199	5.989	0.00
50	200	6	1	62	6.357	0.215	6.222	0.00
75	200	6	1	62	6.554	0.234	6.486	0.00
100	200	6	1	60	6.783	0.255	6.653	0.00
125	200	6	1	58	7.052	0.278	6.833	0.00
150	200	6	1	54	7.388	0.304	7.105	0.00
175	200	6	1	52	7.807	0.335	7.483	0.00
200	200	6	1	48	8.317	0.373	7.991	0.00
225	200	6	1	46	8.988	0.420	8.389	0.00
250	200	6	1	42	9.821	0.483	9.168	0.00
275	200	6	1	38	10.966	0.588	10.310	0.00
300	200	6	1	32	13.070	0.842	12.387	0.00
325	200	6	1	8	24.083	2.392	22.754	0.00
350	200	6	1	2	11.659	0.871	11.455	0.00
375	200	6	1	16	11.754	0.668	11.529	0.00
400	200	6	1	358	12.340	0.589	12.208	0.00
425	200	6	1	342	13.397	0.536	13.188	0.00
450	200	6	1	328	14.098	0.480	13.584	0.00
475	200	6	1	310	14.886	0.409	13.716	0.00
500	200	6	1	304	14.950	0.344	12.731	0.00
525	200	6	1	300	14.148	0.294	11.700	0.00
550	200	6	1	298	12.939	0.257	10.222	0.00
575	200	6	1	294	11.789	0.229	9.148	0.00
600	200	6	1	292	10.691	0.207	8.219	0.00
625	200	6	1	290	9.702	0.189	7.210	0.00
650	200	6	1	290	8.859	0.174	6.530	0.00
675	200	6	1	288	8.175	0.161	6.319	0.00
700	200	6	1	286	7.506	0.150	5.408	0.00
725	200	6	1	286	7.015	0.140	5.361	0.00
750	200	6	1	286	6.509	0.132	4.679	0.00
775	200	6	1	284	6.125	0.125	4.449	0.00
800	200	6	1	284	5.765	0.118	4.244	0.00
825	200	6	1	284	5.410	0.112	3.889	0.00
850	200	6	1	282	5.138	0.107	3.659	0.00
875	200	6	1	282	4.890	0.102	3.574	0.00
900	200	6	1	282	4.646	0.098	3.304	0.00
0	225	6	1	68	6.468	0.203	6.139	0.00
25	225	6	1	68	6.648	0.221	6.396	0.00
50	225	6	1	66	6.828	0.242	6.533	0.00
75	225	6	1	66	7.037	0.266	6.839	0.00
100	225	6	1	64	7.274	0.293	7.082	0.00
125	225	6	1	62	7.543	0.324	7.290	0.00
150	225	6	1	60	7.862	0.359	7.625	0.00
175	225	6	1	56	8.251	0.400	7.987	0.00
200	225	6	1	54	8.768	0.450	8.446	0.00
225	225	6	1	50	9.441	0.510	8.980	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P(200)
250	225	6	1	46	10.324	0.586	9.783 0.00
275	225	6	1	42	11.507	0.699	10.773 0.00
300	225	6	1	36	13.291	0.919	12.532 0.00
325	225	6	1	116	22.044	3.310	21.935 0.00
350	225	6	1	360	13.158	1.123	12.862 0.00
375	225	6	1	18	13.346	0.907	13.066 0.00
400	225	6	1	356	14.468	0.860	14.379 0.00
425	225	6	1	336	17.258	0.815	16.937 0.00
450	225	6	1	312	20.498	0.680	19.436 0.00
475	225	6	1	302	20.323	0.522	17.906 0.00
500	225	6	1	298	18.282	0.412	15.535 0.00
525	225	6	1	294	16.118	0.341	13.489 0.00
550	225	6	1	292	14.069	0.292	11.139 0.00
575	225	6	1	290	12.384	0.256	9.590 0.00
600	225	6	1	288	11.042	0.228	8.653 0.00
625	225	6	1	286	9.925	0.206	7.698 0.00
650	225	6	1	286	8.979	0.188	6.659 0.00
675	225	6	1	284	8.245	0.173	6.335 0.00
700	225	6	1	284	7.585	0.160	5.629 0.00
725	225	6	1	282	7.024	0.150	5.130 0.00
750	225	6	1	282	6.571	0.140	5.030 0.00
775	225	6	1	282	6.141	0.132	4.487 0.00
800	225	6	1	280	5.745	0.125	4.143 0.00
825	225	6	1	280	5.449	0.118	3.932 0.00
850	225	6	1	280	5.167	0.112	3.853 0.00
875	225	6	1	280	4.899	0.107	3.548 0.00
900	225	6	1	280	4.646	0.102	3.355 0.00
0	250	6	1	72	7.054	0.224	6.842 0.00
25	250	6	1	72	7.260	0.247	6.986 0.00
50	250	6	1	70	7.475	0.273	7.109 0.00
75	250	6	1	70	7.715	0.305	7.432 0.00
100	250	6	1	68	7.980	0.342	7.631 0.00
125	250	6	1	66	8.272	0.384	7.959 0.00
150	250	6	1	64	8.612	0.433	8.329 0.00
175	250	6	1	62	9.023	0.491	8.707 0.00
200	250	6	1	60	9.529	0.560	9.212 0.00
225	250	6	1	56	10.184	0.640	9.782 0.00
250	250	6	1	52	11.092	0.737	10.598 0.00
275	250	6	1	48	12.368	0.866	11.834 0.00
300	250	6	1	42	14.239	1.072	13.315 0.00
325	250	6	1	34	17.987	1.703	17.300 0.00
350	250	6	1	360	15.643	1.663	15.346 0.00
375	250	6	1	18	16.012	1.439	15.741 0.00
400	250	6	1	338	19.560	1.734	19.294 0.00
425	250	6	1	22	37.233	2.896	35.997 0.00
450	250	6	1	296	32.429	1.203	28.705 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P(200)
475	250	6	1	292	24.727	0.707	21.418	0.00
500	250	6	1	290	20.358	0.504	17.120	0.00
525	250	6	1	288	16.728	0.398	13.458	0.00
550	250	6	1	286	14.211	0.331	11.267	0.00
575	250	6	1	284	12.380	0.285	10.088	0.00
600	250	6	1	282	10.915	0.250	8.540	0.00
625	250	6	1	282	9.833	0.224	7.856	0.00
650	250	6	1	282	8.882	0.202	6.651	0.00
675	250	6	1	280	8.162	0.185	6.328	0.00
700	250	6	1	280	7.541	0.171	5.889	0.00
725	250	6	1	280	6.983	0.158	5.204	0.00
750	250	6	1	278	6.496	0.148	4.725	0.00
775	250	6	1	278	6.115	0.139	4.551	0.00
800	250	6	1	278	5.765	0.131	4.387	0.00
825	250	6	1	278	5.444	0.124	4.090	0.00
850	250	6	1	278	5.148	0.117	3.739	0.00
875	250	6	1	278	4.874	0.111	3.520	0.00
900	250	6	1	276	4.627	0.106	3.341	0.00
0	275	6	1	76	7.813	0.246	7.565	0.00
25	275	6	1	76	8.087	0.275	7.952	0.00
50	275	6	1	74	8.369	0.310	8.207	0.00
75	275	6	1	74	8.676	0.354	8.433	0.00
100	275	6	1	72	8.999	0.406	8.741	0.00
125	275	6	1	72	9.385	0.468	9.162	0.00
150	275	6	1	70	9.809	0.542	9.436	0.00
175	275	6	1	68	10.298	0.631	9.975	0.00
200	275	6	1	66	10.889	0.734	10.538	0.00
225	275	6	1	64	11.618	0.852	11.256	0.00
250	275	6	1	60	12.579	0.991	12.170	0.00
275	275	6	1	54	13.954	1.170	13.525	0.00
300	275	6	1	48	16.145	1.430	15.458	0.00
325	275	6	1	40	19.857	1.982	18.777	0.00
350	275	6	1	342	21.630	2.882	21.564	0.00
375	275	6	1	342	23.830	3.265	23.487	0.00
400	275	4	1	154	168.676	21.778	167.939	0.00
425	275	6	1	290	28.183	4.266	25.556	0.00
450	275	6	1	232	36.780	4.486	35.833	0.00
475	275	6	1	282	23.548	0.912	21.198	0.00
500	275	6	1	282	18.381	0.591	15.876	0.00
525	275	6	1	280	15.345	0.450	13.321	0.00
550	275	6	1	280	13.207	0.367	10.927	0.00
575	275	6	1	278	11.649	0.311	9.792	0.00
600	275	6	1	278	10.442	0.271	8.647	0.00
625	275	6	1	278	9.443	0.240	7.494	0.00
650	275	6	1	278	8.601	0.216	6.728	0.00
675	275	6	1	276	7.944	0.196	6.266	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
700	275	6	1	276	7.378	0.180	5.870	0.00
725	275	6	1	276	6.881	0.167	5.497	0.00
750	275	6	1	276	6.441	0.155	5.005	0.00
775	275	6	1	276	6.048	0.145	4.576	0.00
800	275	6	1	276	5.694	0.137	4.198	0.00
825	275	6	1	276	5.375	0.129	3.881	0.00
850	275	6	1	274	5.092	0.122	3.677	0.00
875	275	6	1	274	4.852	0.116	3.503	0.00
900	275	6	1	274	4.631	0.110	3.344	0.00
0	300	6	1	80	8.785	0.271	8.667	0.00
25	300	6	1	80	9.234	0.307	9.126	0.00
50	300	6	1	78	9.653	0.353	9.546	0.00
75	300	6	1	78	10.099	0.414	10.022	0.00
100	300	6	1	78	10.586	0.493	10.522	0.00
125	300	6	1	78	11.134	0.594	11.039	0.00
150	300	6	1	76	11.777	0.720	11.624	0.00
175	300	6	1	76	12.531	0.876	12.384	0.00
200	300	6	1	74	13.440	1.057	13.279	0.00
225	300	6	1	72	14.567	1.270	14.355	0.00
250	300	6	1	70	16.055	1.544	15.685	0.00
275	300	6	1	66	18.269	1.937	17.873	0.00
300	300	6	1	56	21.215	2.598	20.904	0.00
325	300	6	1	356	32.074	4.102	30.114	0.00
350	300	5	1	322	174.982	23.143	165.758	0.00
375	300	6	1	282	32.767	6.033	30.706	0.00
400	300	6	1	124	66.703	9.767	66.274	0.00
425	300	6	1	280	27.020	3.019	24.451	0.00
450	300	6	1	278	20.595	1.595	18.375	0.00
475	300	6	1	276	17.060	0.927	15.376	0.00
500	300	6	1	276	14.703	0.631	13.149	0.00
525	300	6	1	274	13.016	0.483	11.676	0.00
550	300	6	1	274	11.692	0.393	10.147	0.00
575	300	6	1	274	10.596	0.332	8.935	0.00
600	300	6	1	274	9.673	0.287	8.048	0.00
625	300	6	1	274	8.887	0.254	7.305	0.00
650	300	6	1	274	8.210	0.228	6.673	0.00
675	300	6	1	272	7.631	0.206	6.132	0.00
700	300	6	1	272	7.130	0.189	5.665	0.00
725	300	6	1	272	6.688	0.175	5.259	0.00
750	300	6	1	272	6.294	0.162	4.904	0.00
775	300	6	1	272	5.941	0.152	4.591	0.00
800	300	6	1	272	5.622	0.142	4.313	0.00
825	300	6	1	272	5.334	0.134	4.065	0.00
850	300	6	1	272	5.072	0.127	3.841	0.00
875	300	6	1	272	4.831	0.120	3.640	0.00
900	300	6	1	272	4.611	0.114	3.460	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P(200)
0	325	6	1	86	9.970	0.295	9.787 0.00
25	325	6	1	84	10.762	0.340	10.583 0.00
50	325	6	1	84	11.604	0.401	11.506 0.00
75	325	6	1	84	12.413	0.489	12.288 0.00
100	325	6	1	84	13.280	0.619	13.161 0.00
125	325	6	1	84	14.326	0.812	14.221 0.00
150	325	6	1	84	15.639	1.086	15.556 0.00
175	325	6	1	84	17.370	1.445	17.302 0.00
200	325	6	1	84	19.827	1.910	19.741 0.00
225	325	6	1	88	23.571	2.650	23.484 0.00
250	325	6	1	26	43.804	4.495	42.370 0.00
275	325	6	1	108	66.551	7.629	65.963 0.00
300	325	6	1	212	31.748	6.800	31.570 0.00
325	325	6	1	28	26.889	5.651	25.690 0.00
350	325	6	1	282	47.315	7.476	43.644 0.00
375	325	6	1	276	33.832	5.320	31.082 0.00
400	325	6	1	272	22.973	2.712	21.286 0.00
425	325	6	1	272	18.483	1.784	16.978 0.00
450	325	6	1	270	15.740	1.248	14.549 0.00
475	325	6	1	270	13.837	0.887	12.522 0.00
500	325	6	1	270	12.403	0.649	11.040 0.00
525	325	6	1	270	11.275	0.505	10.062 0.00
550	325	6	1	270	10.356	0.412	9.235 0.00
575	325	6	1	270	9.582	0.348	8.477 0.00
600	325	6	1	270	8.913	0.301	7.764 0.00
625	325	6	1	270	8.323	0.266	7.097 0.00
650	325	6	1	270	7.796	0.238	6.486 0.00
675	325	6	1	270	7.322	0.215	5.952 0.00
700	325	6	1	270	6.894	0.197	5.563 0.00
725	325	6	1	270	6.506	0.182	5.213 0.00
750	325	6	1	270	6.152	0.169	4.896 0.00
775	325	6	1	270	5.830	0.158	4.607 0.00
800	325	6	1	270	5.534	0.148	4.344 0.00
825	325	6	1	270	5.263	0.139	4.103 0.00
850	325	6	1	270	5.014	0.131	3.882 0.00
875	325	6	1	270	4.784	0.124	3.679 0.00
900	325	6	1	270	4.572	0.118	3.571 0.00
0	350	6	1	92	11.213	0.314	10.900 0.00
25	350	6	1	92	12.550	0.368	12.210 0.00
50	350	6	1	90	14.247	0.447	13.965 0.00
75	350	6	1	90	16.406	0.572	16.217 0.00
100	350	6	1	90	19.053	0.801	18.903 0.00
125	350	6	1	90	22.239	1.326	22.058 0.00
150	350	6	1	92	27.783	2.518	27.610 0.00
175	350	6	1	82	44.326	4.999	44.303 0.00
200	350	4	1	260	85.257	12.068	84.342 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P(200)
225	350	6	1	112	27.949	6.161	27.723 0.00
250	350	6	1	98	45.004	6.835	44.896 0.00
275	350	6	1	238	42.624	7.064	41.874 0.00
300	350	6	1	128	24.575	4.235	24.415 0.00
325	350	6	1	138	20.532	3.313	20.378 0.00
350	350	6	1	150	19.811	3.030	19.663 0.00
375	350	6	1	196	29.742	4.085	29.567 0.00
400	350	6	1	264	19.422	2.465	18.717 0.00
425	350	6	1	264	15.292	1.615	14.470 0.00
450	350	6	1	264	13.454	1.174	12.491 0.00
475	350	6	1	264	12.103	0.883	11.261 0.00
500	350	6	1	264	11.042	0.673	10.188 0.00
525	350	6	1	264	10.178	0.528	9.303 0.00
550	350	6	1	266	9.469	0.430	8.575 0.00
575	350	6	1	266	8.863	0.362	7.942 0.00
600	350	6	1	266	8.334	0.313	7.353 0.00
625	350	6	1	266	7.860	0.276	6.782 0.00
650	350	6	1	266	7.429	0.247	6.370 0.00
675	350	6	1	266	7.030	0.223	6.028 0.00
700	350	6	1	266	6.658	0.204	5.716 0.00
725	350	6	1	266	6.311	0.188	5.301 0.00
750	350	6	1	266	5.986	0.175	4.895 0.00
775	350	6	1	266	5.683	0.163	4.522 0.00
800	350	6	1	268	5.403	0.153	4.180 0.00
825	350	6	1	268	5.159	0.144	3.882 0.00
850	350	6	1	268	4.931	0.136	3.704 0.00
875	350	6	1	268	4.718	0.128	3.686 0.00
900	350	6	1	268	4.518	0.122	3.678 0.00
0	375	6	1	98	12.222	0.323	11.811 0.00
25	375	6	1	98	14.107	0.382	13.845 0.00
50	375	6	1	98	16.642	0.470	16.129 0.00
75	375	6	1	100	20.630	0.620	20.289 0.00
100	375	6	1	102	27.452	0.940	27.039 0.00
125	375	6	1	108	40.030	2.234	39.607 0.00
150	375	6	1	56	39.968	6.670	39.118 0.00
175	375	6	1	116	44.988	6.545	44.389 0.00
200	375	6	1	120	28.568	4.669	28.264 0.00
225	375	6	1	124	22.149	3.309	21.977 0.00
250	375	6	1	128	18.659	2.701	18.521 0.00
275	375	6	1	132	16.456	2.313	16.270 0.00
300	375	6	1	138	15.014	2.059	14.847 0.00
325	375	6	1	148	14.071	1.899	13.949 0.00
350	375	6	1	160	13.288	1.837	13.244 0.00
375	375	6	1	192	14.608	2.007	14.450 0.00
400	375	6	1	204	24.004	3.341	23.910 0.00
425	375	6	1	250	17.650	3.674	17.474 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
450	375	6	1	258	14.673	1.489	14.000	0.00
475	375	6	1	260	12.146	0.991	11.209	0.00
500	375	6	1	260	10.783	0.728	10.026	0.00
525	375	6	1	260	9.821	0.562	9.035	0.00
550	375	6	1	262	9.096	0.452	8.229	0.00
575	375	6	1	262	8.503	0.377	7.575	0.00
600	375	6	1	262	7.996	0.324	7.105	0.00
625	375	6	1	262	7.550	0.285	6.736	0.00
650	375	6	1	262	7.147	0.255	6.376	0.00
675	375	6	1	262	6.774	0.231	5.903	0.00
700	375	6	1	264	6.438	0.211	5.442	0.00
725	375	6	1	264	6.138	0.194	5.033	0.00
750	375	6	1	264	5.853	0.180	4.823	0.00
775	375	6	1	264	5.583	0.168	4.629	0.00
800	375	6	1	264	5.326	0.158	4.364	0.00
825	375	6	1	264	5.081	0.148	4.038	0.00
850	375	6	1	264	4.849	0.140	3.794	0.00
875	375	6	1	266	4.638	0.132	3.821	0.00
900	375	6	1	266	4.454	0.125	3.836	0.00
0	400	6	1	104	12.607	0.324	12.116	0.00
25	400	6	1	104	14.517	0.381	13.952	0.00
50	400	6	1	106	17.078	0.464	16.460	0.00
75	400	6	1	110	20.504	0.599	19.976	0.00
100	400	6	1	114	24.433	0.854	23.957	0.00
125	400	6	1	120	25.173	1.436	24.906	0.00
150	400	6	1	122	20.647	2.082	20.477	0.00
175	400	6	1	124	17.713	2.062	17.512	0.00
200	400	6	1	128	15.630	1.900	15.466	0.00
225	400	6	1	130	14.103	1.742	13.920	0.00
250	400	6	1	134	12.961	1.608	12.798	0.00
275	400	6	1	140	12.122	1.498	12.024	0.00
300	400	6	1	146	11.510	1.412	11.442	0.00
325	400	6	1	154	11.045	1.349	10.984	0.00
350	400	6	1	168	10.676	1.318	10.652	0.00
375	400	6	1	188	11.412	1.362	11.279	0.00
400	400	6	1	200	12.832	1.565	12.714	0.00
425	400	6	1	212	16.050	2.200	15.966	0.00
450	400	6	1	34	509.009	14.399	504.955	2.73
475	400	6	1	254	17.078	1.667	16.469	0.00
500	400	6	1	256	12.324	0.864	11.746	0.00
525	400	6	1	256	10.441	0.611	9.654	0.00
550	400	6	1	258	9.318	0.478	8.393	0.00
575	400	6	1	258	8.532	0.394	7.673	0.00
600	400	6	1	258	7.915	0.336	7.194	0.00
625	400	6	1	258	7.404	0.294	6.635	0.00
650	400	6	1	260	6.993	0.262	6.124	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
675	400	6	1	260	6.634	0.237	5.681	0.00
700	400	6	1	260	6.306	0.217	5.456	0.00
725	400	6	1	260	5.999	0.200	5.174	0.00
750	400	6	1	260	5.707	0.186	4.764	0.00
775	400	6	1	262	5.459	0.174	4.370	0.00
800	400	6	1	262	5.228	0.163	4.204	0.00
825	400	6	1	262	5.006	0.153	4.076	0.00
850	400	6	1	262	4.791	0.144	3.951	0.00
875	400	6	1	262	4.584	0.136	3.963	0.00
900	400	6	1	262	4.385	0.129	3.947	0.00
0	425	6	1	108	12.206	0.320	11.638	0.00
25	425	6	1	112	13.717	0.370	13.142	0.00
50	425	6	1	114	15.407	0.441	15.061	0.00
75	425	6	1	118	16.737	0.546	16.339	0.00
100	425	6	1	122	16.812	0.707	16.613	0.00
125	425	6	1	124	15.216	0.911	14.996	0.00
150	425	6	1	128	13.736	1.087	13.568	0.00
175	425	6	1	130	12.590	1.202	12.483	0.00
200	425	6	1	132	11.652	1.219	11.500	0.00
225	425	6	1	136	10.917	1.192	10.823	0.00
250	425	6	1	140	10.330	1.152	10.233	0.00
275	425	6	1	146	9.875	1.111	9.788	0.00
300	425	6	1	152	9.537	1.073	9.476	0.00
325	425	6	1	160	9.281	1.040	9.246	0.00
350	425	6	1	174	9.210	1.021	9.169	0.00
375	425	6	1	186	9.626	1.031	9.488	0.00
400	425	6	1	196	10.293	1.091	10.185	0.00
425	425	6	1	204	11.342	1.226	11.267	0.00
450	425	6	1	212	13.082	1.518	13.004	0.00
475	425	6	1	220	19.183	2.620	19.054	0.00
500	425	6	1	244	17.387	1.238	16.463	0.00
525	425	6	1	250	11.988	0.675	11.354	0.00
550	425	6	1	252	9.990	0.505	9.304	0.00
575	425	6	1	254	8.810	0.410	8.267	0.00
600	425	6	1	254	8.015	0.347	7.294	0.00
625	425	6	1	256	7.402	0.302	6.852	0.00
650	425	6	1	256	6.938	0.269	6.334	0.00
675	425	6	1	256	6.536	0.244	5.821	0.00
700	425	6	1	258	6.177	0.223	5.348	0.00
725	425	6	1	258	5.892	0.206	4.896	0.00
750	425	6	1	258	5.622	0.192	4.761	0.00
775	425	6	1	258	5.363	0.179	4.512	0.00
800	425	6	1	260	5.116	0.168	4.137	0.00
825	425	6	1	260	4.916	0.158	4.081	0.00
850	425	6	1	260	4.721	0.149	4.101	0.00
875	425	6	1	260	4.528	0.140	4.117	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
900	425	6	1	260	4.340	0.133	4.063	0.00
0	450	6	1	114	11.350	0.311	11.055	0.00
25	450	6	1	116	12.236	0.355	11.808	0.00
50	450	6	1	120	12.949	0.414	12.684	0.00
75	450	6	1	124	13.057	0.492	12.817	0.00
100	450	6	1	126	12.410	0.592	12.219	0.00
125	450	6	1	130	11.491	0.688	11.353	0.00
150	450	6	1	132	10.727	0.771	10.625	0.00
175	450	6	1	134	10.083	0.848	9.992	0.00
200	450	6	1	138	9.535	0.892	9.441	0.00
225	450	6	1	140	9.090	0.904	8.981	0.00
250	450	6	1	146	8.738	0.897	8.653	0.00
275	450	6	1	150	8.472	0.881	8.407	0.00
300	450	6	1	156	8.265	0.863	8.204	0.00
325	450	6	1	164	8.141	0.844	8.103	0.00
350	450	6	1	176	8.184	0.831	8.137	0.00
375	450	6	1	184	8.440	0.832	8.333	0.00
400	450	6	1	192	8.840	0.854	8.670	0.00
425	450	6	1	200	9.377	0.904	9.299	0.00
450	450	6	1	206	10.093	0.992	10.005	0.00
475	450	6	1	214	11.317	1.228	11.230	0.00
500	450	6	1	228	24.691	2.258	24.030	0.00
525	450	6	1	236	12.651	0.750	12.005	0.00
550	450	6	1	244	10.268	0.530	9.713	0.00
575	450	6	1	246	8.928	0.424	8.369	0.00
600	450	6	1	250	8.039	0.358	7.516	0.00
625	450	6	1	250	7.384	0.311	6.747	0.00
650	450	6	1	252	6.881	0.277	6.263	0.00
675	450	6	1	252	6.443	0.250	5.849	0.00
700	450	6	1	254	6.105	0.229	5.516	0.00
725	450	6	1	254	5.794	0.212	5.076	0.00
750	450	6	1	256	5.509	0.197	4.963	0.00
775	450	6	1	256	5.277	0.184	4.619	0.00
800	450	6	1	256	5.048	0.173	4.244	0.00
825	450	6	1	256	4.820	0.163	4.259	0.00
850	450	6	1	258	4.640	0.153	4.249	0.00
875	450	6	1	258	4.464	0.145	4.241	0.00
900	450	6	1	318	4.371	0.137	4.228	0.00
0	475	6	1	118	10.179	0.302	9.799	0.00
25	475	6	1	122	10.638	0.340	10.345	0.00
50	475	6	1	124	10.799	0.388	10.544	0.00
75	475	6	1	128	10.567	0.446	10.456	0.00
100	475	6	1	130	10.016	0.509	9.884	0.00
125	475	6	1	132	9.445	0.564	9.322	0.00
150	475	6	1	136	8.963	0.613	8.879	0.00
175	475	6	1	138	8.552	0.663	8.477	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
200	475	6	1	142	8.197	0.703	8.125	0.00
225	475	6	1	146	7.901	0.726	7.824	0.00
250	475	6	1	150	7.674	0.733	7.613	0.00
275	475	6	1	154	7.500	0.730	7.441	0.00
300	475	6	1	160	7.380	0.721	7.331	0.00
325	475	6	1	168	7.336	0.711	7.250	0.00
350	475	6	1	176	7.402	0.703	7.303	0.00
375	475	6	1	184	7.575	0.702	7.474	0.00
400	475	6	1	190	7.831	0.713	7.679	0.00
425	475	6	1	196	8.153	0.740	8.065	0.00
450	475	6	1	204	8.557	0.792	8.449	0.00
475	475	6	1	208	9.119	0.939	9.009	0.00
500	475	6	1	40	16.082	1.871	15.538	0.00
525	475	6	1	226	12.404	0.875	11.942	0.00
550	475	6	1	234	10.021	0.564	9.342	0.00
575	475	6	1	240	8.746	0.440	8.197	0.00
600	475	6	1	244	7.893	0.368	7.427	0.00
625	475	6	1	246	7.272	0.320	6.702	0.00
650	475	6	1	248	6.767	0.285	6.223	0.00
675	475	6	1	250	6.338	0.258	5.821	0.00
700	475	6	1	250	6.001	0.236	5.330	0.00
725	475	6	1	252	5.687	0.218	5.188	0.00
750	475	6	1	252	5.427	0.203	4.740	0.00
775	475	6	1	252	5.164	0.190	4.597	0.00
800	475	6	1	254	4.963	0.178	4.428	0.00
825	475	6	1	254	4.757	0.168	4.446	0.00
850	475	6	1	256	4.549	0.158	4.362	0.00
875	475	6	1	318	4.552	0.149	4.332	0.00
900	475	6	1	316	4.586	0.141	4.299	0.00
0	500	6	1	122	9.065	0.293	8.743	0.00
25	500	6	1	126	9.253	0.326	9.047	0.00
50	500	6	1	128	9.193	0.365	9.007	0.00
75	500	6	1	132	8.911	0.408	8.806	0.00
100	500	6	1	134	8.517	0.450	8.452	0.00
125	500	6	1	136	8.132	0.487	8.049	0.00
150	500	6	1	138	7.788	0.519	7.697	0.00
175	500	6	1	142	7.510	0.553	7.459	0.00
200	500	6	1	146	7.256	0.585	7.185	0.00
225	500	6	1	148	7.059	0.608	6.975	0.00
250	500	6	1	152	6.896	0.621	6.835	0.00
275	500	6	1	158	6.790	0.624	6.757	0.00
300	500	6	1	164	6.721	0.622	6.685	0.00
325	500	6	1	170	6.715	0.617	6.617	0.00
350	500	6	1	176	6.773	0.612	6.691	0.00
375	500	6	1	184	6.890	0.612	6.815	0.00
400	500	6	1	190	7.064	0.620	6.975	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
425	500	6	1	194	7.284	0.639	7.164	0.00
450	500	6	1	200	7.553	0.680	7.476	0.00
475	500	6	1	206	7.883	0.784	7.809	0.00
500	500	6	1	210	8.570	1.312	8.485	0.00
525	500	6	1	220	12.615	1.118	12.448	0.00
550	500	6	1	226	9.736	0.611	9.256	0.00
575	500	6	1	232	8.465	0.459	7.984	0.00
600	500	6	1	238	7.648	0.380	7.200	0.00
625	500	6	1	240	7.063	0.329	6.563	0.00
650	500	6	1	244	6.588	0.293	6.159	0.00
675	500	6	1	246	6.197	0.266	5.738	0.00
700	500	6	1	246	5.867	0.244	5.294	0.00
725	500	6	1	248	5.584	0.226	4.962	0.00
750	500	6	1	250	5.308	0.210	4.806	0.00
775	500	6	1	250	5.088	0.197	4.596	0.00
800	500	6	1	252	4.854	0.185	4.657	0.00
825	500	6	1	322	4.721	0.173	4.598	0.00
850	500	6	1	320	4.765	0.163	4.487	0.00
875	500	6	1	318	4.796	0.154	4.504	0.00
900	500	6	1	314	4.833	0.145	4.546	0.00
0	525	6	1	126	8.111	0.286	7.911	0.00
25	525	6	1	130	8.122	0.314	7.915	0.00
50	525	6	1	132	8.020	0.345	7.933	0.00
75	525	6	1	134	7.764	0.378	7.647	0.00
100	525	6	1	138	7.465	0.408	7.380	0.00
125	525	6	1	140	7.197	0.434	7.134	0.00
150	525	6	1	142	6.958	0.457	6.903	0.00
175	525	6	1	146	6.739	0.482	6.670	0.00
200	525	6	1	148	6.571	0.506	6.514	0.00
225	525	6	1	152	6.427	0.527	6.389	0.00
250	525	6	1	156	6.316	0.541	6.276	0.00
275	525	6	1	160	6.236	0.548	6.175	0.00
300	525	6	1	166	6.202	0.550	6.172	0.00
325	525	6	1	172	6.206	0.549	6.113	0.00
350	525	6	1	178	6.252	0.547	6.175	0.00
375	525	6	1	182	6.343	0.549	6.241	0.00
400	525	6	1	188	6.472	0.556	6.300	0.00
425	525	6	1	194	6.620	0.572	6.486	0.00
450	525	6	1	198	6.803	0.605	6.724	0.00
475	525	6	1	204	7.014	0.680	6.916	0.00
500	525	6	1	208	7.387	0.933	7.291	0.00
525	525	6	1	316	24.383	2.389	23.375	0.00
550	525	6	1	222	9.685	0.671	9.539	0.00
575	525	6	1	226	8.235	0.480	7.825	0.00
600	525	6	1	232	7.426	0.393	6.853	0.00
625	525	6	1	236	6.849	0.340	6.328	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
650	525	6	1	238	6.400	0.302	5.958	0.00
675	525	6	1	242	6.033	0.275	5.612	0.00
700	525	6	1	244	5.718	0.252	5.285	0.00
725	525	6	1	244	5.446	0.234	4.910	0.00
750	525	6	1	246	5.209	0.218	4.771	0.00
775	525	6	1	248	4.976	0.204	4.775	0.00
800	525	6	1	324	4.930	0.191	4.750	0.00
825	525	6	1	320	4.994	0.180	4.703	0.00
850	525	6	1	318	5.040	0.169	4.716	0.00
875	525	6	1	314	5.075	0.159	4.789	0.00
900	525	6	1	312	5.120	0.150	4.804	0.00
0	550	6	1	130	7.293	0.280	7.121	0.00
25	550	6	1	132	7.267	0.304	7.149	0.00
50	550	6	1	134	7.120	0.329	6.980	0.00
75	550	6	1	138	6.929	0.355	6.853	0.00
100	550	6	1	140	6.711	0.378	6.662	0.00
125	550	6	1	142	6.503	0.397	6.438	0.00
150	550	6	1	144	6.312	0.415	6.241	0.00
175	550	6	1	148	6.164	0.434	6.124	0.00
200	550	6	1	152	6.024	0.453	5.966	0.00
225	550	6	1	154	5.922	0.470	5.855	0.00
250	550	6	1	158	5.843	0.483	5.783	0.00
275	550	6	1	162	5.787	0.492	5.728	0.00
300	550	6	1	168	5.772	0.497	5.657	0.00
325	550	6	1	172	5.780	0.499	5.687	0.00
350	550	6	1	178	5.820	0.500	5.704	0.00
375	550	6	1	182	5.886	0.503	5.766	0.00
400	550	6	1	188	5.975	0.510	5.845	0.00
425	550	6	1	192	6.089	0.523	5.910	0.00
450	550	6	1	196	6.207	0.549	6.103	0.00
475	550	6	1	202	6.364	0.601	6.270	0.00
500	550	6	1	206	6.605	0.741	6.504	0.00
525	550	6	1	164	15.517	2.105	15.452	0.00
550	550	6	1	216	10.004	0.722	9.823	0.00
575	550	6	1	222	8.139	0.496	8.007	0.00
600	550	6	1	228	7.234	0.405	6.889	0.00
625	550	6	1	232	6.649	0.351	6.192	0.00
650	550	6	1	234	6.220	0.313	5.796	0.00
675	550	6	1	238	5.869	0.285	5.420	0.00
700	550	6	1	240	5.579	0.263	5.074	0.00
725	550	6	1	242	5.318	0.244	4.956	0.00
750	550	6	1	244	5.075	0.228	4.984	0.00
775	550	6	1	324	5.167	0.213	4.941	0.00
800	550	6	1	322	5.239	0.199	4.961	0.00
825	550	6	1	318	5.308	0.187	4.991	0.00
850	550	6	1	316	5.354	0.176	5.057	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
875	550	6	1	312	5.406	0.165	5.109	0.00
900	550	6	1	310	5.456	0.156	5.072	0.00
0	575	6	1	132	6.626	0.275	6.485	0.00
25	575	6	1	134	6.556	0.296	6.397	0.00
50	575	6	1	138	6.449	0.317	6.364	0.00
75	575	6	1	140	6.291	0.338	6.236	0.00
100	575	6	1	142	6.118	0.356	6.048	0.00
125	575	6	1	144	5.952	0.372	5.874	0.00
150	575	6	1	148	5.816	0.386	5.765	0.00
175	575	6	1	150	5.696	0.401	5.638	0.00
200	575	6	1	154	5.594	0.416	5.548	0.00
225	575	6	1	156	5.508	0.431	5.447	0.00
250	575	6	1	160	5.453	0.443	5.389	0.00
275	575	6	1	164	5.416	0.453	5.353	0.00
300	575	6	1	170	5.399	0.459	5.325	0.00
325	575	6	1	174	5.413	0.463	5.305	0.00
350	575	6	1	178	5.447	0.466	5.292	0.00
375	575	6	1	182	5.495	0.470	5.365	0.00
400	575	6	1	186	5.554	0.477	5.454	0.00
425	575	6	1	192	5.640	0.489	5.504	0.00
450	575	6	1	196	5.739	0.508	5.664	0.00
475	575	6	1	200	5.850	0.542	5.781	0.00
500	575	6	1	204	6.022	0.611	5.934	0.00
525	575	6	1	202	7.322	0.853	7.271	0.00
550	575	6	1	212	10.403	0.755	10.236	0.00
575	575	6	1	218	8.145	0.508	7.970	0.00
600	575	6	1	224	7.122	0.418	6.893	0.00
625	575	6	1	228	6.499	0.364	6.192	0.00
650	575	6	1	230	6.054	0.326	5.669	0.00
675	575	6	1	234	5.719	0.298	5.177	0.00
700	575	6	1	236	5.434	0.275	5.179	0.00
725	575	6	1	330	5.292	0.256	5.169	0.00
750	575	6	1	326	5.420	0.239	5.196	0.00
775	575	6	1	322	5.526	0.223	5.267	0.00
800	575	6	1	318	5.605	0.209	5.346	0.00
825	575	6	1	316	5.672	0.196	5.362	0.00
850	575	6	1	312	5.733	0.184	5.453	0.00
875	575	6	1	310	5.795	0.172	5.402	0.00
900	575	6	1	306	5.860	0.162	5.351	0.00
0	600	6	1	134	6.058	0.273	5.883	0.00
25	600	6	1	138	6.009	0.291	5.899	0.00
50	600	6	1	140	5.911	0.309	5.851	0.00
75	600	6	1	142	5.780	0.326	5.712	0.00
100	600	6	1	144	5.641	0.341	5.560	0.00
125	600	6	1	148	5.513	0.354	5.450	0.00
150	600	6	1	150	5.408	0.367	5.366	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
175	600	6	1	152	5.310	0.379	5.246	0.00
200	600	6	1	156	5.233	0.392	5.189	0.00
225	600	6	1	158	5.165	0.405	5.099	0.00
250	600	6	1	162	5.126	0.416	5.072	0.00
275	600	6	1	166	5.100	0.426	5.056	0.00
300	600	6	1	170	5.090	0.433	4.964	0.00
325	600	6	1	174	5.098	0.438	4.965	0.00
350	600	6	1	178	5.120	0.443	4.985	0.00
375	600	6	1	182	5.157	0.449	5.021	0.00
400	600	6	1	186	5.206	0.456	5.070	0.00
425	600	6	1	190	5.266	0.466	5.127	0.00
450	600	6	1	194	5.336	0.481	5.189	0.00
475	600	6	1	198	5.422	0.504	5.336	0.00
500	600	6	1	202	5.558	0.545	5.498	0.00
525	600	6	1	204	6.132	0.674	6.035	0.00
550	600	6	1	210	10.432	0.891	10.231	0.00
575	600	6	1	214	7.929	0.527	7.734	0.00
600	600	6	1	220	7.011	0.433	6.923	0.00
625	600	6	1	224	6.376	0.379	6.113	0.00
650	600	6	1	228	5.919	0.342	5.623	0.00
675	600	6	1	230	5.575	0.314	5.397	0.00
700	600	6	1	336	5.567	0.291	5.413	0.00
725	600	6	1	328	5.694	0.271	5.537	0.00
750	600	6	1	324	5.834	0.253	5.575	0.00
775	600	6	1	320	5.948	0.236	5.648	0.00
800	600	6	1	316	6.037	0.221	5.715	0.00
825	600	6	1	312	6.113	0.206	5.845	0.00
850	600	6	1	308	6.190	0.193	5.827	0.00
875	600	6	1	306	6.288	0.181	5.867	0.00
900	600	6	1	304	6.372	0.170	5.821	0.00
0	625	6	1	138	5.600	0.272	5.460	0.00
25	625	6	1	140	5.555	0.288	5.467	0.00
50	625	6	1	142	5.470	0.304	5.412	0.00
75	625	6	1	144	5.363	0.319	5.293	0.00
100	625	6	1	146	5.251	0.332	5.169	0.00
125	625	6	1	150	5.150	0.344	5.089	0.00
150	625	6	1	152	5.066	0.355	5.024	0.00
175	625	6	1	154	4.988	0.367	4.927	0.00
200	625	6	1	158	4.924	0.378	4.874	0.00
225	625	6	1	160	4.874	0.389	4.813	0.00
250	625	6	1	164	4.842	0.400	4.804	0.00
275	625	6	1	168	4.817	0.409	4.706	0.00
300	625	6	1	172	4.803	0.417	4.720	0.00
325	625	6	1	174	4.812	0.424	4.719	0.00
350	625	6	1	178	4.832	0.430	4.717	0.00
375	625	6	1	182	4.862	0.436	4.724	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P(200)
400	625	6	1	186	4.901	0.444	4.739 0.00
425	625	6	1	190	4.948	0.453	4.895 0.00
450	625	6	1	30	5.082	0.466	4.934 0.00
475	625	6	1	26	5.255	0.483	5.041 0.00
500	625	6	1	22	5.425	0.513	5.145 0.00
525	625	6	1	16	5.661	0.596	5.489 0.00
550	625	5	1	188	67.315	6.813	64.405 0.00
575	625	6	1	212	7.560	0.562	7.447 0.00
600	625	6	1	216	6.760	0.452	6.592 0.00
625	625	6	1	220	6.198	0.398	6.042 0.00
650	625	6	1	348	5.917	0.363	5.731 0.00
675	625	6	1	340	5.949	0.335	5.665 0.00
700	625	6	1	334	6.020	0.311	5.868 0.00
725	625	6	1	326	6.180	0.290	5.982 0.00
750	625	6	1	320	6.343	0.271	6.121 0.00
775	625	6	1	316	6.462	0.253	6.197 0.00
800	625	6	1	312	6.562	0.236	6.301 0.00
825	625	6	1	308	6.671	0.220	6.382 0.00
850	625	6	1	306	6.791	0.205	6.390 0.00
875	625	6	1	302	6.908	0.191	6.338 0.00
900	625	6	1	300	6.990	0.178	6.288 0.00
0	650	6	1	140	5.215	0.274	5.091 0.00
25	650	6	1	142	5.173	0.289	5.090 0.00
50	650	6	1	144	5.103	0.303	5.050 0.00
75	650	6	1	146	5.016	0.316	4.953 0.00
100	650	6	1	148	4.926	0.329	4.852 0.00
125	650	6	1	152	4.838	0.340	4.773 0.00
150	650	6	1	154	4.772	0.351	4.723 0.00
175	650	6	1	156	4.711	0.362	4.663 0.00
200	650	6	1	160	4.651	0.372	4.588 0.00
225	650	6	1	162	4.620	0.383	4.580 0.00
250	650	6	1	166	4.584	0.393	4.522 0.00
275	650	6	1	168	4.571	0.402	4.463 0.00
300	650	6	1	50	4.570	0.411	4.521 0.00
325	650	6	1	48	4.674	0.419	4.551 0.00
350	650	6	1	46	4.786	0.426	4.567 0.00
375	650	6	1	42	4.927	0.434	4.601 0.00
400	650	6	1	40	5.076	0.442	4.632 0.00
425	650	6	1	36	5.258	0.451	4.698 0.00
450	650	6	1	32	5.455	0.462	4.887 0.00
475	650	6	1	28	5.673	0.476	5.018 0.00
500	650	6	1	24	5.898	0.499	5.059 0.00
525	650	6	1	18	6.137	0.556	5.077 0.00
550	650	6	1	14	6.916	0.863	6.505 0.00
575	650	6	1	210	7.355	0.624	7.221 0.00
600	650	6	1	360	6.540	0.475	6.378 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
625	650	6	1	354	6.533	0.422	5.991	0.00
650	650	6	1	346	6.504	0.388	5.986	0.00
675	650	6	1	338	6.496	0.361	6.210	0.00
700	650	6	1	330	6.580	0.338	6.471	0.00
725	650	6	1	322	6.796	0.315	6.577	0.00
750	650	6	1	316	6.966	0.295	6.722	0.00
775	650	6	1	312	7.104	0.275	6.846	0.00
800	650	6	1	308	7.253	0.255	6.961	0.00
825	650	6	1	304	7.432	0.237	6.946	0.00
850	650	6	1	302	7.593	0.220	6.955	0.00
875	650	6	1	300	7.719	0.204	6.827	0.00
900	650	6	1	298	7.795	0.190	6.631	0.00
0	675	6	1	142	4.882	0.278	4.759	0.00
25	675	6	1	144	4.846	0.292	4.758	0.00
50	675	6	1	146	4.790	0.306	4.729	0.00
75	675	6	1	148	4.721	0.319	4.672	0.00
100	675	6	1	150	4.648	0.331	4.589	0.00
125	675	6	1	152	4.577	0.343	4.505	0.00
150	675	6	1	156	4.514	0.354	4.452	0.00
175	675	6	1	158	4.468	0.364	4.440	0.00
200	675	6	1	60	4.518	0.375	4.424	0.00
225	675	6	1	60	4.584	0.385	4.387	0.00
250	675	6	1	58	4.670	0.395	4.418	0.00
275	675	6	1	56	4.760	0.405	4.492	0.00
300	675	6	1	54	4.858	0.414	4.594	0.00
325	675	6	1	50	4.967	0.423	4.706	0.00
350	675	6	1	48	5.105	0.431	4.757	0.00
375	675	6	1	46	5.253	0.440	4.773	0.00
400	675	6	1	42	5.427	0.449	4.957	0.00
425	675	6	1	38	5.617	0.459	5.045	0.00
450	675	6	1	36	5.853	0.469	5.202	0.00
475	675	6	1	30	6.124	0.481	5.452	0.00
500	675	6	1	26	6.441	0.499	5.749	0.00
525	675	6	1	20	6.757	0.535	5.943	0.00
550	675	6	1	14	7.063	0.688	5.801	0.00
575	675	6	1	208	7.552	0.696	7.408	0.00
600	675	6	1	2	7.366	0.498	6.230	0.00
625	675	6	1	354	7.325	0.451	6.346	0.00
650	675	6	1	346	7.222	0.422	6.607	0.00
675	675	6	1	336	7.173	0.397	6.937	0.00
700	675	6	1	324	7.323	0.373	7.194	0.00
725	675	6	1	318	7.585	0.349	7.305	0.00
750	675	6	1	312	7.779	0.327	7.520	0.00
775	675	6	1	306	7.993	0.304	7.699	0.00
800	675	6	1	302	8.250	0.282	7.766	0.00
825	675	6	1	300	8.481	0.260	7.724	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P(200)
850	675	6	1	298	8.655	0.240	7.658 0.00
875	675	6	1	296	8.743	0.221	7.578 0.00
900	675	6	1	296	8.759	0.204	7.510 0.00
0	700	6	1	142	4.597	0.286	4.579 0.00
25	700	6	1	42	4.574	0.300	4.554 0.00
50	700	6	1	40	4.565	0.314	4.498 0.00
75	700	6	1	38	4.554	0.327	4.462 0.00
100	700	6	1	68	4.556	0.340	4.481 0.00
125	700	6	1	66	4.617	0.352	4.485 0.00
150	700	6	1	66	4.687	0.363	4.553 0.00
175	700	6	1	64	4.754	0.374	4.567 0.00
200	700	6	1	64	4.833	0.385	4.609 0.00
225	700	6	1	62	4.917	0.396	4.644 0.00
250	700	6	1	60	5.003	0.407	4.703 0.00
275	700	6	1	58	5.097	0.417	4.833 0.00
300	700	6	1	56	5.205	0.427	4.943 0.00
325	700	6	1	54	5.329	0.437	5.036 0.00
350	700	6	1	52	5.471	0.447	5.128 0.00
375	700	6	1	50	5.625	0.458	5.358 0.00
400	700	6	1	46	5.824	0.468	5.417 0.00
425	700	6	1	42	6.048	0.479	5.562 0.00
450	700	6	1	38	6.319	0.490	5.774 0.00
475	700	6	1	34	6.652	0.502	6.103 0.00
500	700	6	1	30	7.032	0.515	6.226 0.00
525	700	6	1	24	7.492	0.534	6.596 0.00
550	700	6	1	18	7.949	0.555	6.759 0.00
575	700	6	1	10	8.365	0.560	7.029 0.00
600	700	6	1	2	8.516	0.523	6.859 0.00
625	700	6	1	352	8.367	0.493	7.311 0.00
650	700	6	1	344	8.143	0.470	7.670 0.00
675	700	6	1	332	8.022	0.447	7.901 0.00
700	700	6	1	318	8.353	0.424	8.133 0.00
725	700	6	1	312	8.649	0.399	8.423 0.00
750	700	6	1	304	8.982	0.374	8.660 0.00
775	700	6	1	300	9.358	0.349	8.843 0.00
800	700	6	1	298	9.684	0.322	8.854 0.00
825	700	6	1	296	9.926	0.295	8.846 0.00
850	700	6	1	296	10.062	0.268	8.779 0.00
875	700	6	1	294	10.109	0.244	8.380 0.00
900	700	6	1	292	10.010	0.223	7.818 0.00
0	725	6	1	46	4.894	0.297	4.649 0.00
25	725	6	1	44	4.892	0.312	4.675 0.00
50	725	6	1	42	4.884	0.326	4.744 0.00
75	725	6	1	40	4.870	0.341	4.757 0.00
100	725	6	1	70	4.896	0.355	4.776 0.00
125	725	6	1	70	4.961	0.368	4.841 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P(200)
150	725	6	1	68	5.041	0.381	4.849 0.00
175	725	6	1	68	5.123	0.394	4.881 0.00
200	725	6	1	66	5.209	0.405	4.922 0.00
225	725	6	1	66	5.302	0.417	5.042 0.00
250	725	6	1	64	5.406	0.429	5.089 0.00
275	725	6	1	62	5.513	0.440	5.203 0.00
300	725	6	1	60	5.629	0.452	5.355 0.00
325	725	6	1	58	5.762	0.464	5.485 0.00
350	725	6	1	56	5.913	0.476	5.593 0.00
375	725	6	1	54	6.081	0.489	5.829 0.00
400	725	6	1	50	6.293	0.502	5.960 0.00
425	725	6	1	46	6.539	0.515	6.237 0.00
450	725	6	1	42	6.845	0.529	6.350 0.00
475	725	6	1	38	7.235	0.543	6.748 0.00
500	725	6	1	32	7.705	0.557	7.005 0.00
525	725	6	1	26	8.317	0.569	7.464 0.00
550	725	6	1	20	9.070	0.577	8.161 0.00
575	725	6	1	12	9.785	0.581	8.223 0.00
600	725	6	1	2	10.112	0.576	8.297 0.00
625	725	6	1	352	9.836	0.562	8.762 0.00
650	725	6	1	340	9.332	0.546	8.879 0.00
675	725	6	1	320	9.336	0.526	9.178 0.00
700	725	6	1	312	9.832	0.504	9.649 0.00
725	725	6	1	302	10.403	0.480	10.048 0.00
750	725	6	1	298	10.971	0.455	10.311 0.00
775	725	6	1	296	11.443	0.427	10.389 0.00
800	725	6	1	296	11.819	0.393	10.512 0.00
825	725	6	1	294	12.078	0.354	10.418 0.00
850	725	6	1	292	12.109	0.313	9.896 0.00
875	725	6	1	290	11.910	0.276	9.149 0.00
900	725	6	1	288	11.377	0.248	8.757 0.00
0	750	6	1	48	5.265	0.313	5.015 0.00
25	750	6	1	46	5.269	0.329	5.080 0.00
50	750	6	1	44	5.266	0.346	5.128 0.00
75	750	6	1	42	5.253	0.362	5.128 0.00
100	750	6	1	72	5.302	0.379	5.144 0.00
125	750	6	1	72	5.387	0.395	5.205 0.00
150	750	6	1	72	5.468	0.409	5.206 0.00
175	750	6	1	70	5.568	0.423	5.252 0.00
200	750	6	1	70	5.672	0.437	5.365 0.00
225	750	6	1	68	5.776	0.450	5.438 0.00
250	750	6	1	68	5.901	0.464	5.610 0.00
275	750	6	1	66	6.028	0.477	5.682 0.00
300	750	6	1	64	6.159	0.491	5.895 0.00
325	750	6	1	62	6.305	0.506	6.081 0.00
350	750	6	1	60	6.471	0.521	6.244 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P(200)
375	750	6	1	58	6.662	0.538	6.388 0.00
400	750	6	1	56	6.875	0.555	6.672 0.00
425	750	6	1	52	7.148	0.574	6.884 0.00
450	750	6	1	48	7.484	0.593	7.198 0.00
475	750	6	1	42	7.909	0.613	7.419 0.00
500	750	6	1	38	8.488	0.633	7.992 0.00
525	750	6	1	32	9.267	0.652	8.587 0.00
550	750	6	1	24	10.360	0.667	9.529 0.00
575	750	6	1	14	11.686	0.680	10.045 0.00
600	750	6	1	4	12.568	0.686	9.999 0.00
625	750	6	1	350	11.942	0.688	10.663 0.00
650	750	6	1	334	10.938	0.681	10.708 0.00
675	750	6	1	312	11.574	0.667	11.423 0.00
700	750	6	1	300	12.649	0.656	12.122 0.00
725	750	6	1	296	13.578	0.648	12.570 0.00
750	750	6	1	294	14.354	0.637	12.781 0.00
775	750	6	1	292	15.142	0.612	13.303 0.00
800	750	6	1	292	15.682	0.581	13.288 0.00
825	750	6	1	290	15.664	0.499	12.997 0.00
850	750	6	1	288	15.272	0.391	12.316 0.00
875	750	6	1	286	13.870	0.324	10.538 0.00
900	750	6	1	286	12.417	0.282	9.262 0.00
0	775	6	1	52	5.706	0.335	5.484 0.00
25	775	6	1	50	5.726	0.354	5.542 0.00
50	775	6	1	48	5.733	0.374	5.623 0.00
75	775	6	1	44	5.726	0.394	5.647 0.00
100	775	6	1	74	5.800	0.414	5.653 0.00
125	775	6	1	74	5.907	0.433	5.708 0.00
150	775	6	1	74	6.016	0.451	5.762 0.00
175	775	6	1	74	6.125	0.467	5.822 0.00
200	775	6	1	72	6.243	0.483	6.004 0.00
225	775	6	1	72	6.386	0.499	6.184 0.00
250	775	6	1	72	6.528	0.516	6.247 0.00
275	775	6	1	70	6.688	0.533	6.319 0.00
300	775	6	1	70	6.856	0.550	6.604 0.00
325	775	6	1	68	7.044	0.570	6.766 0.00
350	775	6	1	66	7.239	0.591	6.961 0.00
375	775	6	1	64	7.453	0.613	7.208 0.00
400	775	6	1	62	7.690	0.639	7.514 0.00
425	775	6	1	58	7.977	0.666	7.759 0.00
450	775	6	1	54	8.334	0.696	8.114 0.00
475	775	6	1	48	8.797	0.730	8.622 0.00
500	775	6	1	44	9.441	0.766	9.100 0.00
525	775	6	1	36	10.364	0.805	9.856 0.00
550	775	6	1	28	11.803	0.846	11.059 0.00
575	775	6	1	18	14.173	0.887	12.837 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P(200)
600	775	6	1	6	16.776	0.920	13.554 0.00
625	775	6	1	348	15.291	0.951	14.162 0.00
650	775	6	1	314	14.547	0.966	14.381 0.00
675	775	6	1	298	16.845	1.002	15.858 0.00
700	775	6	1	294	18.697	1.103	16.687 0.00
725	775	6	1	292	20.900	1.333	18.181 0.00
750	775	6	1	290	24.009	1.885	21.308 0.00
775	775	6	1	286	28.515	2.379	23.691 0.00
800	775	6	1	280	30.928	3.264	28.289 0.00
825	775	6	1	284	35.346	2.562	32.001 0.00
850	775	6	1	282	15.930	0.532	13.146 0.00
875	775	6	1	282	13.613	0.390	10.830 0.00
900	775	6	1	282	12.129	0.326	9.262 0.00
0	800	6	1	54	6.259	0.365	6.036 0.00
25	800	6	1	52	6.296	0.389	6.128 0.00
50	800	6	1	50	6.324	0.414	6.193 0.00
75	800	6	1	78	6.337	0.440	6.302 0.00
100	800	6	1	78	6.451	0.465	6.332 0.00
125	800	6	1	76	6.569	0.489	6.430 0.00
150	800	6	1	76	6.710	0.510	6.532 0.00
175	800	6	1	76	6.857	0.531	6.637 0.00
200	800	6	1	76	7.012	0.551	6.823 0.00
225	800	6	1	76	7.177	0.572	7.028 0.00
250	800	6	1	76	7.353	0.593	7.238 0.00
275	800	6	1	74	7.568	0.615	7.395 0.00
300	800	6	1	74	7.801	0.640	7.555 0.00
325	800	6	1	72	8.045	0.667	7.826 0.00
350	800	6	1	72	8.329	0.697	8.129 0.00
375	800	6	1	70	8.621	0.732	8.317 0.00
400	800	6	1	70	8.941	0.771	8.720 0.00
425	800	6	1	68	9.298	0.817	9.113 0.00
450	800	6	1	64	9.711	0.871	9.571 0.00
475	800	6	1	60	10.210	0.935	10.122 0.00
500	800	6	1	52	10.906	1.011	10.800 0.00
525	800	6	1	44	11.962	1.106	11.738 0.00
550	800	6	1	36	13.708	1.228	13.405 0.00
575	800	6	1	26	17.109	1.394	16.419 0.00
600	800	6	1	8	26.213	1.611	23.039 0.00
625	800	6	1	330	23.674	1.843	23.184 0.00
650	800	6	1	294	29.736	2.468	27.124 0.00
675	800	6	1	292	106.301	8.592	101.554 0.00
700	800	6	1	284	27.330	2.869	23.441 0.00
725	800	6	1	284	20.751	1.976	16.842 0.00
750	800	6	1	282	17.796	1.406	14.807 0.00
775	800	6	1	282	15.696	1.040	12.263 0.00
800	800	6	1	280	14.112	0.925	11.196 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
825	800	6	1	280	12.908	1.492	10.413	0.00
850	800	6	1	280	13.941	0.709	11.067	0.00
875	800	6	1	280	12.193	0.472	9.449	0.00
900	800	6	1	278	11.196	0.385	8.760	0.00
0	825	6	1	56	6.946	0.407	6.800	0.00
25	825	6	1	54	7.002	0.439	6.896	0.00
50	825	6	1	52	7.061	0.474	6.968	0.00
75	825	6	1	80	7.173	0.509	7.092	0.00
100	825	6	1	80	7.328	0.542	7.235	0.00
125	825	6	1	80	7.496	0.572	7.390	0.00
150	825	6	1	80	7.673	0.600	7.553	0.00
175	825	6	1	80	7.860	0.627	7.727	0.00
200	825	6	1	80	8.059	0.654	7.945	0.00
225	825	6	1	78	8.287	0.682	8.186	0.00
250	825	6	1	78	8.539	0.711	8.449	0.00
275	825	6	1	78	8.822	0.744	8.743	0.00
300	825	6	1	78	9.149	0.781	9.083	0.00
325	825	6	1	78	9.529	0.823	9.460	0.00
350	825	6	1	78	9.963	0.872	9.869	0.00
375	825	6	1	76	10.454	0.930	10.328	0.00
400	825	6	1	76	11.035	1.001	10.849	0.00
425	825	6	1	76	11.701	1.089	11.566	0.00
450	825	6	1	74	12.488	1.205	12.377	0.00
475	825	6	1	74	13.474	1.358	13.272	0.00
500	825	6	1	72	14.751	1.575	14.602	0.00
525	825	6	1	296	17.473	1.914	16.611	0.00
550	825	6	1	296	22.483	2.575	21.149	0.00
575	825	6	1	20	66.457	5.891	64.037	0.00
600	825	6	1	286	33.157	7.193	31.976	0.00
625	825	6	1	286	37.124	3.542	33.769	0.00
650	825	6	1	284	29.118	2.101	24.183	0.00
675	825	6	1	282	23.643	1.571	19.237	0.00
700	825	6	1	280	20.027	1.265	16.722	0.00
725	825	6	1	280	17.422	1.049	13.726	0.00
750	825	6	1	278	15.480	0.890	12.383	0.00
775	825	6	1	278	14.023	0.785	11.448	0.00
800	825	6	1	278	12.810	0.759	10.047	0.00
825	825	6	1	278	11.783	1.003	8.917	0.00
850	825	6	1	278	14.901	1.054	12.347	0.00
875	825	6	1	276	11.616	0.625	9.391	0.00
900	825	6	1	276	10.664	0.505	8.652	0.00
0	850	6	1	82	7.887	0.470	7.837	0.00
25	850	6	1	82	8.030	0.517	7.948	0.00
50	850	6	1	82	8.190	0.567	8.114	0.00
75	850	6	1	82	8.371	0.617	8.283	0.00
100	850	6	1	82	8.580	0.662	8.484	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P(200)
125	850	6	1	82	8.821	0.703	8.722 0.00
150	850	6	1	82	9.093	0.742	8.999 0.00
175	850	6	1	82	9.389	0.782	9.302 0.00
200	850	6	1	82	9.708	0.822	9.629 0.00
225	850	6	1	82	10.054	0.864	9.978 0.00
250	850	6	1	82	10.435	0.911	10.362 0.00
275	850	6	1	82	10.863	0.965	10.785 0.00
300	850	6	1	82	11.358	1.032	11.269 0.00
325	850	6	1	82	11.959	1.111	11.851 0.00
350	850	6	1	82	12.728	1.206	12.598 0.00
375	850	6	1	84	13.745	1.326	13.597 0.00
400	850	6	1	84	15.056	1.488	14.932 0.00
425	850	6	1	84	16.808	1.735	16.723 0.00
450	850	6	1	84	19.426	2.147	19.280 0.00
475	850	6	1	84	24.512	2.992	24.430 0.00
500	850	4	1	318	86.486	8.380	84.583 0.00
525	850	6	1	286	33.525	6.030	30.074 0.00
550	850	6	1	322	49.534	6.399	48.157 0.00
575	850	6	1	280	52.024	6.379	47.498 0.00
600	850	6	1	172	38.512	6.772	38.247 0.00
625	850	6	1	276	32.984	3.260	30.169 0.00
650	850	6	1	276	24.854	1.668	21.958 0.00
675	850	6	1	276	20.532	1.224	17.655 0.00
700	850	6	1	276	17.702	0.996	14.982 0.00
725	850	6	1	274	15.665	0.850	13.123 0.00
750	850	6	1	274	14.131	0.754	11.745 0.00
775	850	6	1	274	12.906	0.703	10.677 0.00
800	850	6	1	274	11.897	0.712	9.820 0.00
825	850	6	1	274	11.048	0.885	9.075 0.00
850	850	6	1	12	21.383	2.170	20.270 0.00
875	850	6	1	340	11.701	1.564	11.343 0.00
900	850	6	1	274	20.711	1.112	18.463 0.00
0	875	6	1	84	9.563	0.571	9.447 0.00
25	875	6	1	84	9.798	0.649	9.699 0.00
50	875	6	1	84	10.054	0.731	9.966 0.00
75	875	6	1	84	10.334	0.807	10.225 0.00
100	875	6	1	84	10.645	0.874	10.511 0.00
125	875	6	1	84	10.998	0.938	10.836 0.00
150	875	6	1	86	11.436	1.005	11.225 0.00
175	875	6	1	86	11.978	1.077	11.785 0.00
200	875	6	1	86	12.610	1.152	12.430 0.00
225	875	6	1	86	13.332	1.232	13.170 0.00
250	875	6	1	86	14.169	1.328	14.031 0.00
275	875	6	1	86	15.152	1.460	15.048 0.00
300	875	6	1	86	16.345	1.636	16.217 0.00
325	875	6	1	88	17.836	1.872	17.657 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P(200)
350	875	6	1	88	19.859	2.205	19.756 0.00
375	875	6	1	90	22.808	2.721	22.666 0.00
400	875	6	1	90	29.201	3.707	29.032 0.00
425	875	6	1	286	73.177	7.474	68.048 0.00
450	875	6	1	74	41.944	7.073	41.835 0.00
475	875	4	1	190	243.263	30.478	242.303 2.86
500	875	6	1	276	30.855	5.304	30.393 0.00
525	875	6	1	274	24.466	3.692	21.820 0.00
550	875	6	1	274	20.482	3.034	18.167 0.00
575	875	6	1	272	17.770	2.816	16.011 0.00
600	875	6	1	162	18.249	3.912	18.175 0.00
625	875	6	1	272	25.499	3.251	23.488 0.00
650	875	6	1	272	18.817	1.584	17.323 0.00
675	875	6	1	272	16.474	1.119	15.120 0.00
700	875	6	1	272	14.883	0.897	13.492 0.00
725	875	6	1	270	13.630	0.769	12.118 0.00
750	875	6	1	272	12.583	0.693	10.945 0.00
775	875	6	1	272	11.690	0.662	9.945 0.00
800	875	6	1	272	10.916	0.693	9.095 0.00
825	875	6	1	272	10.238	0.883	8.370 0.00
850	875	6	1	48	14.750	2.434	14.664 0.00
875	875	6	1	270	15.959	1.899	14.457 0.00
900	875	6	1	270	12.808	0.857	11.194 0.00
0	900	6	1	86	12.471	0.757	12.338 0.00
25	900	6	1	86	12.956	0.922	12.839 0.00
50	900	6	1	86	13.542	1.084	13.394 0.00
75	900	6	1	86	14.218	1.220	14.038 0.00
100	900	6	1	88	15.014	1.348	14.788 0.00
125	900	6	1	88	15.984	1.501	15.761 0.00
150	900	6	1	88	17.138	1.691	16.981 0.00
175	900	6	1	88	18.510	1.948	18.288 0.00
200	900	6	1	42	20.636	2.288	20.246 0.00
225	900	6	1	90	23.607	2.673	23.398 0.00
250	900	6	1	90	30.357	3.593	30.142 0.00
275	900	6	1	94	46.201	5.140	45.804 0.00
300	900	6	1	102	42.454	5.970	42.001 0.00
325	900	6	1	100	31.492	5.429	30.973 0.00
350	900	6	1	348	57.552	6.980	54.943 0.00
375	900	6	1	278	60.472	6.596	55.274 0.00
400	900	6	1	160	34.351	5.599	34.176 0.00
425	900	6	1	272	24.749	3.978	22.922 0.00
450	900	6	1	270	20.641	3.065	19.080 0.00
475	900	6	1	270	18.005	2.540	16.274 0.00
500	900	6	1	270	16.064	2.219	14.249 0.00
525	900	6	1	270	14.556	2.013	12.946 0.00
550	900	6	1	270	13.341	1.925	11.915 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
575	900	6	1	270	12.337	2.051	11.076	0.00
600	900	6	1	162	16.590	3.217	16.512	0.00
625	900	6	1	206	23.475	3.335	23.340	0.00
650	900	6	1	268	15.983	1.543	14.714	0.00
675	900	6	1	268	14.029	1.065	12.815	0.00
700	900	6	1	268	12.824	0.841	11.669	0.00
725	900	6	1	268	11.932	0.719	10.760	0.00
750	900	6	1	268	11.202	0.653	9.930	0.00
775	900	6	1	268	10.568	0.629	9.199	0.00
800	900	6	1	268	9.999	0.663	8.663	0.00
825	900	6	1	268	9.481	0.827	8.185	0.00
850	900	6	1	150	10.031	1.553	9.949	0.00
875	900	6	1	264	18.384	2.491	17.334	0.00
900	900	6	1	268	12.408	0.854	11.129	0.00
0	925	6	1	88	19.711	1.244	19.535	0.00
25	925	6	1	88	21.306	1.857	21.105	0.00
50	925	6	1	90	23.212	2.493	23.002	0.00
75	925	6	1	30	30.708	3.188	29.692	0.00
100	925	6	1	332	56.999	5.215	55.257	0.00
125	925	6	1	98	47.921	4.775	46.963	0.00
150	925	6	1	144	45.828	6.909	45.688	0.00
175	925	6	1	204	27.272	5.124	27.073	0.00
200	925	6	1	100	23.200	4.027	22.901	0.00
225	925	6	1	100	25.480	3.920	25.150	0.00
250	925	6	1	100	34.504	5.237	34.182	0.00
275	925	6	1	274	98.096	11.069	93.525	0.00
300	925	6	1	114	31.086	5.523	30.692	0.00
325	925	6	1	114	23.226	3.765	22.811	0.00
350	925	6	1	118	19.295	2.995	19.104	0.00
375	925	6	1	268	16.791	2.556	16.094	0.00
400	925	6	1	268	15.129	2.235	13.892	0.00
425	925	6	1	266	13.849	1.990	12.816	0.00
450	925	6	1	266	12.858	1.799	11.731	0.00
475	925	6	1	266	12.036	1.652	10.823	0.00
500	925	6	1	266	11.329	1.548	10.186	0.00
525	925	6	1	266	10.705	1.492	9.603	0.00
550	925	6	1	266	10.148	1.514	9.078	0.00
575	925	6	1	266	9.647	1.715	9.445	0.00
600	925	6	1	164	15.579	2.786	15.503	0.00
625	925	6	1	204	25.312	3.547	25.189	0.00
650	925	6	1	266	14.353	1.500	13.933	0.00
675	925	6	1	266	12.503	1.021	11.669	0.00
700	925	6	1	266	11.431	0.799	10.624	0.00
725	925	6	1	266	10.671	0.680	9.884	0.00
750	925	6	1	266	10.076	0.616	9.279	0.00
775	925	6	1	266	9.577	0.593	8.724	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
800	925	6	1	266	9.139	0.616	8.184	0.00
825	925	6	1	266	8.740	0.726	7.651	0.00
850	925	6	1	266	8.369	1.072	7.132	0.00
875	925	6	1	50	32.067	4.250	31.529	0.00
900	925	6	1	266	13.026	1.024	11.686	0.00
0	950	6	1	102	49.502	3.418	48.687	0.00
25	950	6	1	168	37.440	5.649	37.073	0.00
50	950	6	1	100	23.890	4.546	23.583	0.00
75	950	6	1	100	23.982	3.997	23.517	0.00
100	950	6	1	44	27.995	4.269	26.874	0.00
125	950	6	1	12	90.329	8.116	89.097	0.00
150	950	6	1	274	85.117	8.437	81.315	0.00
175	950	6	1	110	41.104	5.090	40.668	0.00
200	950	6	1	162	29.642	4.408	29.465	0.00
225	950	6	1	114	23.454	3.604	23.093	0.00
250	950	6	1	114	19.252	2.884	18.871	0.00
275	950	6	1	116	16.667	2.444	16.414	0.00
300	950	6	1	118	14.776	2.144	14.581	0.00
325	950	6	1	120	13.217	1.930	13.158	0.00
350	950	6	1	262	12.240	1.769	11.819	0.00
375	950	6	1	262	11.426	1.638	10.633	0.00
400	950	6	1	262	10.749	1.526	9.894	0.00
425	950	6	1	262	10.180	1.429	9.337	0.00
450	950	6	1	262	9.692	1.345	8.856	0.00
475	950	6	1	262	9.266	1.277	8.558	0.00
500	950	6	1	262	8.890	1.232	8.321	0.00
525	950	6	1	262	8.551	1.222	8.123	0.00
550	950	6	1	262	8.240	1.275	7.947	0.00
575	950	6	1	156	8.981	1.485	8.931	0.00
600	950	6	1	166	14.853	2.434	14.757	0.00
625	950	6	1	200	27.352	3.888	27.117	0.00
650	950	6	1	210	14.447	1.432	14.338	0.00
675	950	6	1	262	11.464	0.967	10.760	0.00
700	950	6	1	262	10.450	0.757	9.763	0.00
725	950	6	1	262	9.750	0.642	9.062	0.00
750	950	6	1	262	9.211	0.579	8.519	0.00
775	950	6	1	262	8.769	0.552	8.078	0.00
800	950	6	1	262	8.390	0.560	7.709	0.00
825	950	6	1	262	8.051	0.616	7.374	0.00
850	950	6	1	264	7.749	0.773	6.962	0.00
875	950	6	1	182	10.926	1.529	10.804	0.00
900	950	6	1	260	14.446	1.165	14.260	0.00
0	975	6	1	104	57.168	3.323	56.331	0.00
25	975	6	1	146	52.338	6.337	52.066	0.00
50	975	6	1	192	37.724	5.158	37.146	0.00
75	975	6	1	110	24.629	3.794	24.274	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P(200)	
100	975	6	1	110	21.586	3.042	21.242	0.00
125	975	6	1	112	19.328	2.623	18.984	0.00
150	975	6	1	112	17.660	2.353	17.275	0.00
175	975	6	1	114	16.266	2.142	16.007	0.00
200	975	6	1	116	14.773	1.966	14.614	0.00
225	975	6	1	118	13.372	1.820	13.179	0.00
250	975	6	1	118	12.212	1.689	11.994	0.00
275	975	6	1	120	11.256	1.572	11.067	0.00
300	975	6	1	122	10.386	1.477	10.235	0.00
325	975	6	1	256	9.653	1.399	9.559	0.00
350	975	6	1	258	9.246	1.333	8.822	0.00
375	975	6	1	258	8.876	1.274	8.464	0.00
400	975	6	1	258	8.522	1.217	8.251	0.00
425	975	6	1	258	8.194	1.161	8.036	0.00
450	975	6	1	258	7.895	1.109	7.827	0.00
475	975	6	1	190	7.701	1.067	7.624	0.00
500	975	6	1	192	7.542	1.042	7.393	0.00
525	975	6	1	194	7.408	1.043	7.243	0.00
550	975	6	1	196	7.295	1.093	7.235	0.00
575	975	6	1	158	8.720	1.262	8.665	0.00
600	975	6	1	166	14.272	1.990	14.206	0.00
625	975	6	1	200	30.430	3.996	30.254	0.00
650	975	6	1	208	14.900	1.283	14.790	0.00
675	975	6	1	216	11.096	0.885	11.007	0.00
700	975	6	1	260	9.555	0.705	9.074	0.00
725	975	6	1	260	8.897	0.602	8.428	0.00
750	975	6	1	260	8.414	0.541	7.929	0.00
775	975	6	1	260	8.030	0.510	7.522	0.00
800	975	6	1	260	7.710	0.502	7.158	0.00
825	975	6	1	260	7.431	0.517	6.801	0.00
850	975	6	1	260	7.178	0.557	6.446	0.00
875	975	6	1	180	7.725	0.611	7.561	0.00
900	975	6	1	206	10.610	0.606	10.492	0.00
0	1000	6	1	110	18.391	1.350	18.022	0.00
25	1000	6	1	112	16.786	1.715	16.476	0.00
50	1000	6	1	112	15.554	1.791	15.355	0.00
75	1000	6	1	112	14.489	1.741	14.133	0.00
100	1000	6	1	114	13.640	1.650	13.459	0.00
125	1000	6	1	116	12.830	1.560	12.564	0.00
150	1000	6	1	116	12.112	1.484	11.877	0.00
175	1000	6	1	118	11.350	1.419	11.219	0.00
200	1000	6	1	120	10.580	1.361	10.434	0.00
225	1000	6	1	120	9.881	1.309	9.708	0.00
250	1000	6	1	122	9.277	1.262	9.136	0.00
275	1000	6	1	124	8.706	1.220	8.602	0.00
300	1000	6	1	126	8.162	1.186	8.126	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P(200)
325	1000	6	1	178	7.975	1.160	7.857 0.00
350	1000	6	1	180	7.799	1.138	7.699 0.00
375	1000	6	1	182	7.627	1.111	7.514 0.00
400	1000	6	1	184	7.495	1.074	7.368 0.00
425	1000	6	1	186	7.364	1.024	7.231 0.00
450	1000	6	1	188	7.221	0.977	7.082 0.00
475	1000	6	1	190	7.087	0.939	6.936 0.00
500	1000	6	1	192	6.971	0.915	6.808 0.00
525	1000	6	1	194	6.871	0.911	6.727 0.00
550	1000	6	1	152	6.802	0.936	6.785 0.00
575	1000	6	1	158	8.545	1.015	8.497 0.00
600	1000	6	1	168	13.731	1.207	13.612 0.00
625	1000	6	1	192	25.369	1.330	24.552 0.00
650	1000	6	1	206	15.302	1.004	15.157 0.00
675	1000	6	1	212	11.411	0.777	11.338 0.00
700	1000	6	1	218	9.276	0.644	9.215 0.00
725	1000	6	1	224	7.803	0.559	7.707 0.00
750	1000	6	1	254	7.419	0.504	7.281 0.00
775	1000	6	1	256	7.178	0.470	6.951 0.00
800	1000	6	1	256	6.968	0.452	6.751 0.00
825	1000	6	1	256	6.767	0.443	6.475 0.00
850	1000	6	1	258	6.581	0.435	6.189 0.00
875	1000	6	1	258	6.415	0.420	5.883 0.00
900	1000	6	1	198	6.713	0.412	6.566 0.00
0	1025	6	1	114	12.619	0.890	12.391 0.00
25	1025	6	1	114	11.973	1.030	11.811 0.00
50	1025	6	1	114	11.362	1.131	11.094 0.00
75	1025	6	1	116	10.859	1.166	10.720 0.00
100	1025	6	1	118	10.336	1.161	10.126 0.00
125	1025	6	1	118	9.881	1.139	9.716 0.00
150	1025	6	1	120	9.388	1.113	9.274 0.00
175	1025	6	1	122	8.877	1.091	8.738 0.00
200	1025	6	1	122	8.419	1.072	8.285 0.00
225	1025	6	1	124	7.987	1.058	7.905 0.00
250	1025	6	1	174	7.703	1.048	7.602 0.00
275	1025	6	1	176	7.547	1.045	7.444 0.00
300	1025	6	1	176	7.377	1.053	7.291 0.00
325	1025	6	1	54	7.819	1.077	7.256 0.00
350	1025	6	1	46	9.286	1.115	8.102 0.00
375	1025	6	1	32	7.676	1.135	7.233 0.00
400	1025	6	1	316	8.577	1.079	7.698 0.00
425	1025	6	1	304	7.509	0.989	6.822 0.00
450	1025	6	1	188	6.718	0.918	6.568 0.00
475	1025	6	1	190	6.616	0.867	6.456 0.00
500	1025	6	1	192	6.524	0.832	6.386 0.00
525	1025	6	1	194	6.443	0.814	6.330 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
550	1025	6	1	154	6.647	0.811	6.612	0.00
575	1025	6	1	160	8.374	0.823	8.313	0.00
600	1025	6	1	172	12.009	0.821	11.705	0.00
625	1025	6	1	188	15.865	0.800	15.504	0.00
650	1025	6	1	202	14.765	0.770	14.571	0.00
675	1025	6	1	208	11.605	0.673	11.442	0.00
700	1025	6	1	214	9.525	0.584	9.449	0.00
725	1025	6	1	220	8.068	0.517	7.999	0.00
750	1025	6	1	224	6.985	0.469	6.933	0.00
775	1025	6	1	242	6.405	0.435	6.368	0.00
800	1025	6	1	248	6.222	0.410	6.150	0.00
825	1025	6	1	252	6.104	0.390	5.985	0.00
850	1025	6	1	254	5.990	0.368	5.778	0.00
875	1025	6	1	254	5.883	0.346	5.649	0.00
900	1025	6	1	256	5.761	0.334	5.446	0.00
0	1050	6	1	156	10.045	0.686	9.923	0.00
25	1050	6	1	160	9.537	0.759	9.499	0.00
50	1050	6	1	118	9.142	0.830	9.001	0.00
75	1050	6	1	118	8.784	0.878	8.593	0.00
100	1050	6	1	120	8.446	0.900	8.349	0.00
125	1050	6	1	122	8.082	0.905	8.055	0.00
150	1050	6	1	166	7.875	0.904	7.780	0.00
175	1050	6	1	168	7.656	0.903	7.562	0.00
200	1050	6	1	170	7.412	0.906	7.319	0.00
225	1050	6	1	172	7.205	0.916	7.067	0.00
250	1050	6	1	174	7.066	0.937	6.927	0.00
275	1050	6	1	176	6.946	0.975	6.821	0.00
300	1050	6	1	70	7.172	1.046	6.823	0.00
325	1050	6	1	66	9.184	1.183	8.760	0.00
350	1050	6	1	64	12.568	1.509	11.863	0.00
375	1050	6	1	316	27.943	2.786	26.447	0.00
400	1050	6	1	298	14.066	1.537	13.012	0.00
425	1050	6	1	292	9.247	1.112	8.385	0.00
450	1050	6	1	288	7.067	0.942	6.473	0.00
475	1050	6	1	190	6.235	0.847	6.094	0.00
500	1050	6	1	192	6.159	0.788	6.044	0.00
525	1050	6	1	192	6.094	0.748	6.005	0.00
550	1050	6	1	156	6.481	0.721	6.417	0.00
575	1050	6	1	164	7.912	0.697	7.840	0.00
600	1050	6	1	174	9.931	0.661	9.602	0.00
625	1050	6	1	188	11.960	0.634	11.470	0.00
650	1050	6	1	198	12.747	0.622	12.455	0.00
675	1050	6	1	206	11.329	0.584	11.152	0.00
700	1050	6	1	212	9.613	0.530	9.479	0.00
725	1050	6	1	216	8.267	0.479	8.207	0.00
750	1050	6	1	220	7.197	0.437	7.145	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
775	1050	6	1	226	6.352	0.404	6.297	0.00
800	1050	6	1	236	5.828	0.377	5.768	0.00
825	1050	6	1	242	5.608	0.351	5.504	0.00
850	1050	6	1	246	5.476	0.327	5.363	0.00
875	1050	6	1	250	5.383	0.305	5.277	0.00
900	1050	6	1	252	5.307	0.292	5.145	0.00
0	1075	6	1	158	8.861	0.566	8.776	0.00
25	1075	6	1	160	8.437	0.612	8.362	0.00
50	1075	6	1	162	7.957	0.662	7.888	0.00
75	1075	6	1	162	7.671	0.705	7.605	0.00
100	1075	6	1	164	7.517	0.736	7.457	0.00
125	1075	6	1	166	7.380	0.755	7.311	0.00
150	1075	6	1	168	7.228	0.768	7.079	0.00
175	1075	6	1	170	7.048	0.781	6.915	0.00
200	1075	6	1	172	6.851	0.802	6.756	0.00
225	1075	6	1	172	6.694	0.837	6.577	0.00
250	1075	6	1	174	6.582	0.898	6.421	0.00
275	1075	6	1	82	6.678	1.006	6.642	0.00
300	1075	6	1	80	8.286	1.228	8.243	0.00
325	1075	6	1	88	12.770	1.865	12.731	0.00
350	1075	6	1	138	18.087	3.728	17.997	0.00
375	1075	6	1	192	13.960	2.593	13.839	0.00
400	1075	6	1	290	16.015	4.438	15.539	0.00
425	1075	6	1	252	12.794	1.743	12.310	0.00
450	1075	6	1	256	8.175	1.107	8.039	0.00
475	1075	6	1	274	6.450	0.893	6.339	0.00
500	1075	6	1	192	5.850	0.782	5.758	0.00
525	1075	6	1	192	5.806	0.712	5.696	0.00
550	1075	6	1	160	6.206	0.660	6.157	0.00
575	1075	6	1	168	7.211	0.616	7.023	0.00
600	1075	6	1	176	8.417	0.574	8.129	0.00
625	1075	6	1	188	9.772	0.546	9.413	0.00
650	1075	6	1	196	10.855	0.532	10.603	0.00
675	1075	6	1	202	10.516	0.513	10.222	0.00
700	1075	6	1	208	9.454	0.480	9.337	0.00
725	1075	6	1	212	8.311	0.443	8.181	0.00
750	1075	6	1	216	7.329	0.408	7.226	0.00
775	1075	6	1	220	6.511	0.377	6.440	0.00
800	1075	6	1	226	5.839	0.349	5.784	0.00
825	1075	6	1	232	5.376	0.323	5.264	0.00
850	1075	6	1	238	5.146	0.299	5.013	0.00
875	1075	6	1	242	5.010	0.279	4.893	0.00
900	1075	6	1	246	4.917	0.265	4.772	0.00
0	1100	6	1	158	7.989	0.486	7.873	0.00
25	1100	6	1	160	7.647	0.519	7.547	0.00
50	1100	6	1	162	7.310	0.555	7.259	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P(200)
75	1100	6	1	162	7.089	0.591	6.992 0.00
100	1100	6	1	164	6.971	0.623	6.897 0.00
125	1100	6	1	166	6.857	0.649	6.797 0.00
150	1100	6	1	168	6.727	0.671	6.543 0.00
175	1100	6	1	170	6.577	0.696	6.409 0.00
200	1100	6	1	172	6.419	0.733	6.298 0.00
225	1100	6	1	172	6.286	0.800	6.189 0.00
250	1100	6	1	96	6.861	0.937	6.838 0.00
275	1100	6	1	104	9.019	1.263	8.962 0.00
300	1100	6	1	110	19.083	2.437	18.976 0.00
325	1100	6	1	142	26.638	3.604	26.568 0.00
350	1100	6	1	182	10.760	1.785	10.713 0.00
375	1100	6	1	182	9.928	1.497	9.759 0.00
400	1100	6	1	184	11.585	1.803	11.468 0.00
425	1100	6	1	228	21.620	3.887	21.315 0.00
450	1100	6	1	248	15.838	1.955	15.122 0.00
475	1100	6	1	252	9.916	1.084	9.358 0.00
500	1100	6	1	252	7.673	0.833	7.301 0.00
525	1100	6	1	254	6.424	0.704	6.063 0.00
550	1100	6	1	162	5.824	0.621	5.716 0.00
575	1100	6	1	170	6.539	0.562	6.282 0.00
600	1100	6	1	178	7.338	0.518	7.040 0.00
625	1100	6	1	188	8.374	0.489	8.077 0.00
650	1100	6	1	196	9.381	0.472	9.126 0.00
675	1100	6	1	200	9.564	0.457	9.272 0.00
700	1100	6	1	206	9.027	0.436	8.844 0.00
725	1100	6	1	210	8.207	0.409	8.104 0.00
750	1100	6	1	214	7.374	0.380	7.294 0.00
775	1100	6	1	218	6.619	0.352	6.536 0.00
800	1100	6	1	220	5.959	0.326	5.881 0.00
825	1100	6	1	224	5.413	0.301	5.354 0.00
850	1100	6	1	230	5.002	0.278	4.877 0.00
875	1100	6	1	236	4.768	0.259	4.620 0.00
900	1100	6	1	240	4.632	0.246	4.484 0.00
0	1125	6	1	160	7.334	0.428	7.225 0.00
25	1125	6	1	162	7.063	0.452	6.976 0.00
50	1125	6	1	162	6.809	0.480	6.740 0.00
75	1125	6	1	164	6.643	0.510	6.567 0.00
100	1125	6	1	164	6.524	0.540	6.421 0.00
125	1125	6	1	166	6.429	0.567	6.342 0.00
150	1125	6	1	168	6.318	0.595	6.171 0.00
175	1125	6	1	170	6.194	0.628	6.031 0.00
200	1125	6	1	102	6.152	0.678	6.096 0.00
225	1125	6	1	106	7.785	0.780	7.713 0.00
250	1125	6	1	110	11.067	1.151	10.993 0.00
275	1125	6	1	126	27.288	3.001	26.979 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
300	1125	6	1	182	17.426	2.336	17.229	0.00
325	1125	6	1	176	10.329	1.427	10.224	0.00
350	1125	6	1	180	9.376	1.169	9.223	0.00
375	1125	6	1	182	8.754	1.106	8.611	0.00
400	1125	6	1	184	9.411	1.193	9.231	0.00
425	1125	6	1	188	11.090	1.552	10.956	0.00
450	1125	3	1	108	26.066	4.666	25.911	0.00
475	1125	6	1	244	18.452	2.445	17.534	0.00
500	1125	6	1	248	10.866	1.040	10.097	0.00
525	1125	6	1	250	8.385	0.736	7.779	0.00
550	1125	6	1	252	6.993	0.599	6.501	0.00
575	1125	6	1	252	6.100	0.525	5.908	0.00
600	1125	6	1	180	6.530	0.477	6.366	0.00
625	1125	6	1	188	7.404	0.447	7.158	0.00
650	1125	6	1	194	8.306	0.428	7.905	0.00
675	1125	6	1	200	8.661	0.414	8.397	0.00
700	1125	6	1	204	8.482	0.397	8.287	0.00
725	1125	6	1	208	7.948	0.377	7.792	0.00
750	1125	6	1	212	7.290	0.354	7.145	0.00
775	1125	6	1	214	6.643	0.330	6.522	0.00
800	1125	6	1	218	6.052	0.306	5.993	0.00
825	1125	6	1	220	5.507	0.283	5.429	0.00
850	1125	6	1	224	5.054	0.262	4.971	0.00
875	1125	6	1	228	4.685	0.245	4.592	0.00
900	1125	6	1	234	4.454	0.231	4.311	0.00
0	1150	6	1	160	6.821	0.383	6.753	0.00
25	1150	6	1	162	6.606	0.402	6.538	0.00
50	1150	6	1	162	6.398	0.424	6.305	0.00
75	1150	6	1	164	6.272	0.449	6.219	0.00
100	1150	6	1	166	6.172	0.475	6.094	0.00
125	1150	6	1	168	6.073	0.502	5.956	0.00
150	1150	6	1	168	5.975	0.530	5.861	0.00
175	1150	6	1	112	6.076	0.564	5.988	0.00
200	1150	6	1	114	7.621	0.613	7.524	0.00
225	1150	6	1	120	10.464	0.708	10.367	0.00
250	1150	6	1	130	15.688	0.967	15.450	0.00
275	1150	6	1	142	12.117	1.377	12.031	0.00
300	1150	6	1	176	9.872	1.113	9.702	0.00
325	1150	6	1	178	8.965	0.965	8.839	0.00
350	1150	6	1	180	8.368	0.893	8.246	0.00
375	1150	6	1	182	8.031	0.877	7.883	0.00
400	1150	6	1	184	8.378	0.914	8.210	0.00
425	1150	6	1	186	9.217	1.033	9.094	0.00
450	1150	6	1	190	10.555	1.337	10.436	0.00
475	1150	6	1	186	16.207	2.719	16.114	0.00
500	1150	6	1	244	27.382	2.964	26.246	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
525	1150	6	1	246	11.611	0.813	10.777	0.00
550	1150	6	1	248	8.830	0.580	8.064	0.00
575	1150	6	1	250	7.330	0.492	6.793	0.00
600	1150	6	1	250	6.382	0.443	5.945	0.00
625	1150	6	1	188	6.692	0.412	6.521	0.00
650	1150	6	1	194	7.468	0.392	7.108	0.00
675	1150	6	1	198	7.906	0.378	7.753	0.00
700	1150	6	1	202	7.918	0.364	7.761	0.00
725	1150	6	1	206	7.608	0.348	7.450	0.00
750	1150	6	1	210	7.118	0.329	6.937	0.00
775	1150	6	1	212	6.602	0.309	6.480	0.00
800	1150	6	1	216	6.074	0.288	5.968	0.00
825	1150	6	1	218	5.587	0.267	5.524	0.00
850	1150	6	1	220	5.132	0.248	5.058	0.00
875	1150	6	1	224	4.748	0.232	4.650	0.00
900	1150	6	1	228	4.421	0.219	4.340	0.00
0	1175	6	1	160	6.396	0.347	6.301	0.00
25	1175	6	1	162	6.229	0.363	6.168	0.00
50	1175	6	1	164	6.063	0.381	5.978	0.00
75	1175	6	1	164	5.952	0.402	5.872	0.00
100	1175	6	1	166	5.868	0.424	5.813	0.00
125	1175	6	1	168	5.781	0.448	5.622	0.00
150	1175	6	1	118	5.747	0.474	5.701	0.00
175	1175	6	1	122	6.816	0.505	6.721	0.00
200	1175	6	1	126	8.346	0.546	8.222	0.00
225	1175	6	1	132	10.136	0.608	10.003	0.00
250	1175	6	1	142	10.397	0.695	10.292	0.00
275	1175	6	1	174	9.332	0.752	9.215	0.00
300	1175	6	1	176	8.597	0.767	8.511	0.00
325	1175	6	1	178	8.102	0.742	7.998	0.00
350	1175	6	1	180	7.715	0.722	7.605	0.00
375	1175	6	1	182	7.504	0.719	7.353	0.00
400	1175	6	1	184	7.711	0.736	7.557	0.00
425	1175	6	1	186	8.243	0.783	8.063	0.00
450	1175	6	1	188	8.942	0.874	8.828	0.00
475	1175	6	1	192	10.096	1.049	10.022	0.00
500	1175	6	1	194	13.851	1.297	13.761	0.00
525	1175	6	1	234	14.658	0.739	13.526	0.00
550	1175	6	1	242	10.788	0.533	9.957	0.00
575	1175	6	1	244	8.634	0.453	7.685	0.00
600	1175	6	1	246	7.301	0.409	6.460	0.00
625	1175	6	1	248	6.391	0.380	6.135	0.00
650	1175	6	1	194	6.806	0.361	6.566	0.00
675	1175	6	1	198	7.227	0.348	6.999	0.00
700	1175	6	1	200	7.353	0.335	7.089	0.00
725	1175	6	1	204	7.228	0.322	7.060	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
750	1175	6	1	208	6.895	0.306	6.718	0.00
775	1175	6	1	210	6.488	0.289	6.342	0.00
800	1175	6	1	214	6.040	0.271	5.907	0.00
825	1175	6	1	216	5.615	0.253	5.546	0.00
850	1175	6	1	218	5.201	0.236	5.128	0.00
875	1175	6	1	220	4.817	0.222	4.747	0.00
900	1175	6	1	224	4.484	0.209	4.409	0.00
0	1200	6	1	160	6.034	0.317	5.914	0.00
25	1200	6	1	162	5.907	0.330	5.825	0.00
50	1200	6	1	164	5.780	0.345	5.714	0.00
75	1200	6	1	164	5.669	0.363	5.566	0.00
100	1200	6	1	166	5.600	0.382	5.525	0.00
125	1200	6	1	168	5.526	0.403	5.477	0.00
150	1200	6	1	124	6.212	0.426	6.089	0.00
175	1200	6	1	128	7.126	0.452	7.019	0.00
200	1200	6	1	132	8.036	0.484	7.863	0.00
225	1200	6	1	138	8.489	0.524	8.337	0.00
250	1200	6	1	148	7.981	0.559	7.937	0.00
275	1200	6	1	174	8.135	0.581	7.954	0.00
300	1200	6	1	178	7.853	0.599	7.739	0.00
325	1200	6	1	180	7.510	0.605	7.411	0.00
350	1200	6	1	180	7.232	0.604	7.128	0.00
375	1200	6	1	182	7.090	0.605	6.935	0.00
400	1200	6	1	184	7.222	0.612	7.076	0.00
425	1200	6	1	186	7.587	0.628	7.444	0.00
450	1200	6	1	188	8.055	0.652	7.894	0.00
475	1200	6	1	190	8.674	0.675	8.539	0.00
500	1200	6	1	194	9.549	0.661	9.471	0.00
525	1200	6	1	222	10.145	0.586	9.986	0.00
550	1200	6	1	232	9.775	0.479	8.946	0.00
575	1200	6	1	238	8.688	0.414	7.818	0.00
600	1200	6	1	242	7.616	0.376	6.875	0.00
625	1200	6	1	244	6.769	0.351	6.037	0.00
650	1200	6	1	192	6.280	0.334	6.111	0.00
675	1200	6	1	196	6.697	0.321	6.522	0.00
700	1200	6	1	200	6.880	0.310	6.716	0.00
725	1200	6	1	202	6.815	0.298	6.542	0.00
750	1200	6	1	206	6.639	0.285	6.508	0.00
775	1200	6	1	208	6.315	0.271	6.112	0.00
800	1200	6	1	212	5.966	0.255	5.829	0.00
825	1200	6	1	214	5.598	0.240	5.521	0.00
850	1200	6	1	216	5.227	0.225	5.142	0.00
875	1200	6	1	218	4.875	0.212	4.796	0.00
900	1200	6	1	220	4.549	0.200	4.483	0.00

Początek obliczeń : 17:56:46

Koniec obliczeń : 18:49:20

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P(200)
------	------	----	----	-----	------	----	-------	---------

Maksimum stężeń maksymalnych ug/m3 509,009

450	400	6	1	34	509.009	14.399	504.955	2.73
-----	-----	---	---	----	---------	--------	---------	------

Maksimum stężeń średnich ug/m3 30,478

475	875	4	1	190	243.263	30.478	242.303	2.86
-----	-----	---	---	-----	---------	--------	---------	------

Maksimum percentyla S99,8 ug/m3 504,955

450	400	6	1	34	509.009	14.399	504.955	2.73
-----	-----	---	---	----	---------	--------	---------	------

