

# Węglowodory HC

AERO 2010 – Rozkład stężeń zanieczyszczeń

\*\*\*\*\*

Obiekt : Ruch samochodowy na trasie ratajczaka

Nazwa substancji : Węglowodory HC

29 – ilość emitorów

E m i t o r y liniowe lub powierzchniowe

Emitor	x1[m]	y1[m]	h1[m]	d[m]	v[m/s]	T[K]	T0[K]	Emisja
symbol	x2[m]	y2[m]	h2[m]					[g/s/m]
=====								
1 K-AN	0	947	0.5	0.10	0.00	293.0	280.2	0.000035
	70	934	0.5					
2 AN-Ko	70	934	0.5	0.10	0.00	293.0	280.2	0.000026
	218	910	0.5					
3 Ko-Gw	218	910	0.5	0.10	0.00	293.0	280.2	0.000020
	402	882	0.5					
4 Gw-R	402	882	0.5	0.10	0.00	293.0	280.2	0.000020
	608	818	0.5					
5 R-Pi	608	818	0.5	0.10	0.00	293.0	280.2	0.000019
	756	780	0.5					
6 Pi-Ma	756	780	0.5	0.10	0.00	293.0	280.2	0.000010
	820	770	0.5					
7 Ma-Po	820	770	0.5	0.10	0.00	293.0	280.2	0.000008
	856	873	0.5					
8 Po+wg	895	846	0.5	0.10	0.00	293.0	280.2	0.000015
	856	873	0.5					
9 Po-PLW	856	873	0.5	0.10	0.00	293.0	280.2	0.000022
	889	952	0.5					
10 R-ŚM	619	985	0.5	0.10	0.00	293.0	280.2	0.000034
	608	818	0.5					
11 R-Gw	609	839	0.5	0.10	0.00	293.0	280.2	0.000030
	322	912	0.5					
12 Gw-Ko	322	912	0.5	0.10	0.00	293.0	280.2	0.000030
	233	935	0.5					
13 Ko-AN	233	935	0.5	0.10	0.00	293.0	280.2	0.000029
	77	962	0.5					
14 AN-K	77	962	0.5	0.10	0.00	293.0	280.2	0.000032
	0	974	0.5					
15 Ko-M	259	1135	0.5	0.10	0.00	293.0	280.2	0.000014
	378	1050	0.5					
16 F-PLR	378	1050	0.5	0.10	0.00	293.0	280.2	0.000014
	507	1160	0.5					
17 PLR-F	504	1168	0.5	0.10	0.00	293.0	280.2	0.000007
	377	1060	0.5					
18 M-Ko	377	1060	0.5	0.10	0.00	293.0	280.2	0.000007
	265	1142	0.5					

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

---

1 . . . 5 . . . 10 . . . 15. . . 20 . . . 25 . . . 30  
L L L L L L L L L L L L L L L L L L L L L L L L L L L L

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
0	100	6	1	62	11.855	0.264	10.868	0.00
25	100	6	1	60	12.566	0.280	11.469	0.00
50	100	6	1	58	13.377	0.298	12.135	0.00
75	100	6	1	56	14.334	0.317	13.019	0.00
100	100	6	1	54	15.476	0.339	14.197	0.00
125	100	6	1	50	16.888	0.362	15.416	0.00
150	100	6	1	48	18.676	0.388	16.763	0.00
175	100	6	1	44	20.866	0.417	18.166	0.00
200	100	6	1	40	23.535	0.449	20.344	0.00
225	100	6	1	36	26.716	0.485	22.869	0.00
250	100	6	1	30	30.382	0.526	26.264	0.00

strona 2

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P( 1000)
275	100	6	1	22	33.984	0.573	28.223 0.00
300	100	6	1	14	37.086	0.626	31.257 0.00
325	100	6	1	4	42.356	0.685	34.219 0.00
350	100	6	1	354	32.820	0.673	28.130 0.00
375	100	6	1	346	28.726	0.625	25.360 0.00
400	100	6	1	340	25.606	0.586	23.487 0.00
425	100	6	1	334	23.042	0.547	21.549 0.00
450	100	6	1	328	21.126	0.508	20.270 0.00
475	100	6	1	322	19.956	0.469	18.786 0.00
500	100	6	1	318	19.267	0.430	17.782 0.00
525	100	6	1	314	18.743	0.393	16.771 0.00
550	100	6	1	312	18.281	0.359	16.226 0.00
575	100	6	1	308	17.679	0.329	14.775 0.00
600	100	6	1	306	17.069	0.303	14.347 0.00
625	100	6	1	304	16.350	0.280	13.528 0.00
650	100	6	1	302	15.589	0.261	12.563 0.00
675	100	6	1	300	14.830	0.244	11.839 0.00
700	100	6	1	298	14.081	0.229	11.115 0.00
725	100	6	1	296	13.328	0.216	10.040 0.00
750	100	6	1	296	12.648	0.204	9.242 0.00
775	100	6	1	294	12.059	0.194	9.294 0.00
800	100	6	1	292	11.398	0.185	8.139 0.00
825	100	6	1	292	10.919	0.176	8.148 0.00
850	100	6	1	290	10.342	0.168	7.219 0.00
875	100	6	1	290	9.941	0.161	7.436 0.00
900	100	6	1	290	9.459	0.154	6.774 0.00
0	125	6	1	64	12.002	0.288	10.751 0.00
25	125	6	1	62	12.642	0.307	11.619 0.00
50	125	6	1	62	13.452	0.329	12.442 0.00
75	125	6	1	60	14.387	0.353	13.270 0.00
100	125	6	1	58	15.500	0.380	14.384 0.00
125	125	6	1	54	16.862	0.410	15.689 0.00
150	125	6	1	52	18.646	0.445	16.975 0.00
175	125	6	1	48	20.904	0.485	19.214 0.00
200	125	6	1	44	23.870	0.532	20.837 0.00
225	125	6	1	40	27.777	0.588	24.642 0.00
250	125	6	1	34	32.691	0.657	28.703 0.00
275	125	6	1	26	38.530	0.751	32.750 0.00
300	125	6	1	18	43.809	0.933	36.666 0.00
325	125	6	1	6	60.683	3.348	50.864 0.00
350	125	6	1	352	36.992	1.033	31.952 0.00
375	125	6	1	344	31.273	0.825	28.790 0.00
400	125	6	1	336	27.052	0.735	25.776 0.00
425	125	6	1	330	23.975	0.663	23.149 0.00
450	125	6	1	324	22.135	0.601	21.447 0.00
475	125	6	1	318	21.212	0.544	20.071 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P( 1000)
500	125	6	1	314	20.681	0.490	19.105 0.00
525	125	6	1	312	20.299	0.441	18.350 0.00
550	125	6	1	308	19.758	0.397	17.166 0.00
575	125	6	1	306	19.045	0.360	16.082 0.00
600	125	6	1	302	18.137	0.329	14.600 0.00
625	125	6	1	300	17.261	0.303	13.824 0.00
650	125	6	1	298	16.332	0.281	12.876 0.00
675	125	6	1	296	15.393	0.262	11.800 0.00
700	125	6	1	296	14.543	0.245	10.853 0.00
725	125	6	1	294	13.781	0.230	10.632 0.00
750	125	6	1	292	13.004	0.217	9.817 0.00
775	125	6	1	292	12.305	0.206	8.973 0.00
800	125	6	1	290	11.689	0.195	8.787 0.00
825	125	6	1	290	11.084	0.186	7.949 0.00
850	125	6	1	288	10.551	0.177	7.662 0.00
875	125	6	1	288	10.076	0.169	7.353 0.00
900	125	6	1	288	9.551	0.162	6.889 0.00
0	150	6	1	68	12.148	0.315	11.183 0.00
25	150	6	1	66	12.802	0.338	11.579 0.00
50	150	6	1	66	13.537	0.365	12.605 0.00
75	150	6	1	64	14.455	0.394	13.446 0.00
100	150	6	1	62	15.531	0.428	14.442 0.00
125	150	6	1	60	16.831	0.467	15.799 0.00
150	150	6	1	56	18.476	0.512	17.368 0.00
175	150	6	1	54	20.639	0.566	19.404 0.00
200	150	6	1	50	23.604	0.633	22.007 0.00
225	150	6	1	44	27.771	0.718	24.927 0.00
250	150	6	1	40	33.957	0.830	30.483 0.00
275	150	6	1	32	42.905	0.993	38.452 0.00
300	150	6	1	22	53.856	1.323	46.329 0.00
325	150	6	1	6	102.427	4.833	90.697 0.00
350	150	6	1	350	42.524	1.439	38.965 0.00
375	150	6	1	340	33.628	1.098	32.264 0.00
400	150	6	1	334	28.227	0.934	27.318 0.00
425	150	6	1	324	25.022	0.816	24.451 0.00
450	150	6	1	318	23.559	0.721	22.782 0.00
475	150	6	1	316	22.969	0.638	21.814 0.00
500	150	6	1	312	22.757	0.563	21.047 0.00
525	150	6	1	308	22.358	0.497	20.038 0.00
550	150	6	1	304	21.559	0.442	18.267 0.00
575	150	6	1	302	20.594	0.397	17.443 0.00
600	150	6	1	300	19.406	0.360	15.577 0.00
625	150	6	1	298	18.196	0.329	14.120 0.00
650	150	6	1	296	17.064	0.303	13.085 0.00
675	150	6	1	294	16.025	0.281	12.409 0.00
700	150	6	1	292	15.046	0.262	12.001 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
725	150	6	1	290	14.075	0.246	10.589	0.00
750	150	6	1	290	13.306	0.231	10.049	0.00
775	150	6	1	288	12.531	0.218	9.366	0.00
800	150	6	1	288	11.880	0.206	8.855	0.00
825	150	6	1	286	11.206	0.196	8.067	0.00
850	150	6	1	286	10.705	0.186	8.138	0.00
875	150	6	1	286	10.162	0.178	7.246	0.00
900	150	6	1	284	9.673	0.170	6.932	0.00
0	175	6	1	70	12.310	0.346	11.339	0.00
25	175	6	1	70	12.967	0.374	11.942	0.00
50	175	6	1	68	13.679	0.406	12.702	0.00
75	175	6	1	68	14.548	0.443	13.620	0.00
100	175	6	1	66	15.574	0.485	14.477	0.00
125	175	6	1	64	16.801	0.534	15.651	0.00
150	175	6	1	62	18.322	0.594	17.273	0.00
175	175	6	1	58	20.256	0.667	19.447	0.00
200	175	6	1	56	22.908	0.761	22.017	0.00
225	175	6	1	50	26.812	0.885	25.770	0.00
250	175	6	1	46	32.940	1.061	30.870	0.00
275	175	6	1	38	43.817	1.340	40.179	0.00
300	175	6	1	28	66.659	1.882	60.474	0.00
325	175	4	1	202	89.425	12.193	89.186	0.00
350	175	6	1	348	48.013	2.023	46.141	0.00
375	175	6	1	338	35.573	1.501	34.482	0.00
400	175	6	1	330	29.455	1.216	28.906	0.00
425	175	6	1	320	26.665	1.027	26.186	0.00
450	175	6	1	316	25.707	0.884	24.863	0.00
475	175	6	1	312	25.831	0.760	24.332	0.00
500	175	6	1	308	25.831	0.651	23.520	0.00
525	175	6	1	304	25.085	0.563	22.115	0.00
550	175	6	1	300	23.754	0.493	20.042	0.00
575	175	6	1	298	22.230	0.438	18.437	0.00
600	175	6	1	296	20.609	0.395	16.373	0.00
625	175	6	1	294	19.099	0.359	14.897	0.00
650	175	6	1	292	17.746	0.329	13.918	0.00
675	175	6	1	290	16.513	0.303	13.309	0.00
700	175	6	1	288	15.336	0.281	11.758	0.00
725	175	6	1	288	14.402	0.262	11.020	0.00
750	175	6	1	286	13.485	0.246	10.244	0.00
775	175	6	1	286	12.729	0.231	9.663	0.00
800	175	6	1	284	11.942	0.218	8.704	0.00
825	175	6	1	284	11.374	0.206	8.687	0.00
850	175	6	1	284	10.783	0.196	7.881	0.00
875	175	6	1	282	10.192	0.186	7.356	0.00
900	175	6	1	282	9.771	0.177	7.145	0.00
0	200	6	1	74	12.571	0.378	12.022	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P( 1000)	
25	200	6	1	74	13.168	0.412	12.427	0.00
50	200	6	1	72	13.880	0.452	13.299	0.00
75	200	6	1	72	14.695	0.497	14.026	0.00
100	200	6	1	70	15.661	0.550	14.616	0.00
125	200	6	1	68	16.792	0.613	15.983	0.00
150	200	6	1	66	18.185	0.690	17.475	0.00
175	200	6	1	64	19.959	0.787	19.184	0.00
200	200	6	1	62	22.258	0.916	21.561	0.00
225	200	6	1	56	25.531	1.095	24.926	0.00
250	200	6	1	50	30.723	1.369	29.857	0.00
275	200	6	1	44	40.086	1.868	37.686	0.00
300	200	6	1	36	61.931	3.196	58.175	0.00
325	200	6	1	6	232.490	10.531	211.705	0.00
350	200	6	1	348	53.505	3.485	51.838	0.00
375	200	6	1	336	37.850	2.169	36.854	0.00
400	200	6	1	322	31.281	1.644	31.046	0.00
425	200	6	1	314	29.339	1.340	28.596	0.00
450	200	6	1	312	29.703	1.117	28.302	0.00
475	200	6	1	308	30.978	0.919	28.579	0.00
500	200	6	1	302	30.261	0.760	26.328	0.00
525	200	6	1	298	28.306	0.641	23.857	0.00
550	200	6	1	296	26.025	0.553	21.661	0.00
575	200	6	1	294	23.640	0.486	18.956	0.00
600	200	6	1	290	21.532	0.434	17.195	0.00
625	200	6	1	290	19.739	0.391	15.339	0.00
650	200	6	1	288	18.201	0.356	14.415	0.00
675	200	6	1	286	16.804	0.326	13.447	0.00
700	200	6	1	286	15.584	0.301	11.795	0.00
725	200	6	1	284	14.557	0.280	11.496	0.00
750	200	6	1	284	13.628	0.261	10.312	0.00
775	200	6	1	282	12.771	0.244	9.627	0.00
800	200	6	1	282	12.093	0.230	9.476	0.00
825	200	6	1	282	11.421	0.217	8.445	0.00
850	200	6	1	280	10.768	0.205	7.775	0.00
875	200	6	1	280	10.290	0.195	7.618	0.00
900	200	6	1	280	9.822	0.185	7.462	0.00
0	225	6	1	78	12.886	0.413	12.646	0.00
25	225	6	1	76	13.489	0.453	13.146	0.00
50	225	6	1	76	14.181	0.501	13.717	0.00
75	225	6	1	76	14.952	0.558	14.640	0.00
100	225	6	1	74	15.866	0.624	15.519	0.00
125	225	6	1	74	16.944	0.704	16.370	0.00
150	225	6	1	72	18.251	0.801	17.833	0.00
175	225	6	1	70	19.854	0.927	19.057	0.00
200	225	6	1	68	21.904	1.094	21.197	0.00
225	225	6	1	64	24.685	1.331	24.020	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
250	225	6	1	58	28.878	1.705	28.254	0.00
275	225	6	1	50	36.425	2.423	35.386	0.00
300	225	6	1	42	52.971	4.479	50.272	0.00
325	225	6	1	116	314.916	37.856	313.359	0.00
350	225	6	1	350	61.495	6.238	58.775	0.00
375	225	6	1	334	40.813	3.171	39.892	0.00
400	225	6	1	314	34.911	2.323	34.351	0.00
425	225	6	1	312	34.771	1.894	33.789	0.00
450	225	6	1	308	40.225	1.494	37.693	0.00
475	225	6	1	300	39.473	1.136	34.690	0.00
500	225	6	1	296	35.491	0.894	31.141	0.00
525	225	6	1	292	31.339	0.734	26.395	0.00
550	225	6	1	290	27.739	0.622	23.450	0.00
575	225	6	1	288	24.679	0.539	20.478	0.00
600	225	6	1	286	22.163	0.475	18.561	0.00
625	225	6	1	284	20.034	0.425	16.257	0.00
650	225	6	1	284	18.362	0.384	14.541	0.00
675	225	6	1	282	16.889	0.349	13.609	0.00
700	225	6	1	282	15.672	0.321	12.341	0.00
725	225	6	1	280	14.521	0.296	11.217	0.00
750	225	6	1	280	13.656	0.276	10.877	0.00
775	225	6	1	280	12.833	0.257	9.901	0.00
800	225	6	1	280	12.056	0.241	8.853	0.00
825	225	6	1	278	11.398	0.227	8.533	0.00
850	225	6	1	278	10.843	0.214	8.284	0.00
875	225	6	1	278	10.317	0.203	7.900	0.00
900	225	6	1	278	9.820	0.192	7.242	0.00
0	250	6	1	80	13.410	0.448	13.278	0.00
25	250	6	1	80	14.000	0.497	13.867	0.00
50	250	6	1	80	14.663	0.555	14.492	0.00
75	250	6	1	80	15.412	0.625	15.197	0.00
100	250	6	1	78	16.302	0.709	16.124	0.00
125	250	6	1	78	17.355	0.809	17.246	0.00
150	250	6	1	78	18.579	0.934	18.385	0.00
175	250	6	1	76	20.114	1.093	19.738	0.00
200	250	6	1	74	22.014	1.302	21.722	0.00
225	250	6	1	72	24.501	1.592	24.189	0.00
250	250	6	1	68	27.970	2.035	27.484	0.00
275	250	6	1	58	33.704	2.836	33.133	0.00
300	250	6	1	48	46.291	4.704	45.075	0.00
325	250	6	1	68	92.641	12.552	90.816	0.00
350	250	6	1	348	77.565	10.324	74.615	0.00
375	250	6	1	312	45.504	4.672	45.239	0.00
400	250	6	1	310	42.912	3.896	41.941	0.00
425	250	6	1	310	60.707	5.136	58.349	0.00
450	250	6	1	294	60.107	2.341	54.023	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
475	250	6	1	292	46.455	1.454	41.571	0.00
500	250	6	1	288	38.712	1.059	34.112	0.00
525	250	6	1	286	32.523	0.838	27.644	0.00
550	250	6	1	284	28.018	0.694	23.640	0.00
575	250	6	1	282	24.637	0.593	21.202	0.00
600	250	6	1	282	21.950	0.516	18.174	0.00
625	250	6	1	280	19.937	0.457	16.712	0.00
650	250	6	1	280	18.173	0.410	14.560	0.00
675	250	6	1	278	16.756	0.371	13.792	0.00
700	250	6	1	278	15.560	0.339	12.657	0.00
725	250	6	1	278	14.480	0.312	11.265	0.00
750	250	6	1	278	13.505	0.289	10.472	0.00
775	250	6	1	276	12.741	0.269	9.998	0.00
800	250	6	1	276	12.042	0.252	9.562	0.00
825	250	6	1	276	11.400	0.237	8.924	0.00
850	250	6	1	276	10.810	0.223	8.206	0.00
875	250	6	1	276	10.265	0.211	7.565	0.00
900	250	6	1	276	9.762	0.199	7.049	0.00
0	275	6	1	84	14.160	0.484	13.937	0.00
25	275	6	1	82	14.776	0.542	14.570	0.00
50	275	6	1	82	15.470	0.614	15.274	0.00
75	275	6	1	82	16.260	0.702	16.075	0.00
100	275	6	1	82	17.170	0.810	17.001	0.00
125	275	6	1	82	18.233	0.942	18.086	0.00
150	275	6	1	82	19.495	1.105	19.380	0.00
175	275	6	1	82	21.021	1.313	20.875	0.00
200	275	6	1	82	22.902	1.579	22.703	0.00
225	275	6	1	80	25.365	1.929	25.272	0.00
250	275	6	1	78	28.625	2.435	28.532	0.00
275	275	6	1	74	33.312	3.269	33.177	0.00
300	275	6	1	60	42.031	4.899	41.492	0.00
325	275	6	1	46	71.279	9.876	69.460	0.00
350	275	6	1	344	127.941	17.629	123.110	0.00
375	275	6	1	304	59.803	8.158	58.881	0.00
400	275	4	1	154	253.014	34.176	251.908	0.00
425	275	6	1	288	56.331	7.241	52.717	0.00
450	275	6	1	286	62.214	7.209	59.501	0.00
475	275	6	1	282	44.928	1.785	41.191	0.00
500	275	6	1	280	35.945	1.206	32.280	0.00
525	275	6	1	278	30.420	0.928	27.234	0.00
550	275	6	1	278	26.460	0.756	23.349	0.00
575	275	6	1	276	23.550	0.638	20.851	0.00
600	275	6	1	276	21.225	0.551	18.017	0.00
625	275	6	1	276	19.288	0.485	16.249	0.00
650	275	6	1	274	17.720	0.433	14.996	0.00
675	275	6	1	274	16.417	0.390	13.923	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska



X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
700	275	6	1	274	15.282	0.356	12.771	0.00
725	275	6	1	274	14.283	0.326	11.633	0.00
750	275	6	1	274	13.397	0.302	10.646	0.00
775	275	6	1	274	12.606	0.280	9.783	0.00
800	275	6	1	274	11.895	0.262	9.023	0.00
825	275	6	1	274	11.253	0.246	8.434	0.00
850	275	6	1	272	10.678	0.231	7.986	0.00
875	275	6	1	272	10.178	0.218	7.579	0.00
900	275	6	1	272	9.719	0.206	7.207	0.00
0	300	6	1	86	15.396	0.520	15.249	0.00
25	300	6	1	86	16.126	0.590	15.980	0.00
50	300	6	1	86	16.922	0.678	16.790	0.00
75	300	6	1	86	17.822	0.792	17.702	0.00
100	300	6	1	86	18.860	0.939	18.722	0.00
125	300	6	1	86	20.076	1.127	19.917	0.00
150	300	6	1	86	21.527	1.367	21.343	0.00
175	300	6	1	86	23.300	1.672	23.086	0.00
200	300	6	1	88	25.550	2.047	25.307	0.00
225	300	6	1	88	28.496	2.527	28.287	0.00
250	300	6	1	88	32.516	3.201	32.333	0.00
275	300	6	1	88	38.383	4.253	38.210	0.00
300	300	6	1	86	48.061	6.155	47.894	0.00
325	300	6	1	82	73.127	10.962	72.876	0.00
350	300	5	1	330	2362.743	145.300	2235.073	3.36
375	300	6	1	280	76.680	12.958	74.682	0.00
400	300	6	1	124	97.849	16.060	97.227	0.00
425	300	6	1	278	53.258	5.411	49.717	0.00
450	300	6	1	274	41.145	2.981	39.069	0.00
475	300	6	1	274	34.349	1.816	32.699	0.00
500	300	6	1	272	29.913	1.270	28.327	0.00
525	300	6	1	270	26.617	0.981	25.086	0.00
550	300	6	1	270	24.018	0.798	22.174	0.00
575	300	6	1	270	21.847	0.671	19.831	0.00
600	300	6	1	270	20.012	0.578	17.903	0.00
625	300	6	1	270	18.445	0.507	16.291	0.00
650	300	6	1	270	17.093	0.451	14.924	0.00
675	300	6	1	270	15.917	0.406	13.751	0.00
700	300	6	1	270	14.885	0.370	12.732	0.00
725	300	6	1	270	13.972	0.339	11.839	0.00
750	300	6	1	270	13.158	0.313	11.045	0.00
775	300	6	1	270	12.429	0.290	10.291	0.00
800	300	6	1	270	11.771	0.271	9.618	0.00
825	300	6	1	270	11.174	0.254	9.012	0.00
850	300	6	1	270	10.631	0.238	8.466	0.00
875	300	6	1	270	10.134	0.225	7.972	0.00
900	300	6	1	270	9.678	0.212	7.522	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P( 1000)	
0	325	6	1	90	17.157	0.555	16.863	0.00
25	325	6	1	90	18.261	0.637	17.952	0.00
50	325	6	1	90	19.449	0.747	19.185	0.00
75	325	6	1	90	20.761	0.899	20.504	0.00
100	325	6	1	90	22.294	1.121	22.098	0.00
125	325	6	1	90	24.153	1.442	23.993	0.00
150	325	6	1	90	26.480	1.896	26.231	0.00
175	325	6	1	92	29.626	2.492	29.397	0.00
200	325	6	1	92	34.038	3.271	33.764	0.00
225	325	6	1	94	41.069	4.498	40.796	0.00
250	325	6	1	26	64.254	7.415	62.141	0.00
275	325	6	1	108	112.109	12.344	111.343	0.00
300	325	6	1	120	62.593	11.753	62.206	0.00
325	325	6	1	128	58.033	11.477	57.843	0.00
350	325	6	1	168	146.610	21.348	146.116	0.00
375	325	6	1	216	88.944	11.416	88.591	0.00
400	325	6	1	230	47.471	5.560	47.101	0.00
425	325	6	1	258	37.220	3.541	36.989	0.00
450	325	6	1	260	31.914	2.443	31.538	0.00
475	325	6	1	262	28.278	1.742	27.903	0.00
500	325	6	1	262	25.578	1.288	25.083	0.00
525	325	6	1	262	23.454	1.007	22.677	0.00
550	325	6	1	262	21.667	0.823	20.844	0.00
575	325	6	1	264	20.104	0.694	18.694	0.00
600	325	6	1	264	18.714	0.598	17.340	0.00
625	325	6	1	264	17.436	0.524	15.755	0.00
650	325	6	1	266	16.318	0.466	14.174	0.00
675	325	6	1	266	15.329	0.420	13.342	0.00
700	325	6	1	266	14.424	0.381	12.594	0.00
725	325	6	1	266	13.596	0.349	11.588	0.00
750	325	6	1	266	12.837	0.322	10.629	0.00
775	325	6	1	266	12.141	0.299	9.768	0.00
800	325	6	1	268	11.536	0.279	9.009	0.00
825	325	6	1	268	10.990	0.261	8.567	0.00
850	325	6	1	268	10.486	0.245	8.161	0.00
875	325	6	1	268	10.019	0.231	7.785	0.00
900	325	6	1	268	9.586	0.218	7.438	0.00
0	350	6	1	94	19.377	0.582	19.074	0.00
25	350	6	1	94	21.329	0.677	21.013	0.00
50	350	6	1	94	23.732	0.811	23.396	0.00
75	350	6	1	94	26.744	1.017	26.386	0.00
100	350	6	1	94	30.512	1.381	30.179	0.00
125	350	6	1	94	35.476	2.187	35.199	0.00
150	350	6	1	96	43.876	3.978	43.436	0.00
175	350	6	1	94	66.288	7.668	66.115	0.00
200	350	4	1	260	124.338	18.076	122.999	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
225	350	6	1	114	51.536	9.609	51.249	0.00
250	350	6	1	104	72.316	10.843	72.113	0.00
275	350	6	1	122	65.395	11.436	65.007	0.00
300	350	6	1	130	53.465	7.518	52.990	0.00
325	350	6	1	164	55.779	6.556	55.658	0.00
350	350	6	1	182	78.930	6.400	77.465	0.00
375	350	6	1	204	91.330	7.888	90.215	0.00
400	350	6	1	220	47.768	4.848	47.491	0.00
425	350	6	1	230	35.912	3.169	35.018	0.00
450	350	6	1	236	29.897	2.280	29.312	0.00
475	350	6	1	242	26.154	1.707	25.628	0.00
500	350	6	1	246	23.558	1.306	23.173	0.00
525	350	6	1	250	21.622	1.031	21.204	0.00
550	350	6	1	254	20.068	0.843	19.476	0.00
575	350	6	1	256	18.760	0.710	17.926	0.00
600	350	6	1	258	17.604	0.612	16.616	0.00
625	350	6	1	260	16.550	0.537	15.128	0.00
650	350	6	1	260	15.607	0.478	14.139	0.00
675	350	6	1	262	14.731	0.430	12.943	0.00
700	350	6	1	262	13.952	0.391	12.395	0.00
725	350	6	1	262	13.198	0.359	11.246	0.00
750	350	6	1	264	12.523	0.331	10.358	0.00
775	350	6	1	264	11.929	0.307	9.952	0.00
800	350	6	1	264	11.364	0.286	9.545	0.00
825	350	6	1	264	10.828	0.268	8.789	0.00
850	350	6	1	264	10.321	0.252	8.096	0.00
875	350	6	1	266	9.846	0.237	7.463	0.00
900	350	6	1	266	9.451	0.224	7.143	0.00
0	375	6	1	100	21.361	0.594	20.672	0.00
25	375	6	1	100	24.308	0.694	23.809	0.00
50	375	6	1	100	28.291	0.841	27.622	0.00
75	375	6	1	102	34.384	1.081	33.692	0.00
100	375	6	1	104	44.952	1.578	44.051	0.00
125	375	6	1	110	65.083	3.516	63.890	0.00
150	375	6	1	56	60.047	10.145	58.771	0.00
175	375	6	1	116	75.370	10.040	74.777	0.00
200	375	6	1	122	52.051	7.313	51.595	0.00
225	375	6	1	126	43.532	5.372	43.204	0.00
250	375	6	1	130	39.637	4.580	39.350	0.00
275	375	6	1	138	38.057	4.137	37.892	0.00
300	375	6	1	150	38.578	3.900	38.497	0.00
325	375	6	1	168	44.386	3.753	43.629	0.00
350	375	6	1	182	54.018	3.676	52.468	0.00
375	375	6	1	198	56.538	3.998	55.381	0.00
400	375	6	1	210	62.046	5.793	60.995	0.00
425	375	6	1	220	41.231	5.893	40.824	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
450	375	6	1	228	29.499	2.667	28.532	0.00
475	375	6	1	234	25.392	1.833	24.507	0.00
500	375	6	1	238	22.667	1.370	22.002	0.00
525	375	6	1	242	20.683	1.070	20.080	0.00
550	375	6	1	246	19.140	0.868	18.514	0.00
575	375	6	1	250	17.855	0.727	17.118	0.00
600	375	6	1	252	16.789	0.625	15.996	0.00
625	375	6	1	254	15.845	0.548	14.945	0.00
650	375	6	1	256	14.995	0.488	13.945	0.00
675	375	6	1	258	14.193	0.440	12.606	0.00
700	375	6	1	258	13.513	0.400	12.075	0.00
725	375	6	1	260	12.816	0.367	10.919	0.00
750	375	6	1	260	12.241	0.339	10.598	0.00
775	375	6	1	260	11.663	0.315	9.808	0.00
800	375	6	1	262	11.101	0.294	8.932	0.00
825	375	6	1	262	10.642	0.275	8.677	0.00
850	375	6	1	262	10.193	0.258	8.431	0.00
875	375	6	1	262	9.755	0.243	7.760	0.00
900	375	6	1	262	9.330	0.229	7.133	0.00
0	400	6	1	104	22.536	0.592	21.742	0.00
25	400	6	1	106	25.790	0.688	25.222	0.00
50	400	6	1	108	30.054	0.826	29.472	0.00
75	400	6	1	110	35.705	1.043	34.766	0.00
100	400	6	1	114	42.542	1.443	41.726	0.00
125	400	6	1	120	44.835	2.334	44.433	0.00
150	400	6	1	122	38.663	3.328	38.130	0.00
175	400	6	1	126	35.029	3.338	34.775	0.00
200	400	6	1	130	32.715	3.151	32.449	0.00
225	400	6	1	134	31.379	2.982	31.218	0.00
250	400	6	1	140	30.822	2.857	30.689	0.00
275	400	6	1	148	31.203	2.768	31.083	0.00
300	400	6	1	160	33.186	2.692	33.001	0.00
325	400	6	1	170	37.065	2.605	36.393	0.00
350	400	6	1	182	41.455	2.558	39.801	0.00
375	400	6	1	194	42.889	2.673	40.927	0.00
400	400	6	1	204	41.821	2.962	41.209	0.00
425	400	6	1	214	42.958	3.780	42.110	0.00
450	400	6	1	34	741.280	21.373	735.291	0.00
475	400	6	1	232	27.592	2.771	27.076	0.00
500	400	6	1	234	22.591	1.562	21.817	0.00
525	400	6	1	238	20.262	1.138	19.390	0.00
550	400	6	1	240	18.601	0.901	17.878	0.00
575	400	6	1	244	17.323	0.746	16.607	0.00
600	400	6	1	246	16.237	0.638	15.572	0.00
625	400	6	1	250	15.314	0.558	14.510	0.00
650	400	6	1	252	14.508	0.496	13.658	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
675	400	6	1	252	13.778	0.447	12.992	0.00
700	400	6	1	254	13.137	0.408	12.077	0.00
725	400	6	1	256	12.516	0.374	11.373	0.00
750	400	6	1	256	11.950	0.346	10.265	0.00
775	400	6	1	258	11.407	0.322	9.609	0.00
800	400	6	1	258	10.930	0.300	9.303	0.00
825	400	6	1	258	10.440	0.281	8.435	0.00
850	400	6	1	260	10.009	0.264	8.007	0.00
875	400	6	1	260	9.623	0.249	7.845	0.00
900	400	6	1	260	9.236	0.235	7.331	0.00
0	425	6	1	110	22.530	0.581	21.986	0.00
25	425	6	1	112	25.208	0.668	24.612	0.00
50	425	6	1	114	28.120	0.786	27.192	0.00
75	425	6	1	118	30.893	0.958	30.327	0.00
100	425	6	1	122	31.689	1.216	31.235	0.00
125	425	6	1	126	29.886	1.542	29.522	0.00
150	425	6	1	128	28.299	1.832	28.025	0.00
175	425	6	1	132	27.198	2.037	26.944	0.00
200	425	6	1	136	26.542	2.103	26.320	0.00
225	425	6	1	140	26.311	2.111	26.112	0.00
250	425	6	1	146	26.537	2.099	26.324	0.00
275	425	6	1	154	27.428	2.075	27.215	0.00
300	425	6	1	164	29.157	2.032	28.817	0.00
325	425	6	1	172	31.561	1.972	30.643	0.00
350	425	6	1	182	33.811	1.943	32.090	0.00
375	425	6	1	192	34.598	1.992	33.253	0.00
400	425	6	1	200	34.122	2.101	33.612	0.00
425	425	6	1	208	33.507	2.269	32.953	0.00
450	425	6	1	214	33.940	2.635	33.255	0.00
475	425	6	1	220	40.843	4.213	40.136	0.00
500	425	6	1	234	29.788	2.169	28.921	0.00
525	425	6	1	236	21.478	1.239	20.762	0.00
550	425	6	1	238	18.799	0.940	18.032	0.00
575	425	6	1	240	17.198	0.767	16.505	0.00
600	425	6	1	242	15.994	0.651	15.326	0.00
625	425	6	1	246	15.011	0.567	14.220	0.00
650	425	6	1	248	14.195	0.504	13.329	0.00
675	425	6	1	250	13.465	0.455	12.625	0.00
700	425	6	1	250	12.833	0.415	11.979	0.00
725	425	6	1	252	12.255	0.382	11.075	0.00
750	425	6	1	254	11.685	0.353	10.636	0.00
775	425	6	1	254	11.201	0.329	9.925	0.00
800	425	6	1	256	10.699	0.307	9.586	0.00
825	425	6	1	256	10.288	0.288	8.725	0.00
850	425	6	1	256	9.851	0.270	7.891	0.00
875	425	6	1	258	9.460	0.254	7.512	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
900	425	6	1	258	9.116	0.240	7.414	0.00
0	450	6	1	116	21.354	0.565	20.458	0.00
25	450	6	1	118	23.242	0.641	22.565	0.00
50	450	6	1	120	24.785	0.739	24.161	0.00
75	450	6	1	124	25.514	0.871	25.152	0.00
100	450	6	1	128	24.989	1.035	24.551	0.00
125	450	6	1	130	24.181	1.199	23.931	0.00
150	450	6	1	132	23.538	1.346	23.169	0.00
175	450	6	1	136	23.197	1.488	22.962	0.00
200	450	6	1	140	23.073	1.586	22.832	0.00
225	450	6	1	146	23.221	1.636	23.001	0.00
250	450	6	1	152	23.699	1.653	23.465	0.00
275	450	6	1	158	24.584	1.646	24.343	0.00
300	450	6	1	166	25.877	1.617	25.596	0.00
325	450	6	1	174	27.371	1.577	26.311	0.00
350	450	6	1	182	28.617	1.559	27.258	0.00
375	450	6	1	190	29.129	1.584	27.668	0.00
400	450	6	1	198	28.829	1.642	28.002	0.00
425	450	6	1	204	28.368	1.717	27.908	0.00
450	450	6	1	210	27.997	1.830	27.473	0.00
475	450	6	1	216	28.451	2.197	28.083	0.00
500	450	6	1	226	48.289	3.952	47.481	0.00
525	450	6	1	230	25.750	1.368	24.083	0.00
550	450	6	1	234	20.370	0.983	19.285	0.00
575	450	6	1	236	17.720	0.790	16.909	0.00
600	450	6	1	240	16.111	0.665	15.197	0.00
625	450	6	1	242	14.967	0.578	13.948	0.00
650	450	6	1	244	14.057	0.513	13.022	0.00
675	450	6	1	246	13.289	0.463	12.216	0.00
700	450	6	1	248	12.611	0.422	11.635	0.00
725	450	6	1	248	12.022	0.389	11.140	0.00
750	450	6	1	250	11.502	0.360	10.291	0.00
775	450	6	1	252	10.984	0.336	9.879	0.00
800	450	6	1	252	10.545	0.314	9.282	0.00
825	450	6	1	254	10.095	0.294	8.925	0.00
850	450	6	1	254	9.720	0.276	8.242	0.00
875	450	6	1	254	9.312	0.260	8.164	0.00
900	450	6	1	256	8.981	0.245	7.579	0.00
0	475	6	1	120	19.861	0.547	19.229	0.00
25	475	6	1	122	20.956	0.613	20.521	0.00
50	475	6	1	126	21.535	0.695	20.919	0.00
75	475	6	1	128	21.657	0.795	21.361	0.00
100	475	6	1	130	21.232	0.904	20.797	0.00
125	475	6	1	134	20.882	1.004	20.613	0.00
150	475	6	1	136	20.640	1.096	20.297	0.00
175	475	6	1	140	20.593	1.192	20.349	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P( 1000)
200	475	6	1	144	20.688	1.276	20.424 0.00
225	475	6	1	150	20.971	1.332	20.698 0.00
250	475	6	1	154	21.456	1.357	21.112 0.00
275	475	6	1	162	22.182	1.357	21.763 0.00
300	475	6	1	168	23.144	1.337	22.326 0.00
325	475	6	1	174	24.085	1.312	23.143 0.00
350	475	6	1	182	24.841	1.302	23.748 0.00
375	475	6	1	188	25.172	1.318	23.906 0.00
400	475	6	1	196	24.994	1.357	24.190 0.00
425	475	6	1	202	24.664	1.411	23.965 0.00
450	475	6	1	206	24.235	1.492	23.505 0.00
475	475	6	1	212	24.156	1.725	23.734 0.00
500	475	6	1	40	27.337	3.303	26.912 0.00
525	475	6	1	224	27.480	1.583	26.232 0.00
550	475	6	1	228	21.750	1.039	20.213 0.00
575	475	6	1	232	18.536	0.815	17.270 0.00
600	475	6	1	236	16.487	0.681	15.189 0.00
625	475	6	1	238	15.092	0.590	13.940 0.00
650	475	6	1	240	14.038	0.523	12.998 0.00
675	475	6	1	242	13.194	0.472	12.155 0.00
700	475	6	1	244	12.487	0.431	11.353 0.00
725	475	6	1	246	11.867	0.397	10.641 0.00
750	475	6	1	248	11.293	0.368	10.304 0.00
775	475	6	1	248	10.832	0.343	9.680 0.00
800	475	6	1	250	10.374	0.321	9.094 0.00
825	475	6	1	250	9.952	0.301	8.795 0.00
850	475	6	1	252	9.566	0.283	8.226 0.00
875	475	6	1	252	9.205	0.266	7.878 0.00
900	475	6	1	254	8.837	0.251	7.637 0.00
0	500	6	1	124	18.194	0.530	17.599 0.00
25	500	6	1	126	18.825	0.587	18.494 0.00
50	500	6	1	128	19.040	0.655	18.530 0.00
75	500	6	1	132	18.997	0.731	18.666 0.00
100	500	6	1	134	18.805	0.808	18.549 0.00
125	500	6	1	136	18.609	0.877	18.231 0.00
150	500	6	1	140	18.613	0.942	18.387 0.00
175	500	6	1	144	18.681	1.009	18.458 0.00
200	500	6	1	148	18.872	1.073	18.664 0.00
225	500	6	1	152	19.183	1.122	18.908 0.00
250	500	6	1	158	19.639	1.148	19.347 0.00
275	500	6	1	164	20.186	1.152	19.751 0.00
300	500	6	1	170	20.824	1.141	20.291 0.00
325	500	6	1	176	21.465	1.127	20.781 0.00
350	500	6	1	182	21.963	1.122	21.067 0.00
375	500	6	1	188	22.195	1.135	21.143 0.00
400	500	6	1	194	22.135	1.167	21.107 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
425	500	6	1	200	21.834	1.212	21.094	0.00
450	500	6	1	204	21.599	1.284	21.138	0.00
475	500	6	1	210	21.285	1.453	20.645	0.00
500	500	6	1	214	21.484	2.343	20.945	0.00
525	500	6	1	218	28.095	1.997	27.418	0.00
550	500	6	1	224	22.168	1.117	20.949	0.00
575	500	6	1	228	18.955	0.845	17.799	0.00
600	500	6	1	232	16.760	0.699	15.081	0.00
625	500	6	1	234	15.218	0.604	13.903	0.00
650	500	6	1	236	14.033	0.535	13.010	0.00
675	500	6	1	238	13.106	0.482	12.108	0.00
700	500	6	1	240	12.357	0.441	11.406	0.00
725	500	6	1	242	11.731	0.406	10.709	0.00
750	500	6	1	244	11.183	0.377	9.972	0.00
775	500	6	1	246	10.676	0.352	9.378	0.00
800	500	6	1	246	10.206	0.329	9.214	0.00
825	500	6	1	248	9.821	0.309	8.427	0.00
850	500	6	1	250	9.398	0.290	8.307	0.00
875	500	6	1	250	9.083	0.273	7.610	0.00
900	500	6	1	250	8.713	0.257	7.621	0.00
0	525	6	1	126	16.657	0.515	16.079	0.00
25	525	6	1	130	17.001	0.565	16.523	0.00
50	525	6	1	132	17.149	0.621	16.885	0.00
75	525	6	1	134	17.086	0.680	16.738	0.00
100	525	6	1	138	16.979	0.737	16.618	0.00
125	525	6	1	140	16.989	0.788	16.788	0.00
150	525	6	1	144	17.002	0.836	16.659	0.00
175	525	6	1	146	17.144	0.886	16.811	0.00
200	525	6	1	150	17.363	0.933	17.042	0.00
225	525	6	1	154	17.636	0.972	17.235	0.00
250	525	6	1	160	18.065	0.995	17.785	0.00
275	525	6	1	164	18.482	1.003	18.059	0.00
300	525	6	1	170	18.993	0.999	17.987	0.00
325	525	6	1	176	19.417	0.992	18.485	0.00
350	525	6	1	182	19.693	0.993	18.943	0.00
375	525	6	1	186	19.854	1.005	18.959	0.00
400	525	6	1	192	19.869	1.031	18.525	0.00
425	525	6	1	198	19.646	1.072	19.017	0.00
450	525	6	1	202	19.458	1.134	19.088	0.00
475	525	6	1	206	19.183	1.260	18.649	0.00
500	525	6	1	210	19.105	1.684	18.584	0.00
525	525	6	1	316	41.247	4.170	39.474	0.00
550	525	6	1	220	22.198	1.214	21.811	0.00
575	525	6	1	224	18.948	0.878	17.940	0.00
600	525	6	1	228	16.810	0.719	15.742	0.00
625	525	6	1	230	15.209	0.619	13.893	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska



X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
650	525	6	1	234	14.005	0.548	12.497	0.00
675	525	6	1	236	13.061	0.495	11.539	0.00
700	525	6	1	238	12.278	0.453	10.850	0.00
725	525	6	1	240	11.613	0.418	10.185	0.00
750	525	6	1	242	11.028	0.388	9.791	0.00
775	525	6	1	242	10.517	0.362	9.508	0.00
800	525	6	1	244	10.093	0.338	8.832	0.00
825	525	6	1	246	9.672	0.317	8.349	0.00
850	525	6	1	246	9.290	0.298	8.148	0.00
875	525	6	1	248	8.953	0.280	7.742	0.00
900	525	6	1	248	8.613	0.264	7.783	0.00
0	550	6	1	130	15.364	0.503	14.991	0.00
25	550	6	1	132	15.574	0.546	15.258	0.00
50	550	6	1	134	15.619	0.592	15.212	0.00
75	550	6	1	138	15.603	0.639	15.237	0.00
100	550	6	1	140	15.627	0.683	15.391	0.00
125	550	6	1	142	15.642	0.723	15.299	0.00
150	550	6	1	146	15.752	0.761	15.515	0.00
175	550	6	1	150	15.875	0.798	15.530	0.00
200	550	6	1	152	16.067	0.834	15.664	0.00
225	550	6	1	158	16.340	0.864	15.938	0.00
250	550	6	1	162	16.687	0.884	16.345	0.00
275	550	6	1	166	17.048	0.892	16.766	0.00
300	550	6	1	172	17.332	0.894	16.800	0.00
325	550	6	1	176	17.702	0.893	16.588	0.00
350	550	6	1	182	17.854	0.897	17.212	0.00
375	550	6	1	186	18.026	0.910	16.799	0.00
400	550	6	1	190	17.927	0.933	17.256	0.00
425	550	6	1	196	17.883	0.968	17.454	0.00
450	550	6	1	200	17.700	1.019	17.296	0.00
475	550	6	1	204	17.479	1.109	17.002	0.00
500	550	6	1	208	17.366	1.342	16.943	0.00
525	550	6	1	164	26.601	3.671	26.489	0.00
550	550	6	1	216	22.525	1.293	21.863	0.00
575	550	6	1	220	18.732	0.899	18.094	0.00
600	550	6	1	224	16.663	0.737	15.820	0.00
625	550	6	1	228	15.115	0.636	13.994	0.00
650	550	6	1	230	13.926	0.565	12.357	0.00
675	550	6	1	232	12.939	0.511	11.705	0.00
700	550	6	1	234	12.130	0.468	10.951	0.00
725	550	6	1	236	11.463	0.432	10.350	0.00
750	550	6	1	238	10.901	0.401	9.785	0.00
775	550	6	1	240	10.409	0.374	9.139	0.00
800	550	6	1	242	9.956	0.350	8.468	0.00
825	550	6	1	244	9.512	0.327	8.381	0.00
850	550	6	1	244	9.176	0.307	8.171	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
875	550	6	1	246	8.819	0.289	8.225	0.00
900	550	6	1	246	8.507	0.272	8.141	0.00
0	575	6	1	132	14.222	0.493	13.845	0.00
25	575	6	1	134	14.343	0.530	13.905	0.00
50	575	6	1	138	14.399	0.570	14.003	0.00
75	575	6	1	140	14.457	0.608	14.177	0.00
100	575	6	1	142	14.495	0.643	14.235	0.00
125	575	6	1	146	14.517	0.676	14.139	0.00
150	575	6	1	148	14.674	0.706	14.449	0.00
175	575	6	1	152	14.808	0.735	14.490	0.00
200	575	6	1	156	14.968	0.762	14.560	0.00
225	575	6	1	158	15.209	0.786	14.799	0.00
250	575	6	1	162	15.452	0.802	14.999	0.00
275	575	6	1	168	15.746	0.812	15.121	0.00
300	575	6	1	172	16.032	0.817	15.130	0.00
325	575	6	1	176	16.247	0.821	15.333	0.00
350	575	6	1	180	16.340	0.828	15.735	0.00
375	575	6	1	186	16.471	0.841	15.542	0.00
400	575	6	1	190	16.472	0.861	15.296	0.00
425	575	6	1	194	16.366	0.891	15.415	0.00
450	575	6	1	198	16.203	0.931	15.685	0.00
475	575	6	1	202	16.035	0.991	15.523	0.00
500	575	6	1	206	15.940	1.105	15.530	0.00
525	575	6	1	208	16.899	1.505	16.520	0.00
550	575	6	1	214	22.777	1.335	22.161	0.00
575	575	6	1	218	18.703	0.912	18.353	0.00
600	575	6	1	222	16.448	0.752	16.015	0.00
625	575	6	1	224	14.916	0.654	14.211	0.00
650	575	6	1	228	13.740	0.584	12.610	0.00
675	575	6	1	230	12.812	0.530	11.094	0.00
700	575	6	1	232	12.023	0.487	10.530	0.00
725	575	6	1	234	11.354	0.450	9.953	0.00
750	575	6	1	236	10.779	0.418	9.365	0.00
775	575	6	1	238	10.271	0.389	8.759	0.00
800	575	6	1	240	9.802	0.363	8.541	0.00
825	575	6	1	240	9.398	0.340	8.618	0.00
850	575	6	1	242	9.053	0.318	8.604	0.00
875	575	6	1	310	8.846	0.299	8.593	0.00
900	575	6	1	306	8.938	0.281	8.396	0.00
0	600	6	1	134	13.224	0.486	12.771	0.00
25	600	6	1	138	13.322	0.519	12.881	0.00
50	600	6	1	140	13.422	0.552	13.085	0.00
75	600	6	1	142	13.487	0.585	13.251	0.00
100	600	6	1	144	13.537	0.614	13.239	0.00
125	600	6	1	148	13.591	0.641	13.233	0.00
150	600	6	1	150	13.740	0.666	13.502	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
175	600	6	1	154	13.861	0.690	13.522	0.00
200	600	6	1	156	14.025	0.712	13.644	0.00
225	600	6	1	160	14.241	0.730	13.926	0.00
250	600	6	1	164	14.455	0.745	14.162	0.00
275	600	6	1	168	14.664	0.755	13.835	0.00
300	600	6	1	172	14.853	0.762	14.046	0.00
325	600	6	1	176	14.998	0.769	14.267	0.00
350	600	6	1	180	15.081	0.779	14.463	0.00
375	600	6	1	186	15.138	0.792	14.483	0.00
400	600	6	1	190	15.147	0.811	14.375	0.00
425	600	6	1	194	15.085	0.836	14.263	0.00
450	600	6	1	198	14.967	0.868	14.474	0.00
475	600	6	1	202	14.804	0.911	14.252	0.00
500	600	6	1	204	14.726	0.979	14.260	0.00
525	600	6	1	208	15.087	1.192	14.659	0.00
550	600	6	1	210	22.312	1.549	21.743	0.00
575	600	6	1	216	18.065	0.936	17.421	0.00
600	600	6	1	218	16.128	0.772	15.522	0.00
625	600	6	1	222	14.702	0.676	14.409	0.00
650	600	6	1	224	13.516	0.607	12.918	0.00
675	600	6	1	228	12.597	0.554	11.471	0.00
700	600	6	1	230	11.846	0.511	10.030	0.00
725	600	6	1	232	11.193	0.473	9.512	0.00
750	600	6	1	234	10.622	0.439	8.972	0.00
775	600	6	1	236	10.111	0.409	9.073	0.00
800	600	6	1	236	9.640	0.381	9.168	0.00
825	600	6	1	312	9.323	0.355	9.124	0.00
850	600	6	1	310	9.450	0.332	8.925	0.00
875	600	6	1	306	9.595	0.311	8.932	0.00
900	600	6	1	304	9.728	0.291	8.868	0.00
0	625	6	1	136	12.374	0.482	11.902	0.00
25	625	6	1	140	12.484	0.511	12.079	0.00
50	625	6	1	142	12.580	0.541	12.259	0.00
75	625	6	1	144	12.655	0.569	12.422	0.00
100	625	6	1	146	12.716	0.594	12.424	0.00
125	625	6	1	150	12.767	0.618	12.390	0.00
150	625	6	1	152	12.920	0.639	12.707	0.00
175	625	6	1	156	13.001	0.659	12.601	0.00
200	625	6	1	158	13.196	0.678	12.912	0.00
225	625	6	1	162	13.360	0.694	13.082	0.00
250	625	6	1	166	13.509	0.707	13.131	0.00
275	625	6	1	170	13.649	0.717	13.115	0.00
300	625	6	1	172	13.787	0.726	13.271	0.00
325	625	6	1	176	13.915	0.735	13.339	0.00
350	625	6	1	180	14.002	0.747	13.381	0.00
375	625	6	1	184	14.044	0.761	13.377	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
400	625	6	1	188	14.044	0.778	13.309	0.00
425	625	6	1	192	14.005	0.801	13.162	0.00
450	625	6	1	196	13.930	0.827	13.584	0.00
475	625	6	1	200	13.818	0.860	13.463	0.00
500	625	6	1	204	13.676	0.911	13.154	0.00
525	625	6	1	206	13.896	1.048	13.615	0.00
550	625	5	1	188	112.274	11.408	107.599	0.00
575	625	6	1	212	17.128	0.985	16.590	0.00
600	625	6	1	216	15.621	0.796	15.190	0.00
625	625	6	1	220	14.339	0.702	13.905	0.00
650	625	6	1	222	13.285	0.636	12.896	0.00
675	625	6	1	224	12.355	0.585	11.837	0.00
700	625	6	1	228	11.626	0.541	10.501	0.00
725	625	6	1	230	10.999	0.502	9.430	0.00
750	625	6	1	232	10.443	0.467	9.655	0.00
775	625	6	1	234	9.940	0.434	9.653	0.00
800	625	6	1	312	10.008	0.403	9.656	0.00
825	625	6	1	308	10.175	0.375	9.709	0.00
850	625	6	1	306	10.369	0.349	9.803	0.00
875	625	6	1	302	10.542	0.326	9.724	0.00
900	625	6	1	300	10.673	0.304	9.641	0.00
0	650	6	1	138	11.652	0.482	11.202	0.00
25	650	6	1	142	11.744	0.509	11.333	0.00
50	650	6	1	144	11.841	0.535	11.501	0.00
75	650	6	1	146	11.926	0.560	11.663	0.00
100	650	6	1	148	12.002	0.583	11.753	0.00
125	650	6	1	150	12.056	0.605	11.676	0.00
150	650	6	1	154	12.182	0.624	11.895	0.00
175	650	6	1	156	12.293	0.642	11.961	0.00
200	650	6	1	160	12.430	0.659	12.143	0.00
225	650	6	1	162	12.524	0.673	12.093	0.00
250	650	6	1	166	12.704	0.685	12.394	0.00
275	650	6	1	170	12.840	0.696	11.973	0.00
300	650	6	1	174	12.939	0.707	12.228	0.00
325	650	6	1	178	13.000	0.718	12.432	0.00
350	650	6	1	180	13.067	0.731	12.451	0.00
375	650	6	1	184	13.121	0.745	12.328	0.00
400	650	6	1	188	13.126	0.763	12.140	0.00
425	650	6	1	192	13.076	0.783	12.155	0.00
450	650	6	1	196	12.963	0.807	12.472	0.00
475	650	6	1	198	12.895	0.834	12.467	0.00
500	650	6	1	202	12.839	0.874	12.501	0.00
525	650	6	1	204	12.908	0.969	12.521	0.00
550	650	6	1	206	14.450	1.479	14.198	0.00
575	650	6	1	210	16.487	1.078	15.984	0.00
600	650	6	1	214	14.917	0.826	14.577	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
625	650	6	1	218	13.822	0.734	13.296	0.00
650	650	6	1	220	12.948	0.673	12.628	0.00
675	650	6	1	222	12.110	0.624	11.647	0.00
700	650	6	1	226	11.376	0.581	10.844	0.00
725	650	6	1	228	10.786	0.540	10.245	0.00
750	650	6	1	318	10.623	0.503	10.252	0.00
775	650	6	1	312	10.836	0.467	10.496	0.00
800	650	6	1	308	11.067	0.433	10.675	0.00
825	650	6	1	304	11.341	0.401	10.589	0.00
850	650	6	1	302	11.599	0.372	10.598	0.00
875	650	6	1	300	11.798	0.345	10.411	0.00
900	650	6	1	298	11.916	0.321	10.163	0.00
0	675	6	1	140	11.032	0.485	10.636	0.00
25	675	6	1	142	11.108	0.511	10.694	0.00
50	675	6	1	146	11.175	0.536	10.788	0.00
75	675	6	1	148	11.270	0.559	10.949	0.00
100	675	6	1	150	11.360	0.581	11.122	0.00
125	675	6	1	152	11.438	0.602	11.151	0.00
150	675	6	1	156	11.490	0.621	11.103	0.00
175	675	6	1	158	11.640	0.638	11.407	0.00
200	675	6	1	160	11.710	0.653	11.302	0.00
225	675	6	1	164	11.864	0.667	11.636	0.00
250	675	6	1	168	11.938	0.679	11.397	0.00
275	675	6	1	170	12.066	0.691	11.382	0.00
300	675	6	1	174	12.171	0.703	11.275	0.00
325	675	6	1	178	12.214	0.716	11.561	0.00
350	675	6	1	180	12.249	0.731	11.642	0.00
375	675	6	1	184	12.304	0.747	11.419	0.00
400	675	6	1	188	12.290	0.765	11.432	0.00
425	675	6	1	192	12.196	0.784	11.652	0.00
450	675	6	1	194	12.190	0.806	11.329	0.00
475	675	6	1	198	12.108	0.830	11.716	0.00
500	675	6	1	200	12.044	0.861	11.646	0.00
525	675	6	1	204	12.077	0.921	11.647	0.00
550	675	6	1	206	12.736	1.175	12.316	0.00
575	675	6	1	208	16.509	1.188	15.982	0.00
600	675	6	1	212	14.282	0.855	13.927	0.00
625	675	6	1	216	13.264	0.774	12.728	0.00
650	675	6	1	218	12.529	0.722	12.234	0.00
675	675	6	1	220	11.794	0.677	11.346	0.00
700	675	6	1	324	11.172	0.634	11.118	0.00
725	675	6	1	318	11.571	0.592	11.202	0.00
750	675	6	1	312	11.865	0.552	11.528	0.00
775	675	6	1	306	12.188	0.513	11.714	0.00
800	675	6	1	302	12.585	0.474	11.919	0.00
825	675	6	1	300	12.956	0.437	11.871	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
850	675	6	1	298	13.232	0.402	11.767	0.00
875	675	6	1	296	13.371	0.371	11.623	0.00
900	675	6	1	296	13.398	0.343	11.493	0.00
0	700	6	1	142	10.485	0.494	10.169	0.00
25	700	6	1	144	10.563	0.519	10.235	0.00
50	700	6	1	146	10.624	0.543	10.266	0.00
75	700	6	1	148	10.671	0.566	10.263	0.00
100	700	6	1	152	10.761	0.589	10.427	0.00
125	700	6	1	154	10.861	0.609	10.615	0.00
150	700	6	1	156	10.940	0.628	10.648	0.00
175	700	6	1	160	10.995	0.646	10.609	0.00
200	700	6	1	162	11.132	0.661	10.906	0.00
225	700	6	1	164	11.181	0.676	10.760	0.00
250	700	6	1	168	11.318	0.689	10.450	0.00
275	700	6	1	172	11.353	0.702	10.853	0.00
300	700	6	1	174	11.470	0.716	10.684	0.00
325	700	6	1	178	11.515	0.731	10.790	0.00
350	700	6	1	180	11.527	0.748	10.933	0.00
375	700	6	1	184	11.577	0.766	10.626	0.00
400	700	6	1	188	11.530	0.785	10.899	0.00
425	700	6	1	190	11.521	0.806	10.745	0.00
450	700	6	1	194	11.469	0.828	10.687	0.00
475	700	6	1	196	11.400	0.850	10.997	0.00
500	700	6	1	200	11.355	0.875	10.969	0.00
525	700	6	1	24	11.490	0.906	11.182	0.00
550	700	6	1	18	12.209	0.942	11.585	0.00
575	700	6	1	206	14.950	0.948	14.614	0.00
600	700	6	1	210	13.821	0.885	13.376	0.00
625	700	6	1	354	12.887	0.833	12.655	0.00
650	700	6	1	344	12.542	0.792	12.050	0.00
675	700	6	1	332	12.305	0.753	12.030	0.00
700	700	6	1	320	12.736	0.711	12.372	0.00
725	700	6	1	312	13.194	0.668	12.862	0.00
750	700	6	1	304	13.690	0.625	13.271	0.00
775	700	6	1	300	14.276	0.581	13.556	0.00
800	700	6	1	298	14.796	0.535	13.612	0.00
825	700	6	1	296	15.186	0.489	13.608	0.00
850	700	6	1	296	15.413	0.446	13.476	0.00
875	700	6	1	294	15.470	0.406	12.814	0.00
900	700	6	1	292	15.298	0.371	11.930	0.00
0	725	6	1	144	9.984	0.508	9.753	0.00
25	725	6	1	146	10.063	0.534	9.844	0.00
50	725	6	1	148	10.132	0.559	9.889	0.00
75	725	6	1	150	10.193	0.583	9.908	0.00
100	725	6	1	152	10.244	0.607	9.896	0.00
125	725	6	1	156	10.292	0.629	9.915	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
150	725	6	1	158	10.403	0.650	10.117	0.00
175	725	6	1	160	10.488	0.668	10.232	0.00
200	725	6	1	162	10.525	0.685	10.110	0.00
225	725	6	1	166	10.646	0.701	10.375	0.00
250	725	6	1	168	10.703	0.716	10.120	0.00
275	725	6	1	172	10.785	0.731	10.061	0.00
300	725	6	1	174	10.828	0.748	10.213	0.00
325	725	6	1	178	10.888	0.766	10.102	0.00
350	725	6	1	180	10.885	0.785	10.306	0.00
375	725	6	1	184	10.927	0.807	10.049	0.00
400	725	6	1	186	10.868	0.830	10.335	0.00
425	725	6	1	190	10.889	0.854	9.969	0.00
450	725	6	1	192	10.799	0.879	10.337	0.00
475	725	6	1	38	11.065	0.904	10.701	0.00
500	725	6	1	34	11.796	0.928	10.742	0.00
525	725	6	1	28	12.743	0.950	11.409	0.00
550	725	6	1	20	13.918	0.962	12.552	0.00
575	725	6	1	12	15.041	0.969	12.583	0.00
600	725	6	1	2	15.566	0.959	12.988	0.00
625	725	6	1	352	15.162	0.935	13.414	0.00
650	725	6	1	340	14.367	0.907	13.736	0.00
675	725	6	1	322	14.253	0.872	14.053	0.00
700	725	6	1	312	15.002	0.833	14.691	0.00
725	725	6	1	302	15.855	0.792	15.389	0.00
750	725	6	1	300	16.757	0.748	15.717	0.00
775	725	6	1	296	17.501	0.699	15.986	0.00
800	725	6	1	296	18.132	0.641	16.200	0.00
825	725	6	1	294	18.528	0.578	15.955	0.00
850	725	6	1	292	18.534	0.514	15.152	0.00
875	725	6	1	290	18.187	0.456	13.927	0.00
900	725	6	1	288	17.360	0.410	13.344	0.00
0	750	6	1	146	9.504	0.530	9.163	0.00
25	750	6	1	148	9.580	0.557	9.255	0.00
50	750	6	1	150	9.652	0.585	9.353	0.00
75	750	6	1	152	9.723	0.612	9.458	0.00
100	750	6	1	154	9.792	0.639	9.575	0.00
125	750	6	1	156	9.854	0.664	9.594	0.00
150	750	6	1	158	9.900	0.687	9.549	0.00
175	750	6	1	162	9.958	0.708	9.597	0.00
200	750	6	1	164	10.058	0.727	9.809	0.00
225	750	6	1	166	10.114	0.745	9.788	0.00
250	750	6	1	170	10.159	0.763	9.608	0.00
275	750	6	1	172	10.245	0.782	9.436	0.00
300	750	6	1	174	10.239	0.803	9.776	0.00
325	750	6	1	178	10.323	0.825	9.621	0.00
350	750	6	1	180	10.310	0.849	9.871	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
375	750	6	1	184	10.343	0.876	10.108	0.00
400	750	6	1	56	10.497	0.905	10.227	0.00
425	750	6	1	52	10.916	0.936	10.502	0.00
450	750	6	1	48	11.433	0.969	10.985	0.00
475	750	6	1	42	12.086	1.003	11.345	0.00
500	750	6	1	38	12.984	1.037	12.240	0.00
525	750	6	1	32	14.190	1.067	13.167	0.00
550	750	6	1	24	15.885	1.092	14.636	0.00
575	750	6	1	14	17.949	1.112	15.476	0.00
600	750	6	1	4	19.361	1.122	15.409	0.00
625	750	6	1	350	18.419	1.124	16.343	0.00
650	750	6	1	336	16.832	1.112	16.498	0.00
675	750	6	1	314	17.676	1.089	17.429	0.00
700	750	6	1	300	19.289	1.068	18.568	0.00
725	750	6	1	296	20.750	1.052	19.308	0.00
750	750	6	1	294	21.999	1.026	19.705	0.00
775	750	6	1	294	23.278	0.976	20.575	0.00
800	750	6	1	292	24.100	0.921	20.420	0.00
825	750	6	1	290	23.915	0.797	19.755	0.00
850	750	6	1	288	23.217	0.634	18.766	0.00
875	750	6	1	286	21.125	0.529	16.062	0.00
900	750	6	1	286	18.944	0.462	14.147	0.00
0	775	6	1	146	9.076	0.560	8.699	0.00
25	775	6	1	148	9.149	0.592	8.783	0.00
50	775	6	1	150	9.209	0.624	8.841	0.00
75	775	6	1	152	9.260	0.657	8.872	0.00
100	775	6	1	156	9.313	0.688	8.941	0.00
125	775	6	1	158	9.394	0.718	9.068	0.00
150	775	6	1	160	9.471	0.745	9.207	0.00
175	775	6	1	162	9.535	0.769	9.346	0.00
200	775	6	1	164	9.575	0.792	9.493	0.00
225	775	6	1	72	9.742	0.815	9.575	0.00
250	775	6	1	72	9.964	0.838	9.557	0.00
275	775	6	1	70	10.205	0.862	9.734	0.00
300	775	6	1	70	10.467	0.888	10.077	0.00
325	775	6	1	68	10.751	0.917	10.308	0.00
350	775	6	1	66	11.048	0.950	10.607	0.00
375	775	6	1	64	11.374	0.986	10.986	0.00
400	775	6	1	62	11.738	1.026	11.455	0.00
425	775	6	1	58	12.175	1.071	11.852	0.00
450	775	6	1	54	12.722	1.120	12.381	0.00
475	775	6	1	50	13.432	1.174	13.161	0.00
500	775	6	1	44	14.426	1.233	13.916	0.00
525	775	6	1	36	15.850	1.295	15.080	0.00
550	775	6	1	28	18.075	1.360	16.957	0.00
575	775	6	1	18	21.748	1.425	19.738	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska



X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P( 1000)
600	775	6	1	6	25.844	1.478	20.935 0.00
625	775	6	1	348	23.628	1.528	21.946 0.00
650	775	6	1	316	22.254	1.555	21.922 0.00
675	775	6	1	298	25.735	1.612	24.331 0.00
700	775	6	1	294	28.667	1.769	25.713 0.00
725	775	6	1	292	32.206	2.127	28.182 0.00
750	775	6	1	290	37.185	2.962	33.657 0.00
775	775	6	1	286	43.431	3.523	36.124 0.00
800	775	6	1	280	45.951	4.776	42.307 0.00
825	775	6	1	284	55.099	4.048	49.703 0.00
850	775	6	1	282	24.379	0.852	20.084 0.00
875	775	6	1	282	20.842	0.631	16.600 0.00
900	775	6	1	282	18.571	0.530	14.196 0.00
0	800	6	1	54	9.513	0.604	9.197 0.00
25	800	6	1	52	9.565	0.642	9.338 0.00
50	800	6	1	50	9.603	0.682	9.412 0.00
75	800	6	1	78	9.660	0.723	9.585 0.00
100	800	6	1	78	9.836	0.762	9.664 0.00
125	800	6	1	78	10.018	0.798	9.816 0.00
150	800	6	1	76	10.227	0.831	9.973 0.00
175	800	6	1	76	10.454	0.861	10.136 0.00
200	800	6	1	76	10.693	0.891	10.389 0.00
225	800	6	1	76	10.947	0.920	10.705 0.00
250	800	6	1	76	11.220	0.951	11.049 0.00
275	800	6	1	74	11.543	0.984	11.299 0.00
300	800	6	1	74	11.904	1.020	11.550 0.00
325	800	6	1	74	12.276	1.061	11.923 0.00
350	800	6	1	72	12.710	1.108	12.429 0.00
375	800	6	1	70	13.154	1.162	12.714 0.00
400	800	6	1	70	13.650	1.223	13.338 0.00
425	800	6	1	68	14.196	1.295	13.937 0.00
450	800	6	1	64	14.821	1.380	14.594 0.00
475	800	6	1	60	15.581	1.480	15.440 0.00
500	800	6	1	52	16.646	1.600	16.494 0.00
525	800	6	1	44	18.271	1.748	17.927 0.00
550	800	6	1	36	20.963	1.939	20.502 0.00
575	800	6	1	26	26.218	2.197	25.175 0.00
600	800	6	1	8	40.321	2.541	35.508 0.00
625	800	6	1	330	36.581	2.919	35.831 0.00
650	800	6	1	294	45.731	3.920	41.672 0.00
675	800	6	1	292	167.082	13.622	159.953 0.00
700	800	6	1	284	42.185	4.560	36.575 0.00
725	800	6	1	284	31.844	3.141	26.098 0.00
750	800	6	1	282	27.286	2.220	22.695 0.00
775	800	6	1	282	24.030	1.621	18.722 0.00
800	800	6	1	280	21.616	1.446	17.275 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
825	800	6	1	280	19.752	2.371	15.894	0.00
850	800	6	1	280	21.464	1.135	17.031	0.00
875	800	6	1	280	18.719	0.759	14.594	0.00
900	800	6	1	278	17.182	0.622	13.498	0.00
0	825	6	1	56	10.563	0.666	10.358	0.00
25	825	6	1	54	10.646	0.717	10.484	0.00
50	825	6	1	52	10.732	0.770	10.609	0.00
75	825	6	1	80	10.930	0.825	10.812	0.00
100	825	6	1	80	11.168	0.875	11.034	0.00
125	825	6	1	80	11.424	0.921	11.271	0.00
150	825	6	1	80	11.695	0.963	11.522	0.00
175	825	6	1	80	11.982	1.003	11.789	0.00
200	825	6	1	80	12.287	1.043	12.098	0.00
225	825	6	1	78	12.629	1.084	12.467	0.00
250	825	6	1	78	13.014	1.127	12.869	0.00
275	825	6	1	78	13.448	1.175	13.320	0.00
300	825	6	1	78	13.949	1.231	13.840	0.00
325	825	6	1	78	14.532	1.295	14.437	0.00
350	825	6	1	78	15.198	1.371	15.066	0.00
375	825	6	1	78	15.946	1.459	15.772	0.00
400	825	6	1	76	16.833	1.568	16.573	0.00
425	825	6	1	76	17.856	1.705	17.633	0.00
450	825	6	1	76	19.058	1.883	18.909	0.00
475	825	6	1	74	20.570	2.120	20.289	0.00
500	825	6	1	72	22.524	2.453	22.278	0.00
525	825	6	1	296	26.556	2.976	25.229	0.00
550	825	6	1	296	34.204	3.991	32.201	0.00
575	825	6	1	20	101.950	9.096	98.249	0.00
600	825	6	1	286	50.539	11.126	49.849	0.00
625	825	6	1	286	56.511	5.558	51.300	0.00
650	825	6	1	284	44.280	3.323	36.928	0.00
675	825	6	1	282	35.973	2.497	29.239	0.00
700	825	6	1	280	30.496	2.017	25.550	0.00
725	825	6	1	280	26.532	1.674	20.889	0.00
750	825	6	1	278	23.596	1.417	18.953	0.00
775	825	6	1	278	21.378	1.249	17.436	0.00
800	825	6	1	278	19.531	1.208	15.307	0.00
825	825	6	1	278	17.967	1.600	13.644	0.00
850	825	6	1	278	23.026	1.683	19.152	0.00
875	825	6	1	276	17.833	0.996	14.499	0.00
900	825	6	1	276	16.354	0.804	13.338	0.00
0	850	6	1	82	12.015	0.760	11.933	0.00
25	850	6	1	82	12.231	0.832	12.114	0.00
50	850	6	1	82	12.474	0.910	12.352	0.00
75	850	6	1	82	12.751	0.987	12.610	0.00
100	850	6	1	82	13.069	1.056	12.916	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P( 1000)
125	850	6	1	82	13.437	1.118	13.280 0.00
150	850	6	1	82	13.852	1.177	13.702 0.00
175	850	6	1	82	14.303	1.236	14.165 0.00
200	850	6	1	82	14.789	1.295	14.662 0.00
225	850	6	1	82	15.317	1.358	15.197 0.00
250	850	6	1	82	15.897	1.428	15.778 0.00
275	850	6	1	82	16.548	1.510	16.424 0.00
300	850	6	1	82	17.303	1.610	17.161 0.00
325	850	6	1	82	18.218	1.729	18.046 0.00
350	850	6	1	84	19.397	1.875	19.184 0.00
375	850	6	1	84	20.951	2.058	20.736 0.00
400	850	6	1	84	22.950	2.306	22.773 0.00
425	850	6	1	84	25.623	2.683	25.506 0.00
450	850	6	1	84	29.619	3.313	29.386 0.00
475	850	6	1	84	37.400	4.608	37.268 0.00
500	850	4	1	318	132.718	12.886	129.857 0.00
525	850	6	1	286	50.941	9.248	45.530 0.00
550	850	6	1	322	74.303	9.739	72.243 0.00
575	850	6	1	280	78.420	9.708	71.929 0.00
600	850	6	1	170	58.287	10.375	57.879 0.00
625	850	6	1	276	50.184	5.067	45.895 0.00
650	850	6	1	276	37.791	2.624	33.405 0.00
675	850	6	1	276	31.225	1.941	26.874 0.00
700	850	6	1	276	26.929	1.586	22.820 0.00
725	850	6	1	274	23.840	1.358	20.002 0.00
750	850	6	1	274	21.512	1.206	17.913 0.00
775	850	6	1	274	19.652	1.124	16.293 0.00
800	850	6	1	274	18.122	1.138	14.994 0.00
825	850	6	1	274	16.834	1.410	13.829 0.00
850	850	6	1	12	33.848	3.451	32.234 0.00
875	850	6	1	340	17.910	2.415	17.415 0.00
900	850	6	1	274	31.408	1.721	28.034 0.00
0	875	6	1	84	14.569	0.910	14.398 0.00
25	875	6	1	84	14.925	1.031	14.780 0.00
50	875	6	1	84	15.313	1.157	15.175 0.00
75	875	6	1	84	15.738	1.273	15.567 0.00
100	875	6	1	84	16.211	1.376	16.001 0.00
125	875	6	1	84	16.749	1.473	16.495 0.00
150	875	6	1	86	17.424	1.575	17.109 0.00
175	875	6	1	86	18.250	1.683	17.962 0.00
200	875	6	1	86	19.210	1.796	18.944 0.00
225	875	6	1	86	20.309	1.916	20.070 0.00
250	875	6	1	86	21.582	2.061	21.379 0.00
275	875	6	1	86	23.078	2.261	22.925 0.00
300	875	6	1	86	24.892	2.528	24.693 0.00
325	875	6	1	88	27.163	2.887	26.880 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
350	875	6	1	88	30.237	3.394	30.075	0.00
375	875	6	1	90	34.727	4.180	34.524	0.00
400	875	6	1	90	44.478	5.685	44.213	0.00
425	875	6	1	286	112.031	11.455	104.321	0.00
450	875	6	1	284	63.432	10.771	62.878	0.00
475	875	4	1	190	365.714	45.832	364.214	0.00
500	875	6	1	276	46.675	8.059	45.924	0.00
525	875	6	1	274	37.032	5.637	33.022	0.00
550	875	6	1	274	31.016	4.652	27.493	0.00
575	875	6	1	272	26.914	4.340	24.235	0.00
600	875	6	1	160	28.186	6.055	28.084	0.00
625	875	6	1	272	38.972	5.051	35.901	0.00
650	875	6	1	272	28.684	2.485	26.404	0.00
675	875	6	1	272	25.095	1.769	23.029	0.00
700	875	6	1	272	22.665	1.427	20.545	0.00
725	875	6	1	272	20.753	1.228	18.456	0.00
750	875	6	1	272	19.161	1.110	16.675	0.00
775	875	6	1	272	17.802	1.061	15.159	0.00
800	875	6	1	272	16.625	1.107	13.870	0.00
825	875	6	1	272	15.595	1.402	12.773	0.00
850	875	6	1	48	23.179	3.816	23.044	0.00
875	875	6	1	270	24.509	2.946	22.211	0.00
900	875	6	1	270	19.623	1.345	17.167	0.00
0	900	6	1	86	19.010	1.192	18.810	0.00
25	900	6	1	86	19.747	1.445	19.570	0.00
50	900	6	1	86	20.637	1.693	20.411	0.00
75	900	6	1	86	21.662	1.901	21.387	0.00
100	900	6	1	88	22.875	2.096	22.524	0.00
125	900	6	1	88	24.351	2.331	24.018	0.00
150	900	6	1	88	26.109	2.620	25.877	0.00
175	900	6	1	88	28.207	3.012	27.861	0.00
200	900	6	1	42	31.420	3.529	30.845	0.00
225	900	6	1	90	36.016	4.121	35.702	0.00
250	900	6	1	90	46.359	5.531	46.035	0.00
275	900	6	1	94	70.694	7.900	70.104	0.00
300	900	6	1	102	64.970	9.163	64.225	0.00
325	900	6	1	100	47.885	8.305	47.047	0.00
350	900	6	1	348	86.333	10.597	82.417	0.00
375	900	6	1	278	91.110	10.002	83.196	0.00
400	900	6	1	160	51.844	8.495	51.580	0.00
425	900	6	1	272	37.468	6.054	36.477	0.00
450	900	6	1	270	31.272	4.679	28.902	0.00
475	900	6	1	270	27.290	3.890	24.667	0.00
500	900	6	1	270	24.354	3.408	21.589	0.00
525	900	6	1	270	22.070	3.102	19.717	0.00
550	900	6	1	270	20.231	2.977	18.785	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
575	900	6	1	270	18.710	3.182	18.174	0.00
600	900	6	1	162	25.674	4.991	25.568	0.00
625	900	6	1	206	38.822	5.181	38.304	0.00
650	900	6	1	268	24.404	2.417	22.489	0.00
675	900	6	1	268	21.399	1.681	19.544	0.00
700	900	6	1	268	19.551	1.337	17.787	0.00
725	900	6	1	268	18.185	1.148	16.396	0.00
750	900	6	1	268	17.069	1.045	15.132	0.00
775	900	6	1	268	16.101	1.009	14.031	0.00
800	900	6	1	268	15.234	1.060	13.212	0.00
825	900	6	1	268	14.444	1.315	12.483	0.00
850	900	6	1	150	15.493	2.451	15.366	0.00
875	900	6	1	264	28.520	3.923	27.043	0.00
900	900	6	1	268	19.110	1.352	17.181	0.00
0	925	6	1	88	30.050	1.932	29.784	0.00
25	925	6	1	88	32.491	2.866	32.183	0.00
50	925	6	1	90	35.415	3.837	35.095	0.00
75	925	6	1	30	46.946	4.903	45.387	0.00
100	925	6	1	332	87.151	8.006	84.481	0.00
125	925	6	1	98	73.186	7.333	71.741	0.00
150	925	6	1	144	70.146	10.595	69.959	0.00
175	925	6	1	204	41.711	7.862	41.406	0.00
200	925	6	1	100	35.265	6.181	34.773	0.00
225	925	6	1	100	38.609	6.006	38.069	0.00
250	925	6	1	100	52.088	7.954	51.583	0.00
275	925	6	1	274	147.578	16.689	140.672	0.00
300	925	6	1	114	46.986	8.363	46.376	0.00
325	925	6	1	114	35.183	5.722	34.562	0.00
350	925	6	1	118	29.252	4.564	28.953	0.00
375	925	6	1	268	25.454	3.903	24.431	0.00
400	925	6	1	268	22.942	3.420	21.055	0.00
425	925	6	1	266	21.002	3.052	19.927	0.00
450	925	6	1	266	19.504	2.764	18.769	0.00
475	925	6	1	266	18.259	2.546	17.648	0.00
500	925	6	1	194	17.338	2.392	17.010	0.00
525	925	6	1	196	16.800	2.312	16.471	0.00
550	925	6	1	198	16.351	2.351	16.008	0.00
575	925	6	1	200	15.984	2.669	15.615	0.00
600	925	6	1	164	24.112	4.328	24.006	0.00
625	925	6	1	204	41.664	5.509	41.246	0.00
650	925	6	1	210	22.725	2.348	22.571	0.00
675	925	6	1	266	19.096	1.610	17.817	0.00
700	925	6	1	266	17.447	1.269	16.209	0.00
725	925	6	1	266	16.280	1.085	15.072	0.00
750	925	6	1	266	15.367	0.986	14.145	0.00
775	925	6	1	266	14.603	0.950	13.298	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
800	925	6	1	266	13.931	0.987	12.475	0.00
825	925	6	1	266	13.322	1.158	11.665	0.00
850	925	6	1	266	12.756	1.700	10.953	0.00
875	925	6	1	50	50.391	6.694	49.545	0.00
900	925	6	1	266	20.105	1.624	18.074	0.00
0	950	6	1	102	75.402	5.239	74.162	0.00
25	950	6	1	168	57.304	8.637	56.654	0.00
50	950	6	1	100	36.442	6.960	35.984	0.00
75	950	6	1	100	36.561	6.132	35.861	0.00
100	950	6	1	44	42.707	6.552	40.982	0.00
125	950	6	1	12	137.871	12.422	135.988	0.00
150	950	6	1	274	129.892	12.911	124.094	0.00
175	950	6	1	110	62.596	7.799	61.957	0.00
200	950	6	1	164	47.201	6.755	46.826	0.00
225	950	6	1	114	35.458	5.515	34.903	0.00
250	950	6	1	114	29.152	4.400	28.585	0.00
275	950	6	1	116	25.262	3.731	24.890	0.00
300	950	6	1	118	22.413	3.278	22.129	0.00
325	950	6	1	262	20.094	2.954	19.963	0.00
350	950	6	1	262	18.600	2.712	18.225	0.00
375	950	6	1	182	17.839	2.514	17.372	0.00
400	950	6	1	184	17.286	2.346	16.830	0.00
425	950	6	1	186	16.773	2.201	16.346	0.00
450	950	6	1	188	16.241	2.075	15.827	0.00
475	950	6	1	190	15.792	1.976	15.379	0.00
500	950	6	1	192	15.409	1.911	14.985	0.00
525	950	6	1	194	15.085	1.899	14.633	0.00
550	950	6	1	196	14.814	1.985	14.496	0.00
575	950	6	1	198	14.598	2.314	14.314	0.00
600	950	6	1	166	22.985	3.784	22.825	0.00
625	950	6	1	200	44.564	6.034	43.841	0.00
650	950	6	1	208	24.197	2.240	23.893	0.00
675	950	6	1	262	17.523	1.524	17.014	0.00
700	950	6	1	262	15.961	1.201	14.926	0.00
725	950	6	1	262	14.883	1.025	13.847	0.00
750	950	6	1	262	14.055	0.927	13.012	0.00
775	950	6	1	262	13.377	0.885	12.334	0.00
800	950	6	1	262	12.796	0.898	11.766	0.00
825	950	6	1	262	12.275	0.986	11.244	0.00
850	950	6	1	264	11.815	1.231	10.617	0.00
875	950	6	1	182	17.075	2.420	16.882	0.00
900	950	6	1	220	24.268	1.847	23.751	0.00
0	975	6	1	104	87.136	5.096	85.866	0.00
25	975	6	1	148	80.812	9.689	80.452	0.00
50	975	6	1	192	57.471	7.895	56.591	0.00
75	975	6	1	110	37.556	5.818	37.028	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
100	975	6	1	110	32.885	4.674	32.350	0.00
125	975	6	1	112	29.418	4.034	28.908	0.00
150	975	6	1	112	26.829	3.621	26.238	0.00
175	975	6	1	114	24.668	3.297	24.276	0.00
200	975	6	1	116	22.381	3.026	22.133	0.00
225	975	6	1	118	20.267	2.799	19.966	0.00
250	975	6	1	118	18.529	2.594	18.179	0.00
275	975	6	1	174	17.478	2.413	17.087	0.00
300	975	6	1	176	16.841	2.269	16.371	0.00
325	975	6	1	178	16.454	2.151	15.923	0.00
350	975	6	1	180	16.008	2.051	15.549	0.00
375	975	6	1	182	15.623	1.962	15.145	0.00
400	975	6	1	184	15.320	1.877	14.829	0.00
425	975	6	1	186	15.017	1.793	14.527	0.00
450	975	6	1	188	14.687	1.716	14.188	0.00
475	975	6	1	190	14.391	1.655	13.867	0.00
500	975	6	1	192	14.133	1.620	13.576	0.00
525	975	6	1	194	13.908	1.625	13.305	0.00
550	975	6	1	196	13.715	1.705	13.498	0.00
575	975	6	1	198	13.556	1.970	13.501	0.00
600	975	6	1	166	22.090	3.098	21.996	0.00
625	975	6	1	200	49.313	6.200	48.747	0.00
650	975	6	1	206	25.129	2.010	24.809	0.00
675	975	6	1	210	18.330	1.396	18.178	0.00
700	975	6	1	260	14.603	1.119	14.005	0.00
725	975	6	1	260	13.589	0.960	12.872	0.00
750	975	6	1	260	12.844	0.867	12.103	0.00
775	975	6	1	260	12.255	0.818	11.478	0.00
800	975	6	1	260	11.763	0.807	10.920	0.00
825	975	6	1	260	11.334	0.830	10.374	0.00
850	975	6	1	260	10.946	0.892	9.834	0.00
875	975	6	1	180	12.067	0.978	11.811	0.00
900	975	6	1	208	16.890	0.969	16.851	0.00
0	1000	6	1	110	28.041	2.089	27.471	0.00
25	1000	6	1	112	25.594	2.646	25.131	0.00
50	1000	6	1	112	23.700	2.762	23.388	0.00
75	1000	6	1	112	22.054	2.686	21.534	0.00
100	1000	6	1	114	20.745	2.547	20.478	0.00
125	1000	6	1	116	19.490	2.409	19.093	0.00
150	1000	6	1	116	18.378	2.293	18.026	0.00
175	1000	6	1	168	17.469	2.191	17.179	0.00
200	1000	6	1	170	16.763	2.101	16.213	0.00
225	1000	6	1	172	16.050	2.020	15.611	0.00
250	1000	6	1	172	15.660	1.945	15.254	0.00
275	1000	6	1	174	15.317	1.879	14.922	0.00
300	1000	6	1	176	14.955	1.827	14.539	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P( 1000)
325	1000	6	1	178	14.714	1.788	14.250 0.00
350	1000	6	1	180	14.457	1.753	14.005 0.00
375	1000	6	1	182	14.202	1.714	13.717 0.00
400	1000	6	1	184	14.001	1.657	13.480 0.00
425	1000	6	1	186	13.798	1.584	13.252 0.00
450	1000	6	1	188	13.573	1.513	12.998 0.00
475	1000	6	1	190	13.357	1.458	12.739 0.00
500	1000	6	1	192	13.164	1.424	12.494 0.00
525	1000	6	1	194	12.992	1.420	12.308 0.00
550	1000	6	1	196	12.837	1.462	12.586 0.00
575	1000	6	1	158	13.238	1.588	13.171 0.00
600	1000	6	1	166	21.252	1.887	21.077 0.00
625	1000	6	1	194	40.128	2.078	39.231 0.00
650	1000	6	1	204	25.814	1.577	25.425 0.00
675	1000	6	1	208	19.181	1.226	18.929 0.00
700	1000	6	1	212	15.091	1.023	14.980 0.00
725	1000	6	1	214	12.149	0.892	12.107 0.00
750	1000	6	1	254	11.324	0.808	11.112 0.00
775	1000	6	1	256	10.953	0.755	10.612 0.00
800	1000	6	1	256	10.630	0.727	10.302 0.00
825	1000	6	1	256	10.321	0.713	9.880 0.00
850	1000	6	1	258	10.037	0.702	9.443 0.00
875	1000	6	1	258	9.782	0.676	8.976 0.00
900	1000	6	1	198	10.495	0.664	10.282 0.00
0	1025	6	1	156	20.250	1.386	19.953 0.00
25	1025	6	1	158	19.291	1.601	19.096 0.00
50	1025	6	1	160	17.887	1.753	17.657 0.00
75	1025	6	1	160	16.840	1.806	16.513 0.00
100	1025	6	1	162	16.452	1.799	16.187 0.00
125	1025	6	1	164	16.124	1.764	15.899 0.00
150	1025	6	1	166	15.798	1.725	15.600 0.00
175	1025	6	1	168	15.406	1.689	14.718 0.00
200	1025	6	1	170	14.911	1.658	14.240 0.00
225	1025	6	1	172	14.441	1.634	13.903 0.00
250	1025	6	1	174	14.157	1.618	13.720 0.00
275	1025	6	1	176	13.926	1.612	13.518 0.00
300	1025	6	1	176	13.680	1.624	13.317 0.00
325	1025	6	1	178	13.512	1.660	13.093 0.00
350	1025	6	1	46	14.014	1.717	13.291 0.00
375	1025	6	1	182	13.166	1.749	12.673 0.00
400	1025	6	1	184	13.019	1.664	12.755 0.00
425	1025	6	1	186	12.871	1.528	12.276 0.00
450	1025	6	1	188	12.705	1.422	12.063 0.00
475	1025	6	1	190	12.538	1.346	11.842 0.00
500	1025	6	1	192	12.381	1.296	11.761 0.00
525	1025	6	1	194	12.235	1.270	11.702 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska



X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P( 1000)
550	1025	6	1	196	12.099	1.269	11.776 0.00
575	1025	6	1	160	12.971	1.290	12.881 0.00
600	1025	6	1	172	18.570	1.288	18.116 0.00
625	1025	6	1	190	25.025	1.258	24.258 0.00
650	1025	6	1	202	25.003	1.213	24.588 0.00
675	1025	6	1	206	19.694	1.064	19.265 0.00
700	1025	6	1	210	15.862	0.928	15.711 0.00
725	1025	6	1	212	13.026	0.826	12.891 0.00
750	1025	6	1	214	10.906	0.752	10.862 0.00
775	1025	6	1	240	9.785	0.699	9.724 0.00
800	1025	6	1	248	9.494	0.661	9.393 0.00
825	1025	6	1	252	9.310	0.630	9.125 0.00
850	1025	6	1	254	9.134	0.595	8.813 0.00
875	1025	6	1	254	8.970	0.560	8.620 0.00
900	1025	6	1	256	8.783	0.542	8.301 0.00
0	1050	6	1	156	17.390	1.073	17.048 0.00
25	1050	6	1	158	16.612	1.185	16.271 0.00
50	1050	6	1	160	15.672	1.293	15.447 0.00
75	1050	6	1	162	15.064	1.366	14.792 0.00
100	1050	6	1	164	14.762	1.399	14.413 0.00
125	1050	6	1	164	14.546	1.406	14.220 0.00
150	1050	6	1	166	14.310	1.403	14.013 0.00
175	1050	6	1	168	14.003	1.400	13.471 0.00
200	1050	6	1	170	13.643	1.403	13.056 0.00
225	1050	6	1	172	13.317	1.417	12.681 0.00
250	1050	6	1	174	13.101	1.448	12.569 0.00
275	1050	6	1	176	12.922	1.505	12.453 0.00
300	1050	6	1	178	12.739	1.611	12.341 0.00
325	1050	6	1	68	13.792	1.817	13.137 0.00
350	1050	6	1	64	18.889	2.315	17.931 0.00
375	1050	6	1	316	42.803	4.287	40.427 0.00
400	1050	6	1	298	21.181	2.360	19.506 0.00
425	1050	6	1	290	13.904	1.712	12.647 0.00
450	1050	6	1	188	11.994	1.456	11.321 0.00
475	1050	6	1	190	11.856	1.314	11.266 0.00
500	1050	6	1	192	11.720	1.225	11.223 0.00
525	1050	6	1	194	11.587	1.168	11.195 0.00
550	1050	6	1	194	11.504	1.129	11.072 0.00
575	1050	6	1	164	12.244	1.093	12.141 0.00
600	1050	6	1	174	15.354	1.040	14.839 0.00
625	1050	6	1	190	18.871	1.000	18.457 0.00
650	1050	6	1	200	21.621	0.984	21.004 0.00
675	1050	6	1	204	19.463	0.926	18.929 0.00
700	1050	6	1	208	16.325	0.842	16.037 0.00
725	1050	6	1	212	13.671	0.764	13.496 0.00
750	1050	6	1	214	11.600	0.700	11.521 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
775	1050	6	1	214	10.015	0.650	9.957	0.00
800	1050	6	1	214	8.960	0.608	8.901	0.00
825	1050	6	1	242	8.562	0.569	8.410	0.00
850	1050	6	1	246	8.355	0.530	8.173	0.00
875	1050	6	1	248	8.209	0.496	8.042	0.00
900	1050	6	1	252	8.090	0.475	7.840	0.00
0	1075	6	1	158	15.513	0.890	15.208	0.00
25	1075	6	1	160	14.882	0.960	14.607	0.00
50	1075	6	1	160	14.196	1.035	13.883	0.00
75	1075	6	1	162	13.831	1.101	13.640	0.00
100	1075	6	1	164	13.620	1.148	13.369	0.00
125	1075	6	1	166	13.425	1.175	13.122	0.00
150	1075	6	1	168	13.199	1.194	12.806	0.00
175	1075	6	1	168	12.948	1.213	12.554	0.00
200	1075	6	1	170	12.684	1.243	12.200	0.00
225	1075	6	1	172	12.450	1.295	11.843	0.00
250	1075	6	1	174	12.280	1.385	11.668	0.00
275	1075	6	1	176	12.136	1.549	11.612	0.00
300	1075	6	1	82	12.456	1.885	12.397	0.00
325	1075	6	1	88	19.329	2.853	19.260	0.00
350	1075	6	1	138	27.831	5.606	27.708	0.00
375	1075	6	1	186	22.566	3.890	22.152	0.00
400	1075	6	1	188	24.956	6.670	24.731	0.00
425	1075	6	1	252	19.488	2.670	18.793	0.00
450	1075	6	1	256	12.433	1.702	12.099	0.00
475	1075	6	1	190	11.271	1.381	10.779	0.00
500	1075	6	1	192	11.146	1.214	10.764	0.00
525	1075	6	1	192	11.068	1.109	10.634	0.00
550	1075	6	1	194	11.007	1.033	10.450	0.00
575	1075	6	1	168	11.147	0.967	10.938	0.00
600	1075	6	1	176	13.011	0.904	12.581	0.00
625	1075	6	1	190	15.549	0.863	15.189	0.00
650	1075	6	1	198	18.476	0.843	18.048	0.00
675	1075	6	1	202	18.268	0.814	17.684	0.00
700	1075	6	1	206	16.299	0.764	15.876	0.00
725	1075	6	1	210	14.085	0.707	13.864	0.00
750	1075	6	1	212	12.153	0.654	12.026	0.00
775	1075	6	1	214	10.559	0.606	10.494	0.00
800	1075	6	1	214	9.337	0.564	9.250	0.00
825	1075	6	1	214	8.510	0.523	8.382	0.00
850	1075	6	1	214	7.974	0.485	7.833	0.00
875	1075	6	1	242	7.647	0.454	7.553	0.00
900	1075	6	1	246	7.500	0.432	7.409	0.00
0	1100	6	1	158	14.138	0.766	13.881	0.00
25	1100	6	1	160	13.643	0.816	13.459	0.00
50	1100	6	1	162	13.141	0.870	12.850	0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P( 1000)
75	1100	6	1	162	12.866	0.926	12.579 0.00
100	1100	6	1	164	12.717	0.973	12.507 0.00
125	1100	6	1	166	12.563	1.011	12.347 0.00
150	1100	6	1	168	12.374	1.044	11.832 0.00
175	1100	6	1	170	12.141	1.081	11.712 0.00
200	1100	6	1	170	11.913	1.136	11.526 0.00
225	1100	6	1	172	11.743	1.236	11.220 0.00
250	1100	6	1	174	11.608	1.443	10.955 0.00
275	1100	6	1	104	13.652	1.936	13.574 0.00
300	1100	6	1	110	29.126	3.726	28.941 0.00
325	1100	6	1	142	38.846	5.340	38.732 0.00
350	1100	6	1	180	18.461	2.695	18.122 0.00
375	1100	6	1	182	17.207	2.271	16.604 0.00
400	1100	6	1	184	19.660	2.722	19.074 0.00
425	1100	6	1	228	31.605	5.805	31.225 0.00
450	1100	6	1	248	24.050	2.995	22.912 0.00
475	1100	6	1	252	15.029	1.668	14.227 0.00
500	1100	6	1	252	11.645	1.289	11.103 0.00
525	1100	6	1	192	10.617	1.095	10.082 0.00
550	1100	6	1	194	10.556	0.971	9.895 0.00
575	1100	6	1	196	10.518	0.883	10.241 0.00
600	1100	6	1	178	11.349	0.817	10.952 0.00
625	1100	6	1	192	13.492	0.774	13.354 0.00
650	1100	6	1	196	16.038	0.749	15.625 0.00
675	1100	6	1	200	16.655	0.727	15.988 0.00
700	1100	6	1	204	15.749	0.694	15.178 0.00
725	1100	6	1	208	14.166	0.654	13.929 0.00
750	1100	6	1	210	12.483	0.610	12.210 0.00
775	1100	6	1	212	10.993	0.567	10.792 0.00
800	1100	6	1	214	9.758	0.527	9.676 0.00
825	1100	6	1	214	8.790	0.488	8.660 0.00
850	1100	6	1	214	8.108	0.452	7.905 0.00
875	1100	6	1	216	7.632	0.423	7.445 0.00
900	1100	6	1	216	7.350	0.402	7.200 0.00
0	1125	6	1	158	13.036	0.676	12.668 0.00
25	1125	6	1	160	12.677	0.714	12.406 0.00
50	1125	6	1	162	12.335	0.755	12.125 0.00
75	1125	6	1	164	12.086	0.801	11.763 0.00
100	1125	6	1	164	11.960	0.845	11.662 0.00
125	1125	6	1	166	11.841	0.886	11.610 0.00
150	1125	6	1	168	11.685	0.927	11.017 0.00
175	1125	6	1	170	11.495	0.975	10.960 0.00
200	1125	6	1	172	11.285	1.050	10.902 0.00
225	1125	6	1	106	11.778	1.205	11.686 0.00
250	1125	6	1	110	16.772	1.767	16.679 0.00
275	1125	6	1	128	41.915	4.576	41.453 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P( 1000)
300	1125	6	1	180	27.738	3.493	27.208 0.00
325	1125	6	1	178	17.675	2.162	17.083 0.00
350	1125	6	1	180	16.288	1.780	15.769 0.00
375	1125	6	1	182	15.371	1.688	14.799 0.00
400	1125	6	1	184	16.348	1.816	15.654 0.00
425	1125	6	1	186	18.787	2.348	18.283 0.00
450	1125	3	1	110	37.200	6.818	36.976 0.00
475	1125	6	1	244	28.027	3.751	26.698 0.00
500	1125	6	1	248	16.456	1.600	15.248 0.00
525	1125	6	1	250	12.701	1.140	11.741 0.00
550	1125	6	1	252	10.593	0.935	10.083 0.00
575	1125	6	1	194	10.118	0.824	9.758 0.00
600	1125	6	1	196	10.445	0.753	10.192 0.00
625	1125	6	1	192	12.182	0.707	11.941 0.00
650	1125	6	1	196	14.271	0.680	14.036 0.00
675	1125	6	1	200	15.232	0.659	14.832 0.00
700	1125	6	1	204	14.917	0.634	14.370 0.00
725	1125	6	1	206	13.915	0.603	13.529 0.00
750	1125	6	1	210	12.553	0.568	12.201 0.00
775	1125	6	1	212	11.274	0.531	11.068 0.00
800	1125	6	1	214	10.096	0.494	9.951 0.00
825	1125	6	1	214	9.117	0.459	9.002 0.00
850	1125	6	1	214	8.327	0.426	8.184 0.00
875	1125	6	1	216	7.745	0.399	7.601 0.00
900	1125	6	1	216	7.365	0.378	7.221 0.00
0	1150	6	1	160	12.217	0.607	11.925 0.00
25	1150	6	1	160	11.882	0.636	11.541 0.00
50	1150	6	1	162	11.655	0.669	11.431 0.00
75	1150	6	1	164	11.477	0.707	11.237 0.00
100	1150	6	1	166	11.322	0.746	10.994 0.00
125	1150	6	1	166	11.215	0.785	10.912 0.00
150	1150	6	1	168	11.093	0.827	10.519 0.00
175	1150	6	1	170	10.941	0.877	10.313 0.00
200	1150	6	1	114	11.547	0.951	11.381 0.00
225	1150	6	1	120	15.865	1.093	15.711 0.00
250	1150	6	1	130	23.681	1.481	23.276 0.00
275	1150	6	1	176	19.592	2.081	19.269 0.00
300	1150	6	1	176	16.894	1.694	16.514 0.00
325	1150	6	1	178	15.573	1.474	15.175 0.00
350	1150	6	1	180	14.701	1.368	14.232 0.00
375	1150	6	1	182	14.207	1.343	13.624 0.00
400	1150	6	1	184	14.723	1.398	14.103 0.00
425	1150	6	1	186	15.962	1.576	15.322 0.00
450	1150	6	1	188	17.896	2.026	17.304 0.00
475	1150	6	1	188	26.028	4.038	25.569 0.00
500	1150	6	1	244	41.806	4.553	40.101 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8 P( 1000)
525	1150	6	1	246	17.572	1.254	16.346 0.00
550	1150	6	1	248	13.361	0.903	12.233 0.00
575	1150	6	1	250	11.091	0.771	10.307 0.00
600	1150	6	1	194	10.066	0.698	9.739 0.00
625	1150	6	1	194	11.280	0.652	11.082 0.00
650	1150	6	1	196	12.919	0.623	12.630 0.00
675	1150	6	1	198	13.878	0.602	13.345 0.00
700	1150	6	1	202	14.041	0.582	13.710 0.00
725	1150	6	1	204	13.389	0.557	12.803 0.00
750	1150	6	1	208	12.479	0.529	12.158 0.00
775	1150	6	1	210	11.406	0.498	11.218 0.00
800	1150	6	1	212	10.352	0.465	10.212 0.00
825	1150	6	1	214	9.396	0.434	9.275 0.00
850	1150	6	1	214	8.587	0.404	8.431 0.00
875	1150	6	1	216	7.926	0.379	7.808 0.00
900	1150	6	1	216	7.454	0.359	7.333 0.00
0	1175	6	1	160	11.534	0.551	11.343 0.00
25	1175	6	1	162	11.282	0.575	11.016 0.00
50	1175	6	1	162	11.060	0.602	10.756 0.00
75	1175	6	1	164	10.937	0.633	10.741 0.00
100	1175	6	1	166	10.815	0.666	10.560 0.00
125	1175	6	1	168	10.673	0.702	10.295 0.00
150	1175	6	1	168	10.572	0.741	10.110 0.00
175	1175	6	1	170	10.456	0.786	10.307 0.00
200	1175	6	1	126	12.666	0.847	12.490 0.00
225	1175	6	1	132	15.335	0.941	15.145 0.00
250	1175	6	1	142	15.649	1.069	15.499 0.00
275	1175	6	1	176	16.045	1.155	15.564 0.00
300	1175	6	1	178	14.961	1.176	14.541 0.00
325	1175	6	1	178	14.205	1.139	13.851 0.00
350	1175	6	1	180	13.648	1.110	13.200 0.00
375	1175	6	1	182	13.343	1.106	12.751 0.00
400	1175	6	1	184	13.648	1.131	13.078 0.00
425	1175	6	1	186	14.427	1.200	13.901 0.00
450	1175	6	1	188	15.442	1.336	14.958 0.00
475	1175	6	1	190	17.115	1.594	16.697 0.00
500	1175	6	1	192	22.538	1.953	22.166 0.00
525	1175	6	1	234	22.075	1.139	20.471 0.00
550	1175	6	1	242	16.289	0.831	15.050 0.00
575	1175	6	1	244	13.057	0.711	11.579 0.00
600	1175	6	1	246	11.046	0.644	9.736 0.00
625	1175	6	1	194	10.615	0.602	10.326 0.00
650	1175	6	1	196	11.876	0.575	11.566 0.00
675	1175	6	1	198	12.825	0.554	12.536 0.00
700	1175	6	1	200	13.064	0.536	12.443 0.00
725	1175	6	1	204	12.863	0.516	12.481 0.00

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
750	1175	6	1	206	12.208	0.492	11.839	0.00
775	1175	6	1	208	11.341	0.466	10.952	0.00
800	1175	6	1	210	10.441	0.439	10.116	0.00
825	1175	6	1	212	9.591	0.411	9.373	0.00
850	1175	6	1	214	8.818	0.385	8.719	0.00
875	1175	6	1	214	8.133	0.362	7.983	0.00
900	1175	6	1	216	7.595	0.342	7.486	0.00
0	1200	6	1	160	10.936	0.504	10.661	0.00
25	1200	6	1	162	10.758	0.524	10.566	0.00
50	1200	6	1	164	10.559	0.547	10.255	0.00
75	1200	6	1	164	10.447	0.572	10.176	0.00
100	1200	6	1	166	10.356	0.601	10.173	0.00
125	1200	6	1	168	10.240	0.632	9.743	0.00
150	1200	6	1	168	10.107	0.666	9.750	0.00
175	1200	6	1	128	10.817	0.705	10.646	0.00
200	1200	6	1	132	12.171	0.753	11.905	0.00
225	1200	6	1	138	12.822	0.812	12.593	0.00
250	1200	6	1	148	12.038	0.865	11.980	0.00
275	1200	6	1	176	14.152	0.897	13.730	0.00
300	1200	6	1	178	13.779	0.925	13.313	0.00
325	1200	6	1	180	13.251	0.933	12.896	0.00
350	1200	6	1	180	12.853	0.931	12.417	0.00
375	1200	6	1	182	12.650	0.933	12.050	0.00
400	1200	6	1	184	12.842	0.943	12.310	0.00
425	1200	6	1	186	13.368	0.967	12.930	0.00
450	1200	6	1	188	14.035	1.004	13.665	0.00
475	1200	6	1	188	14.940	1.037	14.583	0.00
500	1200	6	1	192	16.086	1.016	15.622	0.00
525	1200	6	1	220	15.223	0.907	14.996	0.00
550	1200	6	1	232	14.718	0.747	13.507	0.00
575	1200	6	1	238	13.110	0.650	11.827	0.00
600	1200	6	1	240	11.505	0.593	10.362	0.00
625	1200	6	1	244	10.234	0.556	9.963	0.00
650	1200	6	1	196	11.057	0.531	10.735	0.00
675	1200	6	1	198	11.893	0.512	11.521	0.00
700	1200	6	1	200	12.304	0.496	11.975	0.00
725	1200	6	1	202	12.212	0.479	11.681	0.00
750	1200	6	1	206	11.774	0.459	11.276	0.00
775	1200	6	1	208	11.169	0.437	10.802	0.00
800	1200	6	1	210	10.439	0.414	10.156	0.00
825	1200	6	1	212	9.679	0.390	9.441	0.00
850	1200	6	1	212	8.949	0.367	8.724	0.00
875	1200	6	1	214	8.327	0.346	8.183	0.00
900	1200	6	1	216	7.747	0.328	7.615	0.00

Początek obliczeń : 00:12:09

Koniec obliczeń : 00:41:14

Program AERO 2010 - Autor W.Pełka, (C) 2000-2010 Soft-P Piotrków Tryb.

Analiza stanu zanieczyszczenia atmosfery wg Rozp. MŚ z dnia 26 stycznia 2010 r. (Dz.U. nr 16, poz.87)

Licencja : Kwiek-Walasiak pracownia ochrony przed hałasem i ochrony środowiska

X[m]	Y[m]	KL	Ua	Kat	Smax	Sa	S99,8	P( 1000)
------	------	----	----	-----	------	----	-------	----------

Maksimum stężeń maksymalnych ug/m3 2362,743

350	300	5	1	330	2362.743	145.300	2235.073	3.36
-----	-----	---	---	-----	----------	---------	----------	------

Maksimum stężeń średnich ug/m3 145,300

350	300	5	1	330	2362.743	145.300	2235.073	3.36
-----	-----	---	---	-----	----------	---------	----------	------

Maksimum percentyla S99,8 ug/m3 2235,073

350	300	5	1	330	2362.743	145.300	2235.073	3.36
-----	-----	---	---	-----	----------	---------	----------	------

